



SLOVENSKI STANDARD SIST EN ISO 19136-2:2018

01-november-2018

Nadomešča:
SIST EN ISO 19136:2009

**Geografske informacije - Jezik za označevanje geografskih podatkov (GML) - 2.
del: Razširjene sheme in pravila kodiranja (ISO 19136-2:2015)**

Geographic information - Geography Markup Language (GML) - Part 2: Extended
schemas and encoding rules (ISO 19136-2:2015)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Information géographique - Langage de balisage en géographie (GML) - Partie 2:
Schémas étendus et règles d'encodage (ISO 19136-2:2015)

<https://standards.iteh.ai/catalog/standards/sist/59a2af0a-34aa-4dd1-b531-3c6e7667303b/sist-en-iso-19136-2-2018>

Ta slovenski standard je istoveten z: EN ISO 19136-2:2018

ICS:

07.040	Astronomija. Geodezija. Geografija	Astronomy. Geodesy. Geography
35.060	Jeziki, ki se uporabljajo v informacijski tehniki in tehnologiji	Languages used in information technology
35.240.70	Uporabniške rešitve IT v znanosti	IT applications in science

SIST EN ISO 19136-2:2018

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19136-2:2018

<https://standards.iteh.ai/catalog/standards/sist/59a2af0a-34aa-4dd1-b531-3c6e7667303b/sist-en-iso-19136-2-2018>

EUROPEAN STANDARD

EN ISO 19136-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2018

ICS 35.240.70

English Version

Geographic information - Geography Markup Language (GML) - Part 2: Extended schemas and encoding rules (ISO 19136-2:2015)

Information géographique - Langage de balisage en
géographie (GML) - Partie 2: Schémas étendus et règles
d'encodage (ISO 19136-2:2015)

Geoinformation - Geography Markup Language (GML) -
Teil 2: Erweitertes Schema und Kodierregeln

This European Standard was approved by CEN on 10 March 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

iTeh STANDARD PREVIEW

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 19136-2:2018](https://standards.iteh.ai/catalog/standards/sist/59a2af0a-34aa-4dd1-b531-3c6e7667303b/sist-en-iso-19136-2-2018)
<https://standards.iteh.ai/catalog/standards/sist/59a2af0a-34aa-4dd1-b531-3c6e7667303b/sist-en-iso-19136-2-2018>

European foreword

The text of ISO 19136-2:2015 has been prepared by Technical Committee ISO/TC 211 "Geographic information/Geomatics" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 19136-2:2018 by Technical Committee CEN/TC 287 "Geographic Information" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2019, and conflicting national standards shall be withdrawn at the latest by March 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 19136:2009.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

PRE STANDARD PREVIEW

(standards.iteh.ai)

Endorsement notice

The text of ISO 19136-2:2015 has been approved by CEN as EN ISO 19136-2:2018 without any modification.

SIST EN ISO 19136-2:2018
<https://standards.iteh.ai/catalog/standards/sist/59a2a10a-34aa-4dd1-b531-3c6e7667303b/sist-en-iso-19136-2-2018>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19136-2:2018

<https://standards.iteh.ai/catalog/standards/sist/59a2af0a-34aa-4dd1-b531-3c6e7667303b/sist-en-iso-19136-2-2018>

INTERNATIONAL
STANDARD

ISO
19136-2

First edition
2015-08-01

**Geographic information — Geography
Markup Language (GML) —**

**Part 2:
Extended schemas and encoding rules**

*Information géographique — Langage de balisage en géographie
(GML) —*

iTeh STANDARD PREVIEW
Partie 2: Schémas étendus et règles d'encodage
(standards.iteh.ai)

SIST EN ISO 19136-2:2018

<https://standards.iteh.ai/catalog/standards/sist/59a2af0a-34aa-4dd1-b531-3c6e7667303b/sist-en-iso-19136-2-2018>



Reference number
ISO 19136-2:2015(E)

© ISO 2015

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 19136-2:2018

<https://standards.iteh.ai/catalog/standards/sist/59a2af0a-34aa-4dd1-b531-3c6e7667303b/sist-en-iso-19136-2-2018>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	vi
Introduction	vii
1 Scope	1
2 Conformance	1
3 Normative references	2
4 Terms, definitions, symbols and abbreviated terms	2
4.1 General.....	2
4.2 Terms and definitions.....	2
4.3 Symbols and abbreviated terms.....	3
5 Conventions	3
5.1 MIME media types.....	3
5.2 XML namespaces.....	3
5.3 Deprecated parts of previous versions of GML.....	4
6 Additional base types	5
6.1 Target namespace.....	5
6.2 Localisable strings.....	5
6.2.1 LanguageStringType.....	5
6.2.2 Additional types based on LanguageStringType.....	5
6.3 TimePositionUnion.....	5
6.4 Requirements class.....	7
6.5 Conformance.....	7
7 Compact Encodings of Commonly Used GML Geometries	8
7.1 Target namespace.....	8
7.2 Introduction.....	8
7.3 SimplePolygon.....	8
7.4 SimpleRectangle.....	9
7.5 SimpleTriangle.....	10
7.6 SimpleArcString.....	10
7.7 SimpleArc.....	11
7.8 SimpleArcByCenterPoint.....	11
7.9 SimpleArcStringByBulge.....	12
7.10 SimpleArcByBulge.....	12
7.11 SimpleCircle.....	13
7.12 SimpleCircleByCenterPoint.....	13
7.13 SimpleMultiPoint.....	14
7.14 MultiPointPropertyType.....	14
7.15 Requirements class.....	14
7.16 Conformance.....	14
8 Triangulated Irregular Networks	15
8.1 Target namespace.....	15
8.2 Introduction.....	15
8.3 TriangulatedSurface.....	15
8.4 SimpleTrianglePatch.....	15
8.5 TIN.....	16
8.6 TINElement.....	16
8.7 TINElementPropertyType.....	17
8.8 TINElementTypeType.....	17
8.9 Requirements class.....	19
8.10 Conformance.....	20
9 Linear Referencing	20
9.1 Target namespaces.....	20

ISO 19136-2:2015(E)

9.2	Introduction	20
9.3	Basic Linear Referencing	21
9.3.1	Target namespace	21
9.3.2	Introduction	21
9.3.3	PositionExpression	21
9.3.4	PositionExpressionPropertyType	21
9.3.5	LinearElement	22
9.3.6	LinearElementPropertyType	23
9.3.7	StartValueType	23
9.3.8	LinearReferencingMethod	23
9.3.9	LinearReferencingMethodPropertyType	24
9.3.10	DistanceExpressionType	24
9.3.11	DistanceExpressionPropertyType	25
9.3.12	AlongReferent	25
9.3.13	AlongReferentPropertyType	25
9.3.14	Referent	26
9.3.15	ReferentPropertyType	27
9.3.16	MeasureType	27
9.3.17	LRMNameType	27
9.3.18	LRMTypeType	31
9.3.19	ReferentTypeType	32
9.3.20	LinearSRS	33
9.3.21	LinearSRSPPropertyType	33
9.4	Linear Referencing Towards Referent	34
9.4.1	Target namespace	34
9.4.2	Introduction	34
9.4.3	DualAlongReferent	34
9.4.4	DualAlongReferentPropertyType	34
9.5	Linear Referencing Offset	35
9.5.1	Target namespace	35
9.5.2	Introduction	35
9.5.3	LRMWithOffset	35
9.5.4	LRMWithOffsetPropertyType	35
9.5.5	LateralOffsetDistanceExpressionType	36
9.5.6	LateralOffsetExpressionType	36
9.5.7	VerticalOffsetExpressionType	37
9.5.8	LateralOffsetDirectionType	38
9.5.9	VerticalOffsetDirectionType	39
9.5.10	LateralOffsetLinearSRS	39
9.5.11	LateralOffsetLinearSRSPPropertyType	40
9.6	Linear Referencing Offset Vectors	41
9.6.1	Target namespace	41
9.6.2	Introduction	41
9.6.3	VectorOffsetDistanceExpressionType	41
9.6.4	VectorOffsetExpressionType	41
9.6.5	VectorOffsetLinearSRS	42
9.6.6	VectorOffsetLinearSRSPPropertyType	45
9.7	Requirements classes	45
9.8	Conformance	47
10	ReferenceableGrid	48
10.1	Target namespace	48
10.2	Clarifications to ISO 19123:2005	48
10.3	AbstractReferenceableGrid	49
10.4	ReferenceableGridByArray	50
10.5	ReferenceableGridByVectorsType, ReferenceableGridByVectors	51
10.6	ReferenceableGridByTransformation	57
10.7	gridCRS	58
10.8	Coverages using ReferenceableGrid	58

10.9	Requirements classes.....	58
10.10	Conformance.....	59
11	Code lists, dictionaries and definitions.....	60
11.1	Overview.....	60
11.2	Requirements class.....	61
11.3	Conformance.....	62
12	Encoding rule.....	62
12.1	Target namespace.....	62
12.2	Improved conversion rule.....	62
12.2.1	Conversion rule changes.....	62
12.2.2	Requirements class.....	64
12.2.3	Conformance.....	65
12.3	Association class conversion rule.....	67
12.3.1	Overview.....	67
12.3.2	Requirements class.....	68
12.3.3	Conformance.....	69
12.4	Encoding rule extensions.....	70
12.4.1	Overview.....	70
12.4.2	gmlexr:extendedEncodingRule.....	70
12.4.3	Requirements class.....	70
12.4.4	Conformance class.....	71
Annex A (informative) Linear referencing method examples.....		73
Bibliography.....	iTeh STANDARD PREVIEW	78

(standards.iteh.ai)

[SIST EN ISO 19136-2:2018](https://standards.iteh.ai/catalog/standards/sist/59a2af0a-34aa-4dd1-b531-3c6e7667303b/sist-en-iso-19136-2-2018)

<https://standards.iteh.ai/catalog/standards/sist/59a2af0a-34aa-4dd1-b531-3c6e7667303b/sist-en-iso-19136-2-2018>

ISO 19136-2:2015(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#).

The Geography Markup Language (GML) was originally developed within the Open Geospatial Consortium (OGC). The Committee responsible for this document is ISO/TC 211, *Geographic information/Geomatics*.

ISO 19136 consists of the following parts, under the general title *Geographic Information — Geography Markup Language*:

— *Part 2: Extended schemas and encoding rules*

A future Part 1 will revise and replace the currently available ISO 19136:2007.

Introduction

Geography Markup Language is an XML grammar written in XML Schema for the description of application schemas as well as the transport and storage of geographic information.

The key concepts used by Geography Markup Language (GML) to model the world are drawn from the ISO 19100- series of International Standards and the OpenGIS Abstract Specification.

A feature is an “abstraction of real world phenomena” (ISO 19101); it is a geographic feature if it is associated with a location relative to the Earth. So a digital representation of the real world may be thought of as a set of features. The state of a feature is defined by a set of properties, where each property may be thought of as a {name, type, value} triple.

The number of properties a feature may have, together with their names and types, is determined by its type definition. Geographic features with geometry are those with properties that may be geometry-valued. A feature collection is a collection of features that may itself be regarded as a feature; as a consequence a feature collection has a feature type and thus may have distinct properties of its own, in addition to the features it contains.

Following ISO 19109, the feature types of an application or application domain is usually captured in an application schema. A GML application schema is specified in XML Schema and can be constructed in two different and alternative ways:

- by adhering to the rules specified in ISO 19109 for application schemas in UML, and conforming to both the constraints on such schemas and the rules for mapping them to GML application schemas specified in this part of ISO 19136;
- by adhering to the rules for GML application schemas specified in this part of ISO 19136 for creating a GML application schema directly in XML Schema.

Both ways are supported by this part of ISO 19136. To ensure proper use of the conceptual modelling framework of the ISO 19100- series of International Standards, all application schemas are expected to be modelled in accordance with the General Feature Model as specified in ISO 19109. Within the ISO 19100- series, UML is the preferred language by which to model conceptual schemas.

GML specifies XML encodings, conformant with ISO 19118, of several of the conceptual classes defined in the ISO 19100- series of International Standards and the OpenGIS Abstract Specification. These conceptual models include those defined in:

- ISO/TS 19103, *Geographic information — Conceptual schema language* (units of measure, basic types);
- ISO 19107, *Geographic information — Spatial schema* (geometry and topology objects);
- ISO 19108, *Geographic information — Temporal schema* (temporal geometry and topology objects, temporal reference systems);
- ISO 19109, *Geographic information — Rules for application schemas* (features);
- ISO 19111, *Geographic information — Spatial referencing by coordinates* (coordinate reference systems);
- ISO 19123, *Geographic information — Schema for coverage geometry and functions*;
- ISO 19148, *Geographic information — Linear referencing*.

The aim is to provide a standardized encoding (i.e. a standardized implementation in XML) of types specified in the conceptual models specified by the International Standards listed above. If every application schema were encoded independently and the encoding process included the types from, for example, ISO 19108, then, without unambiguous and completely fixed encoding rules, the XML encodings would be different. Also, since every implementation platform has specific strengths and weaknesses, it is helpful to standardize XML encodings for core geographic information concepts modelled in the ISO 19100- series of International Standards and commonly used in application schemas.

ISO 19136-2:2015(E)

In many cases, the mapping from the conceptual classes is straightforward, while in some cases the mapping is more complex (a detailed description of the mapping is part of this part of ISO 19136).

In addition, GML provides XML encodings for additional concepts not yet modelled in the ISO 19100-series of International Standards or the OpenGIS Abstract Specification, for example, dynamic features, simple observations or value objects.

Predefined types of geographic feature in GML include coverages and simple observations.

A coverage is a subtype of feature that has a coverage function with a spatiotemporal domain and a value set range of homogeneous 1- to n -dimensional tuples. A coverage may represent one feature or a collection of features “to model and make visible spatial relationships between, and the spatial distribution of, Earth phenomena” (OGC Abstract Specification Topic 6) and a coverage “acts as a function to return values from its range for any direct position within its spatiotemporal domain” (ISO 19123).

An observation models the act of observing, often with a camera or some other procedure, a person or some form of instrument (Merriam-Webster Dictionary: “an act of recognizing and noting a fact or occurrence often involving measurement with instruments”). An observation is considered to be a GML feature with a time at which the observation took place, and with a value for the observation.

A reference system provides a scale of measurement for assigning values to a position, time or other descriptive quantity or quality.

A coordinate reference system consists of a set of coordinate system axes that is related to the Earth through a datum that defines the size and shape of the Earth.

A temporal reference system provides standard units for measuring time and describing temporal length or duration.

A reference system dictionary provides definitions of reference systems used in spatial or temporal geometries.

Spatial geometries are the values of spatial feature properties. They indicate the coordinate reference system in which their measurements have been made. The “parent” geometry element of a geometric complex or geometric aggregate makes this indication for its constituent geometries.

Temporal geometries are the values of temporal feature properties. Like their spatial counterparts, temporal geometries indicate the temporal reference system in which their measurements have been made.

Spatial or temporal topologies are used to express the different topological relationships between features.

A units-of-measure dictionary provides definitions of numerical measures of physical quantities, such as length, temperature and pressure, and of conversions between units.

Geographic information — Geography Markup Language (GML) —

Part 2: Extended schemas and encoding rules

1 Scope

The Geography Markup Language (GML) is an XML encoding in compliance with ISO 19118 for the transport and storage of geographic information modelled in accordance with the conceptual modelling framework used in the ISO 19100- series of International Standards and including both the spatial and non-spatial properties of geographic features.

This part of ISO 19136 defines the XML Schema syntax, mechanisms and conventions that:

- provide an open, vendor-neutral framework for the description of geospatial application schemas for the transport and storage of geographic information in XML;
- allow profiles that support proper subsets of GML framework descriptive capabilities;
- support the description of geospatial application schemas for specialized domains and information communities;
- enable the creation and maintenance of linked geographic application schemas and datasets;
- support the storage and transport of application schemas and datasets;
- increase the ability of organizations to share geographic application schemas and the information they describe.

Implementers may decide to store geographic application schemas and information in GML, or they may decide to convert from some other storage format on demand and use GML only for schema and data transport.

This part of ISO 19136 builds on ISO 19136:2007 (GML 3.2), and extends it with additional schema components and requirements.

NOTE If an ISO 19109 conformant application schema described in UML is used as the basis for the storage and transportation of geographic information, this part of ISO 19136 provides normative rules for the mapping of such an application schema to a GML application schema in XML Schema and, as such, to an XML encoding for data with a logical structure in accordance with the ISO 19109 conformant application schema.

2 Conformance

This part of ISO 19136 defines XML implementations of concepts used in spatiotemporal datasets. It extends the XML implementations specified in ISO 19136:2007 (GML 3.2). Requirements and conformance classes specified in ISO 19136:2007 also apply for this part of ISO 19136.

XML instances that encode geographic information using one or more of the schemas specified in this part of ISO 19136 are the standardization target of the requirements stated in this part of ISO 19136.

The implementation is described using the XML Schema language and Schematron.

Conformance classes are specified in [Clauses 6](#) to [12](#) of this part of ISO 19136.