



**SLOVENSKI STANDARD**  
**oSIST prEN ISO 16484-5:2016**  
**01-november-2016**

---

**Avtomatizacija stavb in sistemi za regulacijo - 5. del: Protokol izmenjave podatkov (ISO/FDIS 16484-5:2016)**

Building automation and control systems (BACS) - Part 5: Data communication protocol (ISO/FDIS 16484-5:2016)

Systeme der Gebäudeautomation - Teil 5: Datenkommunikationsprotokoll (ISO/FDIS 16484-5:2016)

Systèmes d'automatisation et de gestion technique du bâtiment - Partie 5: Protocole de communication de données (ISO/FDIS 16484-5:2016)

**Ta slovenski standard je istoveten z: prEN ISO 16484-5**

---

**ICS:**

35.240.67	Uporabniške rešitve IT v gradbeništvu	IT applications in building and construction industry
97.120	Avtomatske krmilne naprave za dom	Automatic controls for household use

**oSIST prEN ISO 16484-5:2016**

**en,fr,de**



FINAL  
DRAFTINTERNATIONAL  
STANDARDISO/FDIS  
16484-5

ISO/TC 205

Secretariat: ANSI

Voting begins on:  
**2016-10-03**Voting terminates on:  
**2016-11-28****Building automation and control  
systems (BACS) —****Part 5:  
Data communication protocol***Systèmes d'automatisation et de gestion technique du bâtiment —**Partie 5: Protocole de communication de données*iTeh STANDARD PREVIEW  
(standards.iteh.ai)SIST EN ISO 16484-5:2018<https://standards.iteh.ai/catalog/standards/sist/7752a461-06da-4841-acc8-79eb4cd91fe1/sist-en-iso-16484-5-2018>

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

**ISO/CEN PARALLEL PROCESSING**Reference number  
ISO/FDIS 16484-5:2016(E)

© ISO 2016

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 16484-5:2018

<https://standards.iteh.ai/catalog/standards/sist/7752a461-06da-4841-acc8-79eb4cd91fe1/sist-en-iso-16484-5-2018>



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

## CONTENTS

FOREWORD .....	ix
1 PURPOSE.....	1
2 SCOPE.....	1
3 DEFINITIONS .....	1
3.1 Terms Adopted from International Standards .....	1
3.2 Terms Defined for this Standard .....	2
3.3 Abbreviations and Acronyms Used in this Standard .....	7
4 BACnet PROTOCOL ARCHITECTURE .....	11
4.1 The BACnet Collapsed Architecture.....	12
4.2 BACnet Network Topology .....	14
4.3 Security .....	16
5 THE APPLICATION LAYER .....	17
5.1 The Application Layer Model .....	17
5.2 Segmentation of BACnet Messages .....	21
5.3 Transmission of BACnet APDUs.....	22
5.4 Application Protocol State Machines .....	26
5.5 Application Protocol Time Sequence Diagrams .....	43
5.6 Application Layer Service Conventions.....	51
6 THE NETWORK LAYER .....	53
6.1 Network Layer Service Specification.....	53
6.2 Network Layer PDU Structure .....	55
6.3 Messages for Multiple Recipients .....	61
6.4 Network Layer Protocol Messages.....	61
6.5 Network Layer Procedures .....	64
6.6 BACnet Routers .....	66
6.7 Point-To-Point Half-Routers .....	71
7 DATA LINK/PHYSICAL LAYERS: Ethernet (ISO 8802-3) LAN.....	75
7.1 The Use of ISO 8802-2 Logical Link Control (LLC) .....	75
7.2 Parameters Required by the LLC Primitives.....	75
7.3 Parameters Required by the MAC Primitives .....	75
7.4 Physical Media .....	75
8 DATA LINK/PHYSICAL LAYERS: ARCNET (ATA 878.1) LAN.....	76
8.1 The Use of ISO 8802-2 Logical Link Control (LLC) .....	76
8.2 Parameters Required by the LLC Primitives.....	76
8.3 Mapping the LLC Services to the ARCNET MAC Layer .....	76
8.4 Parameters Required by the MAC Primitives .....	76
8.5 Physical Media .....	76
9 DATA LINK/PHYSICAL LAYERS: MASTER-SLAVE/TOKEN PASSING (MS/TP) LAN .....	78
9.1 Service Specification.....	78
9.2 Physical Layer .....	80
9.3 MS/TP Frame Format.....	91
9.4 Overview of the MS/TP Network .....	93
9.5 MS/TP Medium Access Control .....	93
9.6 Cyclic Redundancy Check (CRC).....	113
9.7 Interfacing MS/TP LANs with Other BACnet LANs .....	114
9.8 Responding BACnet User Processing of Messages from MS/TP .....	115
9.9 Repeaters .....	115
9.10 COBS (Consistent Overhead Byte Stuffing) Encoding.....	116
10 DATA LINK/PHYSICAL LAYERS: POINT-TO-POINT (PTP).....	121
10.1 Overview .....	121
10.2 Service Specification.....	121
10.3 Point-to-Point Frame Format.....	125
10.4 PTP Medium Access Control Protocol.....	128
11 DATA LINK/PHYSICAL LAYERS: LonTalk (ISO/IEC 14908.1) LAN .....	149
11.1 The Use of ISO 8802-2 Logical Link Control (LLC) .....	149

11.2	Parameters Required by the LLC Primitives.....	149
11.3	Mapping the LLC Services to the LonTalk Application Layer.....	149
11.4	Parameters Required by the Application Layer Primitives.....	149
11.5	Physical Media.....	150
12	MODELING CONTROL DEVICES AS A COLLECTION OF OBJECTS.....	151
12.1	Object Characteristics and Requirements.....	151
12.2	Analog Input Object Type.....	156
12.3	Analog Output Object Type.....	162
12.4	Analog Value Object Type.....	168
12.5	Averaging Object Type.....	174
12.6	Binary Input Object Type.....	177
12.7	Binary Output Object Type.....	184
12.8	Binary Value Object Type.....	191
12.9	Calendar Object Type.....	197
12.10	Command Object Type.....	199
12.11	Device Object Type.....	204
12.12	Event Enrollment Object Type.....	215
12.13	File Object Type.....	222
12.14	Group Object Type.....	225
12.15	Life Safety Point Object Type.....	226
12.16	Life Safety Zone Object Type.....	232
12.17	Loop Object Type.....	239
12.18	Multi-state Input Object Type.....	246
12.19	Multi-state Output Object Type.....	251
12.20	Multi-state Value Object Type.....	257
12.21	Notification Class Object Type.....	263
12.22	Program Object Type.....	268
12.23	Pulse Converter Object Type.....	273
12.24	Schedule Object Type.....	280
12.25	Trend Log Object Type.....	286
12.26	Access Door Object Type.....	295
12.27	Event Log Object Type.....	303
12.28	Load Control Object Type.....	309
12.29	Structured View Object Type.....	318
12.30	Trend Log Multiple Object Type.....	323
12.31	Access Point Object Type.....	331
12.32	Access Zone Object Type.....	347
12.33	Access User Object Type.....	355
12.34	Access Rights Object Type.....	358
12.35	Access Credential Object Type.....	363
12.36	Credential Data Input Object Type.....	371
12.37	CharacterString Value Object Type.....	377
12.38	DateTime Value Object Type.....	382
12.39	Large Analog Value Object Type.....	386
12.40	BitString Value Object Type.....	393
12.41	OctetString Value Object Type.....	398
12.42	Time Value Object Type.....	401
12.43	Integer Value Object Type.....	405
12.44	Positive Integer Value Object Type.....	412
12.45	Date Value Object Type.....	418
12.46	DateTime Pattern Value Object Type.....	422
12.47	Time Pattern Value Object Type.....	427
12.48	Date Pattern Value Object Type.....	431
12.49	Network Security Object Type.....	435
12.50	Global Group Object Type.....	438
12.51	Notification Forwarder Object Type.....	445

12.52	Alert Enrollment Object Type .....	451
12.53	Channel Object Type .....	454
12.54	Lighting Output Object Type .....	464
12.55	Binary Lighting Output Object Type .....	476
12.56	Network Port Object Type .....	485
12.57	Timer Object Type .....	508
12.58	Elevator Group Object Type .....	519
12.59	Lift Object Type .....	522
12.60	Escalator Object Type .....	534
12.61	Accumulator Object Type .....	540
13	ALARM AND EVENT SERVICES .....	548
13.1	Change of Value Reporting .....	549
13.2	Event Reporting .....	553
13.3	Event Algorithms .....	564
13.4	Fault Algorithms .....	593
13.5	AcknowledgeAlarm Service .....	600
13.6	ConfirmedCOVNotification Service .....	602
13.7	UnconfirmedCOVNotification Service .....	603
13.8	ConfirmedEventNotification Service .....	604
13.9	UnconfirmedEventNotification Service .....	606
13.10	GetAlarmSummary Service .....	608
13.11	GetEnrollmentSummary Service .....	609
13.12	GetEventInformation Service .....	611
13.13	LifeSafetyOperation Service .....	613
13.14	SubscribeCOV Service .....	615
13.15	SubscribeCOVProperty Service .....	617
13.16	SubscribeCOVPropertyMultiple Service .....	619
13.17	ConfirmedCOVNotificationMultiple Service .....	624
13.18	UnconfirmedCOVNotificationMultiple Service .....	626
14	FILE ACCESS SERVICES .....	628
14.1	AtomicReadFile Service .....	628
14.2	AtomicWriteFile Service .....	630
15	OBJECT ACCESS SERVICES .....	632
15.1	AddListElement Service .....	632
15.2	RemoveListElement Service .....	634
15.3	CreateObject Service .....	636
15.4	DeleteObject Service .....	638
15.5	ReadProperty Service .....	638
15.6	Deleted Clause .....	640
15.7	ReadPropertyMultiple Service .....	640
15.8	ReadRange Service .....	643
15.9	WriteProperty Service .....	649
15.10	WritePropertyMultiple Service .....	651
15.11	WriteGroup Service .....	654
16	REMOTE DEVICE MANAGEMENT SERVICES .....	655
16.1	DeviceCommunicationControl Service .....	655
16.2	ConfirmedPrivateTransfer Service .....	657
16.3	UnconfirmedPrivateTransfer Service .....	658
16.4	ReinitializeDevice Service .....	659
16.5	ConfirmedTextMessage Service .....	661
16.6	UnconfirmedTextMessage Service .....	662
16.7	TimeSynchronization Service .....	663
16.8	UTCTimeSynchronization Service .....	663
16.9	Who-Has and I-Have Services .....	664
16.10	Who-Is and I-Am Services .....	666
17	VIRTUAL TERMINAL SERVICES .....	668

17.1	Virtual Terminal Model .....	669
17.2	VT-Open Service.....	671
17.3	VT-Close Service .....	673
17.4	VT-Data Service.....	674
17.5	Default Terminal Characteristics.....	675
18	ERROR, REJECT, and ABORT CODES.....	678
18.1	Error Class - DEVICE.....	678
18.2	Error Class - OBJECT.....	678
18.3	Error Class - PROPERTY.....	679
18.4	Error Class - RESOURCES .....	680
18.5	Error Class - SECURITY .....	681
18.6	Error Class - SERVICES.....	682
18.7	Error Class - COMMUNICATION.....	683
18.8	Error Class - VT.....	685
18.9	Reject Reason.....	686
18.10	Abort Reason.....	686
18.11	Confirmed Service Common Errors.....	687
19	BACnet PROCEDURES .....	687
19.1	Backup and Restore.....	687
19.2	Command Prioritization .....	691
19.3	Device Restart Procedure.....	695
19.4	Determining Maximum Conveyable APDU .....	695
19.5	Value Source Mechanism.....	697
20	ENCODING BACnet PROTOCOL DATA UNITS.....	698
20.1	Encoding the Fixed Part of BACnet APDUs.....	699
20.2	Encoding the Variable Part of BACnet APDUs.....	709
21	FORMAL DESCRIPTION OF APPLICATION PROTOCOL DATA UNITS .....	722
22	CONFORMANCE AND INTEROPERABILITY .....	809
22.1	Conformance to BACnet.....	810
22.2	BACnet Interoperability.....	811
23	EXTENDING BACnet TO ACCOMMODATE VENDOR PROPRIETARY INFORMATION .....	812
23.1	Extending Enumeration Values.....	812
23.2	Using the PrivateTransfer Services to Invoke Non-Standardized Services.....	813
23.3	Adding Proprietary Properties to a Standardized Object.....	814
23.4	Adding Proprietary Object Types to BACnet.....	814
23.5	Restrictions on Extending BACnet .....	814
24	NETWORK SECURITY .....	815
24.1	Overview.....	815
24.2	Security Wrapper.....	819
24.3	Security Messages.....	823
24.4	Securing an APDU.....	838
24.5	Securing an NPDU.....	840
24.6	Securing BVLL Messages.....	840
24.7	Securing Messages.....	844
24.8	Network Security Network Trust Levels.....	847
24.9	Network Security Policies.....	847
24.10	Network Security.....	848
24.11	End-to-End Security.....	849
24.12	Wrapping and Unwrapping Secure Messages.....	849
24.13	Authenticating Messages.....	851
24.14	User Authentication.....	854
24.15	Time Synchronization Requirements .....	854
24.16	Integrating the Security Layer into the BACnet Stack.....	856
24.17	BACnet Security In A NAT Environment .....	862
24.18	BACnet Security Proxy.....	862
24.19	Deploying Secure Device on Non-Security Aware Networks.....	862



24.20	Deploying Secure Single Network Installations	863
24.21	Security Keys	863
24.22	Key Server	865
25	REFERENCES	868
ANNEX A - PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT (NORMATIVE)		872
ANNEX B - GUIDE TO SPECIFYING BACnet DEVICES (INFORMATIVE)		875
ANNEX C - Removed		876
ANNEX D - Removed		877
ANNEX E - EXAMPLES OF BACnet APPLICATION SERVICES (INFORMATIVE)		878
E.1	Alarm and Event Services	878
E.2	File Access Services	882
E.3	Object Access Services	884
E.4	Remote Device Management Services	890
ANNEX F - EXAMPLES OF APDU ENCODING (INFORMATIVE)		895
F.1	Example Encodings for Alarm and Event Services	895
F.2	Example Encodings for File Access Services	906
F.3	Example Encodings for Object Access Services	908
F.4	Example Encodings for Remote Device Management Services	917
F.5	Example Encodings for Virtual Terminal Services	922
ANNEX G - CALCULATION OF CRC (INFORMATIVE)		925
G.1	Calculation of the Header CRC	925
G.2	Calculation of the Data CRC	931
G.3	Calculation of the Encoded CRC-32K	935
ANNEX H - COMBINING BACnet NETWORKS WITH NON-BACnet NETWORKS (NORMATIVE)		939
H.1	BACnet Gateways	939
H.2	Requirements and Best Practices for BACnet Gateway Implementations	939
H.3	Using BACnet with the DARPA Internet Protocols	941
H.4	Using BACnet with the IPX Protocol	942
H.5	Using BACnet with EIB/KNX	944
H.6	Using BACnet with the Former BACnet/WS Web Services Interface Defined by Annex N	953
H.7	Virtual MAC Addressing	955
ANNEX I - COMMANDABLE PROPERTIES WITH MINIMUM ON AND OFF TIMES (INFORMATIVE)		957
ANNEX J - BACnet/IP (NORMATIVE)		959
J.1	General	959
J.2	BACnet Virtual Link Layer	959
J.3	BACnet/IP Directed Messages	963
J.4	BACnet/IP Broadcast Messages	963
J.5	Addition of Foreign B/IP Devices to an Existing B/IP Network	965
J.6	Routing Between B/IP and non-B/IP BACnet Networks	966
J.7	Routing Between Two B/IP BACnet Networks	967
J.8	Use of IP Multicast within BACnet/IP	972
ANNEX K - BACnet INTEROPERABILITY BUILDING BLOCKS (BIBBs) (NORMATIVE)		974
K.1	Data Sharing BIBBs	974
K.2	Alarm and Event Management BIBBs	988
K.3	Scheduling BIBBs	998
K.4	Trending BIBBs	1002
K.5	Device and Network Management BIBBs	1005
K.6	Network Security BIBBs	1012
ANNEX L - DESCRIPTIONS AND PROFILES OF STANDARDIZED BACnet DEVICES (NORMATIVE)		1015
L.1	Operator Interface Profiles	1015
L.2	Life Safety Operator Interface Profiles	1017
L.3	Access Control Operator Interface Profiles	1020
L.4	Controller Profiles	1022
L.5	Life Safety Controller Profiles	1025
L.6	Access Control Controller Profiles	1026
L.7	Miscellaneous Profiles	1027

L.8 BACnet General (B-GENERAL) Profile .....	1030
ANNEX M - GUIDE TO EVENT NOTIFICATION PRIORITY ASSIGNMENTS (INFORMATIVE) .....	1032
M.1 Life Safety Message Group (0 - 31) .....	1032
M.2 Property Safety Message Group (32 - 63) .....	1033
M.3 Supervisory Message Group (64 - 95) .....	1033
M.4 Trouble Message Group (96 - 127) .....	1034
M.5 Miscellaneous Higher Priority Message Group (128 - 191) .....	1034
M.6 Miscellaneous Lower Priority Message Group (192 - 255) .....	1035
ANNEX N - FORMER BACnet/WS WEB SERVICES INTERFACE (INFORMATIVE) .....	1036
N.1 Data Model .....	1036
N.2 Paths .....	1037
N.3 Normalized Points .....	1037
N.4 Reference Nodes .....	1038
N.5 Localization .....	1038
N.6 Security .....	1038
N.7 Sessions .....	1039
N.8 Attributes .....	1039
N.9 Standard Nodes .....	1044
N.10 Encodings .....	1044
N.11 Service Options .....	1045
N.12 Services .....	1048
N.13 Errors .....	1065
N.14 Extending BACnet/WS .....	1065
ANNEX O - BACnet OVER ZigBee AS A DATA LINK LAYER (NORMATIVE) .....	1066
O.1 General .....	1066
O.2 ZigBee Overview .....	1066
O.3 Definitions .....	1067
O.4 Unicast Addressing .....	1067
O.5 Broadcast Addressing .....	1067
O.6 BACnet/ZigBee Data Link Layer (BZLL) .....	1067
O.7 Maximum Payload Size .....	1070
O.8 Vendor Specific Commands .....	1070
ANNEX P - BACnet ENCODING OF STANDARD AUTHENTICATION FACTOR FORMATS (NORMATIVE) .....	1071
ANNEX Q - XML DATA FORMATS (NORMATIVE) .....	1076
Q.1 Introduction .....	1076
Q.2 XML Document Structure .....	1079
Q.3 Expressing Data .....	1082
Q.4 Expressing Metadata .....	1082
Q.5 Expressing Values .....	1083
Q.6 Binary Encoding and Access Rules .....	1084
Q.7 Extensibility .....	1085
Q.8 BACnet URI Scheme .....	1086
ANNEX R - MAPPING NETWORK LAYER ERRORS (NORMATIVE) .....	1087
ANNEX S - EXAMPLES OF SECURE BACnet MESSAGES (INFORMATIVE) .....	1089
S.1 Example of an Initial Key Distribution .....	1089
S.2 Example of Device Startup .....	1092
S.3 Examples of Secured Confirmed Requests .....	1094
S.4 Security Challenge Example .....	1101
S.5 Secure-BVLL Example .....	1103
ANNEX T - COBS (CONSISTENT OVERHEAD BYTE STUFFING) FUNCTIONS (INFORMATIVE) .....	1104
T.1 Preparing a COBS-Encoded MS/TP Frame for Transmission .....	1104
T.2 Decoding an Extended MS/TP Frame upon Reception .....	1106
T.3 Example COBS-Encoded Frame - Who-Has Service .....	1108
ANNEX U - BACnet/IPv6 (NORMATIVE) .....	1110
U.1 General .....	1110
U.2 BACnet/IPv6 BACnet Virtual Link Layer .....	1111

U.3 BACnet/IPv6 Directed Messages.....	1115
U.4 BACnet/IPv6 Broadcast Messages .....	1115
U.5 BACnet /IPv6 VMAc Table Management .....	1120
ANNEX V - MIGRATION FROM SOAP SERVICES (INFORMATIVE) .....	1121
V.1 Services.....	1121
V.2 Service Options.....	1123
ANNEX W - BACnet/WS RESTful WEB SERVICES INTERFACE (NORMATIVE) .....	1124
W.1 Data Model.....	1124
W.2 Paths.....	1124
W.3 Security .....	1125
W.4 Sessions.....	1134
W.5 Standard Data Items .....	1134
W.6 Metadata.....	1139
W.7 Functions.....	1139
W.8 Query Parameters.....	1141
W.9 Representation of Data.....	1143
W.10 Representation of Metadata.....	1144
W.11 Representation of Logs .....	1144
W.12 Filtering Items .....	1150
W.13 Limiting Number of Items .....	1151
W.14 Selecting Children.....	1152
W.15 Controlling Content of Data Representations .....	1152
W.16 Specifying Ranges.....	1155
W.17 Localized Values.....	1157
W.18 Accessing Individual Tags and Bits.....	1158
W.19 Semantics .....	1158
W.20 Links and Relationships .....	1158
W.21 Foreign XML and Other Media Types.....	1158
W.22 Logical Modeling .....	1159
W.23 Mapped Modeling .....	1160
W.24 Commandability.....	1160
W.25 Writability and Visibility .....	1160
W.26 Working with Optional Data.....	1162
W.27 Working with Optional Metadata.....	1162
W.28 Creating Data .....	1163
W.29 Setting Data.....	1163
W.30 Deleting Data .....	1165
W.31 Parentally Inherited Values .....	1165
W.32 Concurrency Control.....	1166
W.33 Server Support for Data Definitions.....	1166
W.34 Server Support for Metadata .....	1167
W.35 Client Implementation Guidelines .....	1167
W.36 Subscriptions.....	1168
W.37 Reading Multiple Resources .....	1170
W.38 Writing Multiple Resources .....	1171
W.39 Mapping of BACnet Systems.....	1171
W.40 Errors.....	1175
W.41 Examples.....	1177
ANNEX X - EXTENDED DISCOVERY OF DEVICES, PROFILES, AND VIEWS (NORMATIVE).....	1209
X.1 Profiles .....	1209
X.2 xdd Files.....	1210
X.3 Example of Definition of Objects, Properties, and Datatypes.....	1211
X.4 Views .....	1213
X.5 PICS Declarations.....	1218
ANNEX Y - ABSTRACT DATA MODEL (NORMATIVE).....	1219
Y.1 Model Components.....	1219

Y.2 Trees .....	1221
Y.3 Base Types .....	1223
Y.4 Common Metadata .....	1223
Y.5 Named Values .....	1236
Y.6 Named Bits .....	1240
Y.7 Primitive Values .....	1240
Y.8 Range Restrictions .....	1242
Y.9 Engineering Units .....	1244
Y.10 Length Restrictions .....	1245
Y.11 Collections .....	1246
Y.12 Primitive Data .....	1249
Y.13 Constructed Data .....	1252
Y.14 Data of Undefined Type .....	1256
Y.15 Logical Modeling .....	1256
Y.16 Links .....	1256
Y.17 Change Indications .....	1258
Y.18 Definitions, Types, Instances, and Inheritance .....	1258
Y.19 Data Revisions .....	1264
Y.20 BACnet-Specific Base Types .....	1267
Y.21 BACnet-Specific Metadata .....	1268
ANNEX Z - JSON DATA FORMATS (NORMATIVE) .....	1272
Z.1 Introduction .....	1272
Z.2 JSON Document Structure .....	1276
Z.3 Expressing Data .....	1279
Z.4 Expressing Metadata .....	1279
Z.5 Expressing Values .....	1280
Z.6 Extensibility .....	1282
HISTORY OF REVISIONS .....	1284

SIST EN ISO 16484-5:2018

<https://standards.iteh.ai/catalog/standards/sist/7752a461-06da-4841-acc8-79eb4cd91fel/sist-en-iso-16484-5-2018>

**NOTE**

Approved addenda, errata, or interpretations for this standard can be downloaded free of charge from the ASHRAE Web site at [www.ashrae.org/technology](http://www.ashrae.org/technology).

© 2016 ASHRAE

1791 Tullie Circle NE · Atlanta, GA 30329 · [www.ashrae.org](http://www.ashrae.org) · All rights reserved.

ASHRAE is a registered trademark of the American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc.

ANSI is a registered trademark of the American National Standards Institute.

BACnet is a registered trademark in the U.S. Patent &amp; Trademark Office, owned by the American Society of Heating, Refrigerating, and Air-Conditioning Engineers, Inc.

## FOREWORD

*BACnet, the ASHRAE building automation and control networking protocol, has been designed specifically to meet the communication needs of building automation and control systems for applications such as heating, ventilating, and air-conditioning control, lighting control, access control, and fire detection systems. The BACnet protocol provides mechanisms by which computerized equipment of arbitrary function may exchange information, regardless of the particular building service it performs. As a result, the BACnet protocol may be used by head-end computers, general-purpose direct digital controllers, and application specific or unitary controllers with equal effect.*

*The motivation for this Standard was the widespread desire of building owners and operators for "interoperability," the ability to integrate equipment from different vendors into a coherent automation and control system - and to do so competitively. To accomplish this, the Standard Project Committee (SPC) solicited and received input from dozens of interested firms and individuals; reviewed all relevant national and international data communications standards, whether de facto or the result of committee activity; and spent countless hours in debate and discussion of the pros and cons of each element of the protocol.*

*What has emerged from the committee deliberations is a network protocol model with these principal characteristics:*

*(a) All network devices (except MS/TP slaves) are peers, but certain peers may have greater privileges and responsibilities than others.*

*(b) Each network device is modeled as a collection of network-accessible, named entities called "objects." Each object is characterized by a set of attributes or "properties." While this Standard prescribes the most widely applicable object types and their properties, implementors are free to create additional object types if desired. Because the object model can be easily extended, it provides a way for BACnet to evolve in a backward compatible manner as the technology and building needs change.*

*(c) Communication is accomplished by reading and writing the properties of particular objects and by the mutually acceptable execution of other protocol "services." While this Standard prescribes a comprehensive set of services, mechanisms are also provided for implementors to create additional services if desired.*

*(d) Because of this Standard's adherence to the ISO concept of a "layered" communication architecture, the same messages may be exchanged using various network access methods and physical media. This means that BACnet networks may be configured to meet a range of speed and throughput requirements with commensurately varying cost. Multiple BACnet networks can be interconnected within the same system forming an internetwork of arbitrarily large size. This flexibility also provides a way for BACnet to embrace new networking technologies as they are developed.*

*BACnet was designed to gracefully improve and evolve as both computer technology and demands of building automation systems change. Upon its original publication in 1995, a Standing Standards Project Committee was formed to deliberate enhancements to the protocol under ASHRAE rules for "continuous maintenance." Much has happened since the BACnet standard was first promulgated. BACnet has been translated into Chinese, Japanese, and Korean, and embraced across the globe. BACnet devices have been designed, built and deployed on all seven continents. Suggestions for enhancements and improvements have been continually received, deliberated, and, ultimately, subjected to the same consensus process that produced the original standard. This publication is the result of those deliberations and brings together all of the corrections, refinements, and improvements that have been adopted.*

*Among the features that have been added to BACnet are: increased capabilities to interconnect systems across wide area networks using Internet Protocols, new objects and services to support fire detection, other life safety applications, lighting, physical access control, and elevator monitoring, capabilities to backup and restore devices, standard ways to collect trend data, new tools to make specifying BACnet systems easier, a mechanism for making interoperable extensions to the standard visible, and many others. The successful addition of these features demonstrates that the concept of a protocol deliberately crafted to permit extension of its capabilities over time as technology and needs change is viable and sound.*

*All communication protocols are, in the end, a collection of arbitrary solutions to the problems of information exchange and all are subject to change as time and technology advance. BACnet is no exception. Still, it is the hope of those who have contributed their time, energies, and talents to this work that BACnet will help to fulfill, in the area of building automation and control, the promise of the information age for the public good!*



## 1 PURPOSE

The purpose of this standard is to define data communication services and protocols for computer equipment used for monitoring and control of HVAC&R and other building systems and to define, in addition, an abstract, object-oriented representation of information communicated between such equipment, thereby facilitating the application and use of digital control technology in buildings.

## 2 SCOPE

**2.1** This protocol provides a comprehensive set of messages for conveying encoded binary, analog, and alphanumeric data between devices including, but not limited to:

- (a) hardware binary input and output values,
- (b) hardware analog input and output values,
- (c) software binary and analog values,
- (d) text string values,
- (e) schedule information,
- (f) alarm and event information,
- (g) files, and
- (h) control logic.

**2.2** This protocol models each building automation and control computer as a collection of data structures called "objects," the properties of which represent various aspects of the hardware, software, and operation of the device. These objects provide a means of identifying and accessing information without requiring knowledge of the details of the device's internal design or configuration.

## 3 DEFINITIONS

### 3.1 Terms Adopted from International Standards

The following terms used in this standard are defined by international standards or draft standards for open system interconnection (OSI). The definitions are repeated here and a reference to the appropriate standard is provided. Clause 25 contains the titles of all national and international standards referenced in this clause and elsewhere in this standard. Words or phrases in italics refer to terms defined elsewhere in this clause.

**abstract syntax:** the specification of application layer data or application-protocol-control-information by using notation rules which are independent of the encoding technique used to represent them (ISO 8822).

**application:** a set of a USER's information processing requirements (ISO 8649).

**application-entity:** the aspects of an application-process pertinent to OSI (ISO 7498).

**application-process:** an element within a real open system which performs the information processing for a particular application (ISO 7498).

**application-protocol-control-information:** information exchanged between application-entities, using presentation services, to coordinate their joint operation (ISO 9545).

**application-protocol-data-unit:** a unit of data specified in an application protocol and consisting of application-protocol-control-information and possibly application-user-data (ISO 9545).

**application-service-element:** that part of an application-entity which provides an OSI environment capability, using underlying services when appropriate (ISO 7498).

**concrete syntax:** those aspects of the rules used in the formal specification of data which embody a specific representation of that data (ISO 7498).