



SLOVENSKI STANDARD
SIST ES 201 873-1 V4.14.1:2022

01-julij-2022

Metode za preskušanje in specificiranje (MTS) - 3. različica zapisa preskušanja in krmiljenja preskusov - 1. del: Jedrni jezik TTCN-3

Methods for Testing and Specification (MTS) - The Testing and Test Control Notation version 3 - Part 1: TTCN-3 Core Language

iTeh STANDARD
PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: ETSI ES 201 873-1 V4.14.1 (2022-05)

[SIST ES 201 873-1 V4.14.1:2022](https://standards.iteh.ai/catalog/standards/sist/a1efc87c-c0e7-4a4e-97fc-c448fe5ff57a/sist-es-201-873-1-v4-14-1-2022)

<https://standards.iteh.ai/catalog/standards/sist/a1efc87c-c0e7-4a4e-97fc-c448fe5ff57a/sist-es-201-873-1-v4-14-1-2022>

ICS:

33.040.01	Telekomunikacijski sistemi na splošno	Telecommunication systems in general
35.060	Jeziki, ki se uporabljajo v informacijski tehniki in tehnologiji	Languages used in information technology

SIST ES 201 873-1 V4.14.1:2022

en

**iTeh STANDARD
PREVIEW
(standards.iteh.ai)**

SIST ES 201 873-1 V4.14.1:2022

<https://standards.iteh.ai/catalog/standards/sist/a1efe87c-c0e7-4a4e-97fc-c448fe5ff57a/sist-es-201-873-1-v4-14-1-2022>

ETSI ES 201 873-1 V4.14.1 (2022-05)



**Methods for Testing and Specification (MTS);
The Testing and Test Control Notation version 3;
Part 1: TTCN-3 Core Language**

[SIST ES 201 873-1 V4.14.1:2022](https://standards.iteh.ai/catalog/standards/sist/a1efe87c-c0e7-4a4e-97fc-c448fe5ff57a/sist-es-201-873-1-v4-14-1-2022)

<https://standards.iteh.ai/catalog/standards/sist/a1efe87c-c0e7-4a4e-97fc-c448fe5ff57a/sist-es-201-873-1-v4-14-1-2022>

Reference

RES/MTS-201873-1v4.14.1

Keywords

language, methodology, testing, TTCN-3

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2022.
All rights reserved.

Contents

Intellectual Property Rights	13
Foreword.....	13
Modal verbs terminology.....	14
1 Scope	15
2 References	15
2.1 Normative references	15
2.2 Informative references.....	15
3 Definition of terms, symbols and abbreviations.....	17
3.1 Terms.....	17
3.2 Symbols.....	23
3.3 Abbreviations	23
4 Introduction	24
4.0 General	24
4.1 The core language and presentation formats	25
4.2 Unanimity of the specification	26
4.3 Conformance.....	26
5 Basic language elements	27
5.0 General	27
5.1 Identifiers and keywords	28
5.2 Scope rules	28
5.2.0 General.....	28
5.2.1 Scope of formal parameters	30
5.2.2 Uniqueness of identifiers	30
5.3 Ordering of language elements.....	31
5.4 Parameterization.....	31
5.4.0 General.....	31
5.4.1 Formal parameters	32
5.4.1.0 General	32
5.4.1.1 Formal parameters of kind value.....	33
5.4.1.2 Formal parameters of kind template.....	36
5.4.2 Actual parameters	38
5.5 Cyclic Definitions.....	43
6 Types and values	44
6.0 General	44
6.1 Basic types and values.....	45
6.1.0 Simple basic types and values.....	45
6.1.1 Basic string types and values	45
6.1.1.0 General	45
6.1.1.1 Accessing individual string elements	48
6.1.2 Subtyping of basic types	48
6.1.2.0 General	48
6.1.2.1 Lists of templates	49
6.1.2.2 Lists of types	49
6.1.2.3 Ranges.....	49
6.1.2.4 String length restrictions	50
6.1.2.5 Pattern subtyping of character string types	50
6.1.2.6 Mixing subtyping mechanisms.....	51
6.1.2.6.1 Mixing patterns, lists and ranges	51
6.1.2.6.2 Using length restriction with other constraints	51
6.2 Structured types and values	52
6.2.0 General.....	52
6.2.1 Record type and values	53
6.2.1.0 General.....	53

6.2.1.1	Referencing fields of a record type	56
6.2.1.2	Optional elements in a record.....	57
6.2.1.3	Nested type definitions for field types	58
6.2.2	Set type and values	58
6.2.2.0	General	58
6.2.2.1	Referencing fields of a set type	58
6.2.2.2	Optional elements in a set	58
6.2.2.3	Nested type definition for field types	59
6.2.3	Records and sets of single types	59
6.2.3.0	General	59
6.2.3.1	Nested type definitions.....	61
6.2.3.2	Referencing elements of record of and set of types	62
6.2.4	Enumerated type and values	62
6.2.5	Unions.....	64
6.2.5.0	General.....	64
6.2.5.1	Referencing fields of a union type	66
6.2.5.2	Option and union.....	67
6.2.5.3	Nested type definition for field types	67
6.2.6	The anytype	67
6.2.7	Arrays	68
6.2.8	The default type	69
6.2.9	Communication port types.....	70
6.2.10	Component types	72
6.2.10.1	Component type definition.....	72
6.2.10.2	Reuse of component types	73
6.2.11	Component references	75
6.2.12	Addressing entities inside the SUT.....	77
6.2.13	Subtyping of structured types	79
6.2.13.0	General	79
6.2.13.1	Length subtyping of record ofs and set ofs	79
6.2.13.2	List subtyping of structured types and anytype.....	80
6.2.13.3	Subtyping of the iterated type of record ofs and set ofs	82
6.2.13.4	Mixing subtyping mechanisms	84
6.2.14	The timer type	84
6.2.15	Map types	84
6.2.15.0	General	84
6.2.15.1	Map Type Definition.....	84
6.2.15.2	Indexed Assignment Notation.....	84
6.2.15.3	Unmapping Keys.....	85
6.2.15.4	Index Notation.....	85
6.2.15.5	Accessing the Keys of a Map.....	86
6.2.15.6	Accessing the Values of a Map.....	86
6.2.15.7	Referencing of Elements of a Map.....	87
6.2.15.8	Nested type definitions.....	87
6.2.16	The open type	87
6.3	Type compatibility	88
6.3.0	General.....	88
6.3.1	Compatibility of non-structured types	88
6.3.2	Compatibility of structured types.....	90
6.3.2.0	General	90
6.3.2.1	Compatibility of enumerated types	90
6.3.2.2	Compatibility of record and record of types	91
6.3.2.3	Compatibility of set and set of types	92
6.3.2.4	Compatibility of union types.....	92
6.3.2.5	Compatibility of anytype types	93
6.3.2.6	Compatibility between sub-structures	94
6.3.2.7	Compatibility of the open type.....	94
6.3.3	Compatibility of component types.....	95
6.3.4	Type compatibility of communication and connection operations	95
6.3.5	Type conversion.....	96
6.3.6	Type compatibility of port types.....	96
6.3.7	Type compatibility of timer types.....	96

6.3.8	Type Compatibility of Map Types.....	96
6.4	Type synonym.....	96
7	Expressions.....	96
7.0	General.....	96
7.1	Operators.....	97
7.1.0	General.....	97
7.1.1	Arithmetic operators.....	99
7.1.2	List operator.....	99
7.1.3	Relational operators.....	100
7.1.4	Logical operators.....	103
7.1.5	Bitwise operators.....	103
7.1.6	Shift operators.....	104
7.1.7	Rotate operators.....	104
7.1.8	Presence checking operators.....	105
7.1.8.0	General.....	105
7.1.8.1	The ispresent operator.....	106
7.1.8.2	The ischosen operator.....	107
7.1.8.3	The isvalue operator.....	108
7.1.8.4	The isbound operator.....	110
7.2	Field references and list elements.....	111
7.3	Decoded field reference.....	111
8	Modules.....	112
8.0	General.....	112
8.1	Definition of a module.....	112
8.2	Module definitions part.....	113
8.2.0	General.....	113
8.2.1	Module parameters.....	114
8.2.2	Groups of definitions.....	115
8.2.3	Importing from modules.....	116
8.2.3.0	General.....	116
8.2.3.1	General format of import.....	116
8.2.3.2	Importing single definitions.....	123
8.2.3.3	Importing groups.....	124
8.2.3.4	Importing definitions of the same kind.....	125
8.2.3.5	Importing all definitions of a module.....	125
8.2.3.6	Import definitions from other TTCN-3 editions and from non-TTCN-3 modules.....	126
8.2.3.7	Importing of import statements from TTCN-3 modules.....	128
8.2.3.8	Compatibility of language specifications in imports.....	129
8.2.4	Definition of friend modules.....	130
8.2.5	Visibility of definitions.....	130
8.3	Module control part.....	132
9	Port types, component types and test configurations.....	133
9.0	General.....	133
9.1	Communication ports.....	133
9.2	Test system interface.....	136
10	Declaring constants.....	138
11	Declaring variables.....	138
11.0	General.....	138
11.1	Value variables.....	139
11.2	Template variables.....	140
12	Declaring timers.....	141
13	Declaring messages.....	142
14	Declaring procedure signatures.....	143
15	Declaring templates.....	144
15.0	General.....	144
15.1	Declaring message templates.....	145

15.2	Declaring signature templates	147
15.3	Global and local templates	148
15.4	In-line Templates.....	149
15.5	Modified templates.....	150
15.6	Referencing elements of templates or template fields	155
15.6.0	General.....	155
15.6.1	Referencing individual string elements.....	155
15.6.2	Referencing record and set fields.....	158
15.6.3	Referencing record of and set of elements	159
15.6.4	Referencing signature parameters.....	162
15.6.5	Referencing union alternatives.....	163
15.7	Template matching mechanisms	164
15.7.0	General.....	164
15.7.1	Specific values	165
15.7.2	Special symbols that can be used instead of values	166
15.7.3	Special symbols that can be used inside values	167
15.7.4	Special symbols which describe attributes of values	167
15.8	Template Restrictions.....	168
15.8.1	Explicit restrictions	168
15.8.2	Implicit restrictions for template fields, alternatives and elements.....	171
15.9	Match Operation.....	171
15.10	Valueof Operation	172
15.11	Concatenating templates of string and list types	173
15.12	The omit operation	176
15.13	The present operation	176
15.14	Presentness conversion.....	177
15.15	The Value Extraction.....	178
16	Functions, altsteps and testcases	178
16.0	General	178
16.1	Functions	178
16.1.0	General.....	178
16.1.1	Invoking functions	181
16.1.2	Predefined functions	181
16.1.3	External functions.....	184
16.1.4	Invoking functions from specific places.....	184
16.1.5	Explicit control functions.....	186
16.2	Altsteps.....	186
16.2.0	General.....	186
16.2.1	Invoking altsteps.....	188
16.3	Test cases.....	190
17	Void.....	191
18	Overview of program statements and operations	191
19	Basic program statements.....	193
19.0	General	193
19.1	Assignments	193
19.2	The If-else statement	195
19.3	The Select statements	195
19.3.1	The Select case statement	195
19.3.2	The Select union statement	197
19.4	The For statement.....	198
19.5	The While statement.....	198
19.6	The Do-while statement	199
19.7	The Label statement	199
19.8	The Goto statement	200
19.9	The Stop execution statement.....	201
19.10	The Return statement.....	201
19.11	The Log statement	202
19.12	The Break statement.....	204
19.13	The Continue statement.....	204

iTech STANDARD
PREVIEW
(standards.iteh.ai)

SIST ES 201 873-1 V4.14.1:2022
<https://standards.iteh.ai/catalog/standards/sist/a1efe87c-f076-41-97fc-c1486-5ff57a/sist-es-201-873-1-v4-14-1-2022>

19.14	Statement block	205
20	Statement and operations for alternative behaviours.....	205
20.0	General	205
20.1	The snapshot mechanism.....	206
20.2	The Alt statement	206
20.3	The Repeat statement	211
20.4	The Interleave statement	211
20.5	Default Handling	214
20.5.0	General.....	214
20.5.1	The default mechanism.....	214
20.5.2	The Activate operation.....	214
20.5.3	The Deactivate operation	216
21	Configuration Operations	217
21.0	General	217
21.1	Connection Operations	218
21.1.0	General.....	218
21.1.1	The Connect and Map operations	218
21.1.2	The Disconnect and Unmap operations	220
21.2	Test case operations.....	222
21.2.0	General.....	222
21.2.1	Test case stop operation	222
21.3	Test Component Operations	222
21.3.0	General.....	222
21.3.1	The Create operation.....	223
21.3.2	The Start test component operation	224
21.3.3	The Stop test behaviour operation	225
21.3.4	The Kill test component operation	226
21.3.5	The Alive operation	227
21.3.6	The Running operation	228
21.3.7	The Done operation	229
21.3.8	The Killed operation	231
21.3.9	Summary of the use of any and all with components	234
21.3.10	The Call test component behaviour operation	234
22	Communication operations.....	236
22.0	General	236
22.1	The communication mechanisms	236
22.1.0	General.....	236
22.1.1	Principles of message-based communication.....	236
22.1.2	Principles of procedure-based communication	237
22.1.3	Principles of unicast, multicast and broadcast communication.....	237
22.1.4	General format of communication operations	238
22.1.4.0	General	238
22.1.4.1	General format of the sending operations	238
22.1.4.2	General format of the receiving operations	239
22.2	Message-based communication.....	240
22.2.0	General.....	240
22.2.1	The Send operation	240
22.2.2	The Receive operation	241
22.2.3	The Trigger operation	245
22.3	Procedure-based communication.....	248
22.3.0	General.....	248
22.3.1	The Call operation	248
22.3.2	The Getcall operation.....	252
22.3.3	The Reply operation.....	255
22.3.4	The Getreply operation	256
22.3.5	The Raise operation	259
22.3.6	The Catch operation.....	260
22.4	The Check operation	264
22.5	Controlling communication ports.....	266
22.5.0	General.....	266

22.5.1	The Clear port operation	266
22.5.2	The Start port operation	267
22.5.3	The Stop port operation	267
22.5.4	The Halt port operation	268
22.5.5	The Checkstate port operation	268
22.6	Use of any and all with ports	270
23	Timer operations	270
23.0	General	270
23.1	The timer mechanism	271
23.2	The Start timer operation	271
23.3	The Stop timer operation	272
23.4	The Read timer operation	272
23.5	The Running timer operation	273
23.6	The Timeout operation	274
23.7	Summary of use of any and all with timers	275
24	Test verdict operations	275
24.0	General	275
24.1	The Verdict mechanism	275
24.2	The Setverdict operation	276
24.3	The Getverdict operation	277
25	External actions	278
26	Module control	278
26.0	General	278
26.1	The Execute statement	279
26.2	Test suite execution	280
27	Specifying attributes	282
27.0	General	282
27.1	The Attribute mechanism	282
27.1.0	General	282
27.1.1	Scope of attributes	283
27.1.2	Overwriting rules for attributes	284
27.1.2.0	General	284
27.1.2.1	Additional default overwriting rules for variant attributes	286
27.1.2.2	Overwriting rules for multiple encoding	287
27.1.3	Changing attributes of imported language elements	287
27.2	The With statement	288
27.3	Display attributes	289
27.4	Encoding attributes	290
27.5	Variant attributes	291
27.6	Extension attributes	293
27.7	Optional attributes	293
27.8	Retrieving attribute values	295
27.9	Dynamic configuration of encoding used by ports	296
Annex A (normative):	BNF and static semantics	298
A.1	TTCN-3 BNF	298
A.1.0	General	298
A.1.1	Conventions for the syntax description	298
A.1.2	Statement terminator symbols	298
A.1.3	Identifiers	298
A.1.4	Comments	298
A.1.5	TTCN-3 terminals	299
A.1.5.0	General	299
A.1.5.1	Use of whitespaces and newlines	301
A.1.6	TTCN-3 syntax BNF productions	302
A.1.6.0	TTCN-3 module	302
A.1.6.1	Module definitions part	302
A.1.6.1.0	General	302

A.1.6.1.1	Typedef definitions	302
A.1.6.1.2	Constant definitions	304
A.1.6.1.3	Template definitions.....	304
A.1.6.1.4	Function definitions	306
A.1.6.1.5	Signature definitions	307
A.1.6.1.6	Testcase definitions.....	307
A.1.6.1.7	Altstep definitions	307
A.1.6.1.8	Import definitions.....	307
A.1.6.1.9	Group definitions	308
A.1.6.1.10	External function definitions	308
A.1.6.1.11	Void.....	308
A.1.6.1.12	Module parameter definitions	308
A.1.6.1.13	Friend module definitions	308
A.1.6.2	Module control function	309
A.1.6.3	Local definitions	309
A.1.6.3.1	Variable instantiation	309
A.1.6.3.2	Timer instantiation	309
A.1.6.4	Operations.....	309
A.1.6.4.1	Component operations	309
A.1.6.4.2	Port operations	310
A.1.6.4.3	Timer operations	312
A.1.6.4.4	Testcase operation.....	312
A.1.6.5	Type.....	312
A.1.6.6	Value.....	313
A.1.6.7	Parameterization	314
A.1.6.8	Statements.....	314
A.1.6.8.1	With statement	314
A.1.6.8.2	Behaviour statements	314
A.1.6.8.3	Basic statements	315
A.1.6.9	Miscellaneous productions	317
Annex B (normative):	Matching values	319
B.1	Template matching mechanisms.....	319
B.1.0	General	319
B.1.1	Matching specific values	319
B.1.2	Matching mechanisms instead of values	319
B.1.2.0	General.....	319
B.1.2.1	Template list	319
B.1.2.2	Complemented template list	320
B.1.2.3	Any value.....	321
B.1.2.4	Any value or none.....	322
B.1.2.5	Value range.....	323
B.1.2.6	SuperSet.....	323
B.1.2.7	SubSet.....	324
B.1.2.8	Omitting optional fields	326
B.1.2.9	Matching decoded content	326
B.1.2.10	Matching enumerated value with value list	328
B.1.3	Matching mechanisms inside values	328
B.1.3.0	General.....	328
B.1.3.1	Any element.....	328
B.1.3.1.0	General	328
B.1.3.1.1	Using single character wildcards.....	328
B.1.3.2	Any number of elements or no element	329
B.1.3.2.0	General	329
B.1.3.2.1	Using multiple character wildcards.....	329
B.1.3.3	Permutation.....	329
B.1.4	Matching attributes of values	331
B.1.4.0	General.....	331
B.1.4.1	Length restrictions	331
B.1.4.2	The IfPresent indicator.....	332
B.1.5	Matching character pattern.....	333

iTeh STANDARD
PREVIEW
(standards.iteh.ai)

[SIST ES 201 873-1 V4.14.1:2022](https://standards.iteh.ai/catalog/standards/sist/a1efc87c-00e74a4e-97fc-c448fe5ff57a/sist-es-201-873-1-v4-14-1-2022)

[https://standards.iteh.ai/catalog/standards/sist/a1efc87c-](https://standards.iteh.ai/catalog/standards/sist/a1efc87c-00e74a4e-97fc-c448fe5ff57a/sist-es-201-873-1-v4-14-1-2022)

[00e74a4e-97fc-c448fe5ff57a/sist-es-201-873-1-v4-14-](https://standards.iteh.ai/catalog/standards/sist/a1efc87c-00e74a4e-97fc-c448fe5ff57a/sist-es-201-873-1-v4-14-1-2022)

1-2022

B.1.5.0	General.....	333
B.1.5.1	Set expression	335
B.1.5.2	Reference expression	336
B.1.5.3	Match expression n times	337
B.1.5.4	Match a referenced character set.....	337
B.1.5.5	Type compatibility rules for patterns	338
B.1.5.6	Case insensitive pattern matching.....	338
Annex C (normative): Predefined TTCN-3 functions.....		339
C.0	General exception handling procedures	339
C.1	Conversion functions.....	339
C.1.1	Integer to character	339
C.1.2	Integer to universal character	339
C.1.3	Integer to bitstring	339
C.1.4	Integer to enumerated.....	340
C.1.5	Integer to hexstring.....	340
C.1.6	Integer to octetstring.....	340
C.1.7	Integer to charstring.....	341
C.1.8	Integer to float	341
C.1.9	Float to integer	341
C.1.10	Character to integer	341
C.1.11	Character to octetstring	341
C.1.12	Universal character to integer.....	342
C.1.13	Bitstring to integer.....	342
C.1.14	Bitstring to hexstring	342
C.1.15	Bitstring to octetstring	342
C.1.16	Bitstring to charstring.....	343
C.1.17	Hexstring to integer	343
C.1.18	Hexstring to bitstring.....	343
C.1.19	Hexstring to octetstring	344
C.1.20	Hexstring to charstring	344
C.1.21	Octetstring to integer	344
C.1.22	Octetstring to bitstring	344
C.1.23	Octetstring to hexstring	345
C.1.24	Octetstring to character string	345
C.1.25	Octetstring to character string, version II	345
C.1.26	Charstring to integer.....	346
C.1.27	Character string to hexstring	346
C.1.28	Character string to octetstring	346
C.1.29	Character string to float.....	347
C.1.30	Enumerated to integer	347
C.1.31	Octetstring to universal character string.....	348
C.1.32	Universal character string to octetstring.....	348
C.1.33	Value or template to universal charstring.....	349
C.2	Length/size functions	350
C.2.1	Length of strings and lists	350
C.2.2	Number of elements in a structured value.....	351
C.3	Presence checking functions	352
C.3.1	Void.....	352
C.3.2	Void.....	352
C.3.3	Void.....	352
C.3.4	Void.....	352
C.3.5	Matching mechanism detection.....	352
C.4	String/list handling functions	354
C.4.1	The Regexp function	354
C.4.2	The Substring function	355
C.4.3	The Replace function.....	357
C.5	Codec functions.....	358

iTech STANDARD
PREVIEW
(standards.itech.ai)

[SIST ES 201 873-1 V4.14.1:2022](https://standards.itech.ai/catalog/standards/sist/a1efe87c-cde7-4a4e-971c-c448fe5ff57a/sist-es-201-873-1-v4-14-1-2022)

<https://standards.itech.ai/catalog/standards/sist/a1efe87c-cde7-4a4e-971c-c448fe5ff57a/sist-es-201-873-1-v4-14-1-2022>

C.5.1	The encoding function.....	358
C.5.2	The decoding function.....	358
C.5.3	The encoding to universal charstring function.....	359
C.5.4	The decoding from universal charstring function.....	360
C.5.5	The encoding to octetstring function.....	361
C.5.6	The decoding from octetstring function.....	362
C.5.7	Retrieving the type of string encoding.....	362
C.5.8	Removing BOMs of UCS encoding schemes.....	362
C.6	Other functions.....	363
C.6.1	The random number generator function.....	363
C.6.2	The testcasename function.....	363
C.6.3	The hostId function.....	364
Annex D (normative):	Preprocessing macros.....	366
D.0	General.....	366
D.1	Preprocessing macro <code>__MODULE__</code>	366
D.2	Preprocessing macro <code>__FILE__</code>	366
D.3	Preprocessing macro <code>__BFILE__</code>	366
D.4	Preprocessing macro <code>__LINE__</code>	366
D.5	Preprocessing macro <code>__SCOPE__</code>	367
Annex E (informative):	Library of Useful Types.....	369
E.1	Limitations.....	369
E.2	Useful TTCN-3 types.....	369
E.2.1	Useful simple basic types.....	369
E.2.1.0	Signed and unsigned single byte integers.....	369
E.2.1.1	Signed and unsigned short integers.....	369
E.2.1.2	Signed and unsigned long integers.....	370
E.2.1.3	Signed and unsigned long long integers.....	370
E.2.1.4	IEEE 754 floats.....	370
E.2.2	Useful character string types.....	371
E.2.2.0	UTF-8 character string "utf8string".....	371
E.2.2.1	BMP character string "bmpstring".....	371
E.2.2.2	UTF-16 character string "utf16string".....	371
E.2.2.3	ISO/IEC 10646 character string "iso8859string".....	371
E.2.2.4	Status values for TTCN-3 objects.....	372
E.2.2.5	Template kinds of TTCN-3 objects.....	372
E.2.3	Useful structured types.....	372
E.2.3.0	Fixed-point decimal literal.....	372
E.2.4	Useful atomic string types.....	373
E.2.4.1	Single Recommendation ITU-T T.50 character type.....	373
E.2.4.2	Single universal character type.....	373
E.2.4.3	Single bit type.....	373
E.2.4.4	Single hex type.....	373
E.2.4.5	Single octet type.....	373
Annex F (informative):	Operations on TTCN-3 active objects.....	374
F.0	General.....	374
F.1	Test components.....	374
F.1.1	Test component references.....	374
F.1.2	Dynamic behaviour of PTCs.....	375
F.1.3	Dynamic behaviour of the MTC.....	377
F.2	Timers.....	377
F.3	Ports.....	378

F.3.0	General	378
F.3.1	Configuration Operations	378
F.3.2	Port Controlling Operations	379
F.3.3	Communication Operations.....	380
Annex G (informative): Deprecated language features.....		381
G.1	Group style definition of module parameters.....	381
G.2	Void.....	381
G.3	Using all in port type definitions.....	381
G.4	sizeof for length of lists.....	381
G.5	Void.....	381
G.6	Mixed ports	381
G.7	Void.....	381
G.8	Void.....	382
G.9	Void.....	382
G.10	Void.....	382
G.11	Void.....	382
G.12	Void.....	382
G.13	Assignment of less restrictive templates to more restrictive templates.....	382
G.14	Mixing case and case else branches in select statements	382
G.15	Partially initialized global and local templates.....	383
G.16	Template modification of less restrictive templates to more restrictive templates	383
G.17	Unrestricted template fields, alternatives and elements.....	383
Annex H (informative): Bibliography.....		384
History	1-2022	385

iTeh STANDARD
PREVIEW
(standards.iteh.ai)

SIST ES 201 873-1 V4.14.1:2022
<https://standards.iteh.ai/catalog/standards/sist/a1efe87c-c0e7-4a4e-971e-c4481e51f57a/sist-es-201-873-1-v4-14-1-2022>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

(standards.iteh.ai)

This ETSI Standard (ES) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS).

[https://standards.iteh.ai/catalog/standards/sist/a1efe87c-](https://standards.iteh.ai/catalog/standards/sist/a1efe87c-00e7-4a4c-971c-c4481c3117a/sist-es-201-873-1-v4-14-1-2022)

The present document is part 1 of a multi-part deliverable covering the Testing and Test Control Notation version 3, as identified below:

- Part 1:** "TTCN-3 Core Language";
- Part 3: "TTCN-3 Graphical presentation Format (GFT)";
- Part 4: "TTCN-3 Operational Semantics";
- Part 5: "TTCN-3 Runtime Interface (TRI)";
- Part 6: "TTCN-3 Control Interface (TCI)";
- Part 7: "Using ASN.1 with TTCN-3";
- Part 8: "The IDL to TTCN-3 Mapping";
- Part 9: "Using XML schema with TTCN-3";
- Part 10: "TTCN-3 Documentation Comment Specification";
- Part 11: "Using JSON with TTCN-3".

NOTE 1: Part 2: "TTCN-3 Tabular presentation Format (TFT)" of this multi-part deliverable is in status "historical".

NOTE 2: Part 3 of this multi-part deliverable is not maintained.