



SLOVENSKI STANDARD
SIST EN ISO 9554:2019

01-november-2019

Nadomešča:
SIST EN ISO 9554:2011

Vlaknene vrvi - Splošne zahteve (ISO 9554:2019)

Fibre ropes - General specifications (ISO 9554:2019)

Faserseile - Allgemeine Festlegungen (ISO 9554:2019)

Cordages en fibres - Spécifications générales (ISO 9554:2019)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: EN ISO 9554:2019

<https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-e8917e357e22/sist-en-iso-9554-2019>

ICS:

59.080.50 Vrvi Ropes

SIST EN ISO 9554:2019 **en,fr,de**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 9554:2019](https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-c8917c357c22/sist-en-iso-9554-2019)

<https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-c8917c357c22/sist-en-iso-9554-2019>

EUROPEAN STANDARD

EN ISO 9554

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2019

ICS 59.080.50

Supersedes EN ISO 9554:2010

English Version

Fibre ropes - General specifications (ISO 9554:2019)

Cordages en fibres - Spécifications générales (ISO 9554:2019)

Faserseile - Allgemeine Festlegungen (ISO 9554:2019)

This European Standard was approved by CEN on 7 July 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

[SIST EN ISO 9554:2019](https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-c8917c357c22/sist-en-iso-9554-2019)

<https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-c8917c357c22/sist-en-iso-9554-2019>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 9554:2019](https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-c8917c357c22/sist-en-iso-9554-2019)
<https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-c8917c357c22/sist-en-iso-9554-2019>

European foreword

This document (EN ISO 9554:2019) has been prepared by Technical Committee ISO/TC 38 "Textiles" in collaboration with Technical Committee CEN/TC 248 "Textiles and textile products" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2020, and conflicting national standards shall be withdrawn at the latest by March 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 9554:2010.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of ISO 9554:2019 has been approved by CEN as EN ISO 9554:2019 without any modification.

<https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-c8917c357c22/sist-en-iso-9554-2019>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 9554:2019](https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-c8917c357c22/sist-en-iso-9554-2019)

<https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-c8917c357c22/sist-en-iso-9554-2019>

INTERNATIONAL
STANDARD

ISO
9554

Fourth edition
2019-07

Fibre ropes — General specifications

Cordages en fibres — Spécifications générales

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 9554:2019](https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-c8917c357c22/sist-en-iso-9554-2019)

<https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-c8917c357c22/sist-en-iso-9554-2019>



Reference number
ISO 9554:2019(E)

© ISO 2019

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 9554:2019

<https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-c8917c357c22/sist-en-iso-9554-2019>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Manufacture	2
4.1 Constituent materials.....	2
4.2 Construction and structure.....	2
4.2.1 Laid ropes.....	2
4.2.2 Braided ropes.....	2
4.2.3 Double-braided ropes.....	2
4.2.4 Covered ropes.....	3
4.2.5 Strands.....	3
4.2.6 Lay length or braid pitch.....	3
4.3 Treatment.....	3
4.3.1 Polyamide and polyester ropes.....	3
4.3.2 Polypropylene and polyethylene ropes.....	3
4.3.3 High modulus polyethylene ropes.....	4
4.3.4 Manila and sisal.....	4
4.4 Workmanship.....	4
5 Rope design	5
6 Requirements	5
7 Marking and labelling	6
7.1 Marking.....	6
7.1.1 General.....	6
7.1.2 Ropes of reference number less than 14.....	6
7.1.3 Ropes of reference number equal to or greater than 14.....	6
7.2 Labelling.....	6
8 Packaging, invoicing and delivered length	6
8.1 Packaging and invoicing.....	6
8.2 Delivered length.....	7
8.2.1 Standard delivered length.....	7
8.2.2 Shorter delivered length due to sampling.....	7
9 Testing	7
10 Visual quality control	7
10.1 Responsibility for inspection.....	7
10.2 Finished-rope visual control.....	8
11 Manufacturer declaration	8
12 Instructions for use	8
Annex A (informative) Typical characteristics of the yarns for man-made and natural fibres used in ropes, slings and netting	9
Annex B (informative) Information on defects and variances	14
Annex C (informative) Information for use and maintenance to be provided by the manufacturer	16
Annex D (informative) Determining minimum breaking strength	28
Bibliography	38

ISO 9554:2019(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 38, *Textiles*.

This fourth edition cancels and replaces the third edition (ISO 9554:2010), which has been technically revised. The main changes compared to the previous edition are as follows:

- methodology for rope design and strength realization factor has been introduced;
- strand interchanges have been introduced;
- [Table A.1](#) has been updated;
- [Annex C](#) has been updated.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Fibre ropes — General specifications

IMPORTANT — It is the responsibility of the user to select a rope that is fit for purpose, i.e. of the right size and with the physical properties that meet the requirements of the application and to determine the limitations prior to its use.

1 Scope

This document specifies the general characteristics of fibre ropes and their constituent materials. It is intended to be used in conjunction with the standards for the individual types of fibre rope, which cover the physical properties and specific requirements for that particular product type.

This document also gives some information on the use of fibre ropes and also on their inspection and retirement criteria.

This document does not intend to address all of the safety matters associated with its use.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1968, *Fibre ropes and cordage — Vocabulary*

ISO 2307, *Fibre ropes — Determination of certain physical and mechanical properties*
<https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-c8917c357c22/sist-en-iso-9554-2019>

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1968 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

strand interchange

overlapping continuation, in a braided rope, of a single interrupted strand (or multiple strand) with another identical strand which follows an identical path in the braid

3.2

minimum breaking strength

MBS

force a fibre rope shall at least achieve when tested following a recognized procedure/test method

Note 1 to entry: The MBS is set by each manufacturer, as per their own internal statistical methods based on breaking tests. In [Annex D](#), two statistical methods are given that can be used to determine the MBS.

ISO 9554:2019(E)

4 Manufacture

4.1 Constituent materials

The following materials are considered in this document:

- a) natural fibres:
 - sisal;
 - manila;
 - hemp;
 - cotton.
- b) man-made fibres:
 - polyamide, PA;
 - polyester, PES;
 - polypropylene, PP;
 - polyethylene, PE;
 - mixed polyolefin, PP/PE;
 - polyester/polyolefin dual fibres;
 - high modulus polyethylene, HMPE;
 - Para-Aramid, AR;
 - Polyarylate, LCP;
 - Polybenzobisoxazole, PBO.

STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 9554:2019](https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-c8917c357c22/sist-en-iso-9554-2019)

<https://standards.iteh.ai/catalog/standards/sist/fb952e20-e8de-4d1a-9373-c8917c357c22/sist-en-iso-9554-2019>

Typical characteristics for these materials are given in [Annex A](#). Specific applications should involve technical discussions with rope manufacturers.

4.2 Construction and structure

4.2.1 Laid ropes

Unless otherwise specified, 3-, 4- and 6-strand laid ropes shall be Z-twist (right-hand lay), their strands S-twist and their roping yarns Z-twist.

4.2.2 Braided ropes

The 8-strand braided ropes shall consist of four S-twist strands and four Z-twist strands arranged so that S-twist strands alternate (individually or in pairs) with Z-twist strands (individually or in pairs).

The 12-strand braided ropes shall consist of six S-twist strands and six Z-twist strands arranged so that S-twist strands alternate (individually or in pairs) with Z-twist strands (individually or in pairs).

4.2.3 Double-braided ropes

A double-braided rope shall consist of a number of strands that are braided to form a core, around which additional strands are braided to form a sheath. The core lies coaxially within the sheath. The number of strands varies, based upon the size of the rope.

4.2.4 Covered ropes

A covered rope consists of a core protected by a non-load bearing cover. A parallel rope construction is a covered rope where the core consists of a number of sub-ropes.

4.2.5 Strands

Each strand shall consist of an equal number of rope yarns sufficient to provide the characteristics specified in the International Standard for the relevant product. For ropes of reference number 36 or higher, the number of yarns in each strand may differ by one yarn or $\pm 2,5$ % from the intended number of yarns in the strand.

The ropes and their strands should be continuous, without splice for standard delivered lengths or shorter lengths. However, some lengths or methods of manufacture impose limitations. To overcome these limitations, strand interchanges can be used, these shall be in accordance with [4.4.3](#).

Yarns may be joined as necessary.

The strands can be assembled yarns.

4.2.6 Lay length or braid pitch

The manufacturer shall establish the lay length or the braid pitch of the rope according to its intended use, or based upon the purchaser's acceptance.

NOTE For a given reference number of rope, the smaller the lay length or braid pitch, the harder the rope will be. This hardness can affect the estimated breaking strength of the rope.

4.3 Treatment

4.3.1 Polyamide and polyester ropes

4.3.1.1 Polyamide and polyester laid ropes that are required to be heat set to ensure lay and dimensional stability are designated as type 1 ropes in the relevant product standard.

4.3.1.2 In other cases, polyamide and polyester laid ropes that are not required to have a heat setting on the rope are designated as type 2 ropes in the relevant product standard.

If type 1 or 2 are not specified in a particular product standard, it shall be understood that heat setting is not considered for that particular product.

4.3.1.3 The fibre producer or the rope manufacturer may apply a finish to the fibre to control friction, fibre tension and reduce fibre damage during manufacturing. The total amount of additives or extractable materials shall not exceed 2,5 % in mass.

4.3.1.4 Upon request of the purchaser, the manufacturer may use a coating or impregnation of the product for special applications.

4.3.2 Polypropylene and polyethylene ropes

Polypropylene and polyethylene ropes shall be protected against deterioration due to sunlight (UV).

The inhibiting system used should ensure the expected performance in usage under the foreseen geographical areas for applications, provided that the manufacturer is kept informed by the user.