

SLOVENSKI STANDARD

SIST EN IEC 60404-6:2018

01-september-2018

Nadomešča:

SIST EN 60404-6:2004

Magnetni materiali - 6. del: Metode merjenja magnetnih lastnosti mehkomagnetnih kovinskih in praškastih materialov s frekvencami v območju 20 Hz do 200 kHz z uporabo obročastih vzorcev (IEC 60404-6:2018)

Magnetic materials - Part 6: Methods of measurement of the magnetic properties of magnetically soft metallic and powder materials at frequencies in the range 20 Hz to 200 kHz by the use of ring specimens (IEC 60404-6:2018)

Magnetische Werkstoffe - Teil 6: Verfahren zur Messung der magnetischen Eigenschaften weichmagnetischer und pulverförmiger Werkstoffe bei Frequenzen im Bereich 20 Hz bis 200 kHz mit Hilfe von Ringproben (IEC 60404-6:2018)

Matériaux magnétiques - Partie 6: Méthodes de mesure des propriétés magnétiques des matériaux métalliques et des matériaux en poudre, magnétiquement doux, aux fréquences comprises entre 20 Hz et 200 kHz, sur des éprouvettes en forme de tore (IEC 60404-6:2018)

Ta slovenski standard je istoveten z: EN IEC 60404-6:2018

ICS:

17.220.20	Merjenje električnih in magnetnih veličin	Measurement of electrical and magnetic quantities
29.030	Magnetni materiali	Magnetic materials

SIST EN IEC 60404-6:2018

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN IEC 60404-6:2018

<https://standards.iteh.ai/catalog/standards/sist/ec247387-d03e-4ad4-b70a-0c7abc4843db/sist-en-iec-60404-6-2018>

EUROPEAN STANDARD

EN IEC 60404-6

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2018

ICS 17.220.20; 29.030

Supersedes EN 60404-6:2003

English Version

Magnetic materials - Part 6: Methods of measurement of the magnetic properties of magnetically soft metallic and powder materials at frequencies in the range 20 Hz to 100 kHz by the use of ring specimens
(IEC 60404-6:2018)

Matériaux magnétiques - Partie 6: Méthodes de mesure des propriétés magnétiques des matériaux métalliques et des matériaux en poudre magnétiquement doux, aux fréquences comprises entre 20 Hz et 100 kHz, sur des éprouvettes en forme de tore
(IEC 60404-6:2018)

Magnetische Werkstoffe - Teil 6: Verfahren zur Messung der magnetischen Eigenschaften weichmagnetischer und pulverförmiger Werkstoffe bei Frequenzen im Bereich 20 Hz bis 100 kHz mit Hilfe von Ringproben
(IEC 60404-6:2018)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

This European Standard was approved by CENELEC on 2018-06-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

<https://standards.iteh.ai/catalog/standards/sist/ec247387-d03e-4ad4-b70a-6146c9544000/iec-60404-6-2018>

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 60404-6:2018**European foreword**

The text of document 68/595/FDIS, future edition 3 of IEC 60404-6, prepared by IEC/TC 68 "Magnetic alloys and steels" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60404-6:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2019-03-29
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2021-06-29

This document supersedes EN 60404-6:2003.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60404-6:2018 was approved by CENELEC as a European Standard without any modification.

ITEH STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN IEC 60404-6:2018](https://standards.iteh.ai/catalog/standards/sist/ec247387-d03e-4ad4-b70a-0c7abc4843db/sist-en-iec-60404-6-2018)

<https://standards.iteh.ai/catalog/standards/sist/ec247387-d03e-4ad4-b70a-0c7abc4843db/sist-en-iec-60404-6-2018>

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-121	-	International Electrotechnical Vocabulary (IEV) - Part 121: Electromagnetism	-	-
IEC 60050-221	-	International Electrotechnical Vocabulary (IEV) - Chapter 221: Magnetic materials and components	-	-
IEC 60404-2	-	Magnetic materials - Part 2: Methods of measurement of the magnetic properties of electrical steel sheet and strip by means of an Epstein frame	EN 60404-2	-
IEC 60404-4	-	Magnetic materials - Part 4: Methods of measurement of d.c. magnetic properties of magnetically soft materials	EN 60404-4	-
IEC 60404-8-6	-	Magnetic materials - Part 8-6: Specifications for individual materials - Soft magnetic metallic materials	EN 60404-8-6	-
IEC 60404-8-9	-	Magnetic materials - Part 8: Specification for individual materials - Section 9: Standard specification for sintered soft magnetic materials	-	-
IEC 62044-3	-	Cores made of soft magnetic materials - Measuring methods - Part 3: Magnetic properties at high excitation level	EN 62044-3	-
ISO/IEC Guide 98-3	-	Uncertainty of measurement - Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)	-	-

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN IEC 60404-6:2018

<https://standards.iteh.ai/catalog/standards/sist/ec247387-d03e-4ad4-b70a-0c7abc4843db/sist-en-iec-60404-6-2018>



IEC 60404-6

Edition 3.0 2018-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Magnetic materials – **STANDARD PREVIEW**

Part 6: Methods of measurement of the magnetic properties of magnetically soft metallic and powder materials at frequencies in the range 20 Hz to 100 kHz by the use of ring specimens

[SIST EN IEC 60404-6:2018](https://standards.iteh.ai/catalog/standards/sist/ec247387-d03e-4ad4-b70a-0c7abc4843db/sist-en-iec-60404-6-2018)

[https://standards.iteh.ai/catalog/standards/sist/ec247387-d03e-4ad4-b70a-](https://standards.iteh.ai/catalog/standards/sist/ec247387-d03e-4ad4-b70a-0c7abc4843db/sist-en-iec-60404-6-2018)

Matériaux magnétiques – [0c7abc4843db/sist-en-iec-60404-6-2018](https://standards.iteh.ai/catalog/standards/sist/ec247387-d03e-4ad4-b70a-0c7abc4843db/sist-en-iec-60404-6-2018)

Partie 6: Méthodes de mesure des propriétés magnétiques des matériaux métalliques et des matériaux en poudre magnétiquement doux, aux fréquences comprises entre 20 Hz et 100 kHz, sur des éprouvettes en forme de tore

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 17.220.20; 29.030

ISBN 978-2-8322-5716-6

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	4
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 General principles of measurement	7
4.1 Principle of the ring method	7
4.2 Test specimen	7
4.3 Windings	8
5 Temperature measurements	9
6 Measurement of the relative amplitude permeability and the AC magnetization curve	9
6.1 General	9
6.2 Apparatus and connections	9
6.3 Waveform of induced secondary voltage or magnetizing current	10
6.4 Determination of characteristics	11
6.4.1 Determination of the peak value of the magnetic field strength	11
6.4.2 Determination of the peak value of the magnetic flux density	12
6.4.3 Determination of the r.m.s. amplitude permeability and the relative amplitude permeability	12
6.4.4 Determination of the AC magnetization curve	13
7 Measurement of the specific total loss by the wattmeter method	13
7.1 Principle of measurement	13
7.2 Voltage measurement	15
7.2.1 Average type voltmeter	15
7.2.2 R.M.S. type voltmeter	15
7.3 Power measurement	15
7.4 Procedure for the measurement of the specific total loss	15
7.5 Determination of the specific total loss	15
8 Uncertainties	16
9 Test report	16
Annex A (informative) Guidance on requirements for windings and instrumentation in order to minimise additional losses	17
A.1 General	17
A.2 Reduction of additional losses	17
Annex B (informative) Digital sampling technique for the determination of magnetic properties and numerical air flux compensation	18
B.1 General	18
B.2 Technical details and requirements	18
B.3 Calibration aspects	22
B.4 Numerical air flux compensation	22
Annex C (informative) Sinusoidal waveform control by digital means	23
Bibliography	24
Figure 1 – Circuit of the measurement apparatus	10

Figure 2 – Circuit of the conventional analogue wattmeter method (also representing the metrological principle of the digital wattmeter method)	14
Figure 3 – The wattmeter method when connected with the digital sampling technique (example of circuit)	14

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN IEC 60404-6:2018

<https://standards.iteh.ai/catalog/standards/sist/ec247387-d03e-4ad4-b70a-0c7abc4843db/sist-en-iec-60404-6-2018>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MAGNETIC MATERIALS –**Part 6: Methods of measurement of the magnetic properties of magnetically soft metallic and powder materials at frequencies in the range 20 Hz to 100 kHz by the use of ring specimens**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60404-6 has been prepared by IEC technical committee 68: Magnetic alloys and steels.

This third edition cancels and replaces the second published in 2003. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) adaption to modern measurement and evaluation methods, in particular the introduction of the widely spread digital sampling method for the acquisition and evaluation of the measured data;
- b) limitation of the frequency range up to 100 kHz;

- c) deletion of Clause 7 of the second edition that specified the measurement of magnetic properties using a digital impedance bridge;
- d) addition of a new Clause 7 on the measurement of the specific total loss by the wattmeter method, including an example of the application of the digital sampling method;
- e) addition of an informative annex on the technical details of the digital sampling technique for the determination of magnetic properties.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
68/595/FDIS	68/600/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60404 series, published under the general title *Magnetic materials*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or [SIST EN IEC 60404-6:2018](#)
- amended. <https://standards.iteh.ai/catalog/standards/sist/ec247387-d03e-4ad4-b70a-0c7abc4843db/sist-en-iec-60404-6-2018>

ITEH STANDARD PREVIEW
(standards.iteh.ai)

MAGNETIC MATERIALS –

Part 6: Methods of measurement of the magnetic properties of magnetically soft metallic and powder materials at frequencies in the range 20 Hz to 100 kHz by the use of ring specimens

1 Scope

This part of IEC 60404 specifies methods for the measurement of AC magnetic properties of soft magnetic materials, other than electrical steels and soft ferrites, in the frequency range 20 Hz to 100 kHz. The materials covered by this part of IEC 60404 include those speciality alloys listed in IEC 60404-8-6, amorphous and nano-crystalline soft magnetic materials, pressed and sintered and metal injection moulded parts such as are listed in IEC 60404-8-9, cast parts and magnetically soft composite materials.

The object of this part is to define the general principles and the technical details of the measurement of the magnetic properties of magnetically soft materials by means of ring methods. For materials supplied in powder form, a ring test specimen is formed by the appropriate pressing method for that material.

The measurement of the DC magnetic properties of soft magnetic materials is made in accordance with the ring method of IEC 60404-4. The determinations of the magnetic characteristics of magnetically soft components are made in accordance with IEC 62044-3.

NOTE IEC 62044-3:2000 specifies methods for the measurement of AC magnetic characteristics of magnetically soft components in the frequency range up to 10 MHz.

Normally, the measurements are made at an ambient temperature of $(23 \pm 5) ^\circ\text{C}$ on test specimens which have first been magnetized, then demagnetized. Measurements can be made over other temperature ranges by agreement between parties concerned.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-121, *International Electrotechnical Vocabulary – Part 121: Electromagnetism*

IEC 60050-221, *International Electrotechnical Vocabulary – Chapter 221: Magnetic materials and components*

IEC 60404-2, *Magnetic materials – Part 2: Methods of measurement of the magnetic properties of electrical steel sheet and strip by means of an Epstein frame*

IEC 60404-4, *Magnetic materials – Part 4: Methods of measurement of d.c. magnetic properties of iron and steel*

IEC 60404-8-6, *Magnetic materials – Part 8-6: Specifications for individual materials – Soft magnetic metallic materials*