

### SLOVENSKI STANDARD SIST EN IEC 60793-1-47:2018

01-april-2018

Nadomešča:

SIST EN 60793-1-47:2009

Optična vlakna - 1-47. del: Merilne metode in preskusni postopki - Izgube zaradi makro upogibov (IEC 60793-1-47:2017)

Optical fibres - Part 1-47: Measurement methods and test procedures - Macrobending loss (IEC 60793-1-47:2017)

Lichtwellenleiter - Teil 1-47: Messmethoden und Prüfverfahren F Makrobiegeverlust (IEC 60793-1-47:2017)

(standards.iteh.ai)

Fibres optiques - Partie 1-47: Méthodes de mesure 4 et procédures d'essai - Pertes par macrocourbures (IE0:60793-1-47:2017) g/standards/sist/3ef92b4e-f5de-4cab-9faa-ef155c2a0038/sist-en-iec-60793-1-47-2018

Ta slovenski standard je istoveten z: EN IEC 60793-1-47:2018

ICS:

33.180.10 (Optična) vlakna in kabli Fibres and cables

SIST EN IEC 60793-1-47:2018 en

SIST EN IEC 60793-1-47:2018

# iTeh STANDARD PREVIEW (standards.iteh.ai)

### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 60793-1-47

February 2018

ICS 33.180.10

Supersedes EN 60793-1-47:2009

#### **English Version**

Optical fibres - Part 1-47: Measurement methods and test procedures - Macrobending loss (IEC 60793-1-47:2017)

Fibres optiques - Partie 1-47: Méthodes de mesure et procédures d'essai - Pertes par macrocourbures (IEC 60793-1-47:2017)

Lichtwellenleiter - Teil 1-47: Messmethoden und Prüfverfahren - Makrobiegeverlust (IEC 60793-1-47:2017)

This European Standard was approved by CENELEC on 2017-11-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

### EN IEC 60793-1-47:2018 (E)

### **European foreword**

The text of document 86A/1823/FDIS, future edition 2 of IEC 60793-1-47, prepared by IEC/SC 86A "Fibres and cables", of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60793-1-47:2018.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2018-08-15
•	latest date by which the national	(dow)	2020-11-15

 latest date by which the national standards conflicting with the document have to be withdrawn

This document supersedes EN 60793-1-47:2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

### **Endorsement notice**

The text of the International Standard IEC 60793-1-47:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60793-1-40 NOTE <u>Harmonized as EN 60793-1-4</u>0.
IEC 60793-1-46 https://OTE ards.itch.Harmonized as EN 60793-1-46.f5dc-4cab-9faa-IEC 60793-2-50 NOTE ef155c2a0038/sist-en-icc-60793-1-47-2018 Harmonized as EN 60793-2-50.

EN IEC 60793-1-47:2018 (E)

## Annex ZA (normative)

## Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60793	series	Optical fibres	-	series
IEC 60793-1-1	2017	Optical fibres - Part 1-1: Measurement methods and test procedures - General and guidance	EN 60793-1-1	2017
IEC 60793-2	-	Optical fibres - Part 2: Product specifications - General	EN 60793-2	-
IEC 60793-2-10	-	·	EN 60793-2-10	-
IEC 61280-1-4	-	Fibre optic communication subsystem test	EN 61280-1-4	-
	iT	procedures - Part 1-4. General procedures - Part 1-4. General procedures - Light source	EW	
		encircled flux measurement method		
IEC 61280-4-1	-	Fibre optic communication subsystem test		-
		procedures Part 4-1: Installed cable plan	nt	
		<ul> <li>Multimode attenuation measurement</li> </ul>		

https://standards.iteh.ai/catalog/standards/sist/3ef92b4e-f5de-4cab-9faa-ef155c2a0038/sist-en-iec-60793-1-47-2018

SIST EN IEC 60793-1-47:2018

# iTeh STANDARD PREVIEW (standards.iteh.ai)



### IEC 60793-1-47

Edition 4.0 2017-10

## INTERNATIONAL STANDARD

## NORME INTERNATIONALE



Optical fibres - iTeh STANDARD PREVIEW

Part 1-47: Measurement methods and test procedures – Macrobending loss

Fibres optiques – SIST EN IEC 60793-1-47:2018

Partie 1-47: Méthodes de mesure et procédures d'essai - Pertes par

**macrocourbures** ef155c2a0038/sist-en-iec-60793-1-47-2018

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 33.180.10 ISBN 978-2-8322-4865-2

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

### CONTENTS

FOREWO	)RD	5
INTRODU	JCTION	7
1 Scop	pe	8
2 Norm	native references	8
3 Term	ns and definitions	9
4 Appa	aratus	9
4.1	Method A – Fibre winding	
4.2	Method B – Quarter circle bends	
4.3	Input system	
4.3.1	• •	
4.3.2	Optical launch arrangement	10
4.4	Output system and detection	12
4.4.1	Optical divider	12
4.4.2	2 Optical detector	12
4.4.3	Optical detection assembly	13
4.4.4	Signal processing	13
5 Spec	simen Specimen l <b>engte h STANDARD PREVIEW</b>	13
5.1		
5.1.1		13
5.1.2	Method B – Quarter circle bends	13
5.2	Specimen end faceSIST-EN-IEC 60793-1-47:2018	13
6 Proc	edurehttps://standards.itelp.ai/catalog/standards/sist/3ef92b4e-f5de-4cab-9faa	
6.1	Method A – Fibre winding a0038/sist-en-iec-60793-1-47-2018	13
6.1.1	General consideration	13
6.1.2	Single-mode fibres	14
6.1.3	Multimode (A1) fibres	15
6.2	Method B – Quarter circle bends	15
7 Calc	ulations	17
8 Resu	ults	17
8.1	Information available with each measurement	17
8.2	Information available upon request	17
9 Spec	cification information	17
Annex A (	(normative) Change in transmittance by transmitted power technique	19
A.1	Apparatus	19
A.1.1	• •	
A.2	Procedure	
A.3	Calculations	20
Annex B (	(normative) Cut-back technique	22
B.1	General	
B.2	Apparatus	
B.2.1	• •	
B.3	Procedure	
B.4	Calculations	
Annex C	(normative) Requirements for the optical source characteristics for A1	
	mode measurement	24

C.1 Encircled flux (EF)	24
C.2 Limits on encircled flux	24
Annex D (informative) Small bend radius phenomena	27
D.1 General	27
D.2 Interference between propagating and radiating modes	27
D.3 Polarization effects	29
D.4 High power damage	29
Annex E (informative) Parallel plate (2-point) macrobend loss approximation	30
E.1 General	30
E.2 Specimen	30
E.3 Apparatus	
E.3.1 General	
E.3.2 Stepper motor control	
E.3.3 Movable plate	
E.3.4 Fixed plate	
E.4 Procedure	
E.5 Calculation E.6 Results	
E.7 Comparison of results with normative test	
- I	
iTeh STANDARD PREVIEW	
Figure 1 – Quarter circle guide groovering tated s.it.ch.ai.	9
Figure 2 – General launch arrangement	10
Figure 3 – Lens system. SIST EN IEC 60793-1-47:2018 https://standards.iteh.ai/catalog/standards/sist/3ef92b4e-f5de-4cab-9faa-	11
Figure 4 – Launch fibreef155c2a0038/sist-en-jec-60793-1-47-2018	11
Figure 5 – Mode scrambler (for A4 fibre)	
Figure 6 – Multiple bends using stacked plates	16
Figure A.1 – Measurement of change in optical transmittance using reference	
specimen	19
Figure A.2 – Measurement of change in optical transmittance using stabilized source	20
Figure B.1 – Arrangement of equipment to perform loss measurement at one specific wavelength	
Figure B.2 – Arrangement of equipment used to obtain a loss spectrum	22
Figure C.1 – Encircled flux template example	
Figure D.1 – Loss curves versus curve fits	
Figure E.1 – Schematic of possible (two-point bend) apparatus	
Figure E.2 – Example of applying an exponential fit to the spectral data of a B6_a2	
fibre	33
Figure E.3 – Example of 2-point bend test data for a B6_a2 fibre	
Table 1 – Launch conditions for A2 to A4 fibres	12
Table C.1 – Threshold tolerance	25
Table C.2 – EF requirements for 50 μm core fibre cabling at 850 nm	26
Table C.3 – EF requirements for 50 μm core fibre cabling at 1 300 nm	
Table C.4 – EF requirements for 62,5 μm core fibre cabling at 850 nm	
Table C.5 – EF requirements for 62,5 μm core fibre cabling at 1 300 nm	
Table 0.5 - Li Tequilenients foi 02,5 µm core note cabilly at 1 300 mm	∠0

	<b>-4-</b>	IEC 60793-1-47:2017 © IE	C 2017
Table E.1 – Comparison of parallel plate measurement for a B6_b3 fibre at 10 mr	\ ' /		34

# iTeh STANDARD PREVIEW (standards.iteh.ai)

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### **OPTICAL FIBRES -**

### Part 1-47: Measurement methods and test procedures – Macrobending loss

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or/regional publication shall be clearly indicated in the latter.

  https://standards.iteh.ai/catalog/standards/sist/3ef92b4e-f5de-4cab-9faa-
- 5) IEC itself does not provide any attestation of conformity (Independent) certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60793-1-47 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This fourth edition cancels and replaces the third edition published in 2009. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) former Annex A has been renumbered to Annex D;
- b) introduction of new Annex A on the transmitted power monitoring technique;
- c) introduction of Annex B on the cut-back technique;
- d) introduction of Annex C on the requirements for the optical source characteristics of A1 multimode measurement;
- e) introduction of Annex E on parallel plate (2-point) macrobend loss approximation.

The text of this International Standard is based on the following documents:

IEC 60793-1-47:2017 © IEC 2017

FDIS	Report on voting
86A/1823/FDIS	86A/1828/RVD

**- 6 -**

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard is to be read in conjunction with IEC 60793-1-1:2017.

A list of all parts of IEC 60793 series, published under the general title *Optical fibres*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn,
- replaced by a revised edition, or
- amended.

Tab CTANDADD DDFVIFW

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

SIST EN IEC 60793-1-47:2018

https://standards.iteh.ai/catalog/standards/sist/3ef92b4e-f5de-4cab-9faa-

ef155c2a0038/sist-en-iec-60793-1-47-2018

IEC 60793-1-47:2017 © IEC 2017

**-7-**

### INTRODUCTION

Publications in the IEC 60793-1 series concern measurement methods and test procedures as they apply to optical fibres.

Within the same series, several different areas are grouped, but all numbers are possibly not used, as follows:

Parts 1-10 to 1-19:	General
Parts 1-20 to 1-29:	Measurement methods and test procedures for dimensions
Parts 1-30 to 1-39:	Measurement methods and test procedures for mechanical characteristics
Parts 1-40 to 1-49:	Measurement methods and test procedures for transmission and optical characteristics
Parts 1-50 to 1-59:	Measurement methods and test procedures for environmental characteristics

# iTeh STANDARD PREVIEW (standards.iteh.ai)