

SLOVENSKI STANDARD SIST EN 60715:2018

01-januar-2018

Nadomešča:

SIST EN 60715:2002

Dimenzije nizkonapetostnih stikalnih in krmilnih naprav - Standardizirana vgradnja stikalnih naprav, krmilnih naprav in dodatne opreme na nosilne natične letve za mehansko podporo (IEC 60715:2017)

Dimensions of low-voltage switchgear and controlgear - Standardized mounting on rails for mechanical support of switchgear, controlgear and accessories (IEC 60715:2017)

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 60715:2018 https://standards.iteh.ai/catalog/standards/sist/f7d31857-b973-4a75-94c6-424883c86533/sist-en-60715-2018

Ta slovenski standard je istoveten z: EN 60715:2017

ICS:

29.130.20 Nizkonapetostne stikalne in Lov

Low voltage switchgear and

krmilne naprave controlgear

SIST EN 60715:2018 en

SIST EN 60715:2018

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 60715:2018

https://standards.iteh.ai/catalog/standards/sist/f7d31857-b973-4a75-94c6-424883c86533/sist-en-60715-2018

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 60715

November 2017

ICS 29.130.20

Supersedes EN 60715:2001

English Version

Dimensions of low-voltage switchgear and controlgear Standardized mounting on rails for mechanical support of
switchgear, controlgear and accessories
(IEC 60715:2017)

Dimensions de l'appareillage à basse tension - Montage normalisé sur profilés-supports pour le support mécanique des appareillages et de leurs accessoires (IEC 60715:2017) Abmessungen von Niederspannungsschaltgeräten -Genormte Tragschienen für die mechanische Befestigung von elektrischen Geräten in Schaltanlagen (IEC 60715:2017)

This European Standard was approved by CENELEC on 2017-09-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

https://standards.itch.ai/catalog/standards/sist/f7d31857-b973-4a75-94c6-

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 60715:2017

European foreword

The text of document 121A/153/FDIS, future edition 2 of IEC 60715, prepared by SC 121A "Low-voltage switchgear and controlgear" of IEC/TC 121 "Switchgear and controlgear and their assemblies for low voltage" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60715:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at (dop) 2018-06-01 national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2020-09-01 the document have to be withdrawn

This document supersedes EN 60715:2001.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

iTeh STendorsement notice EVIEW (standards.iteh.ai)

The text of the International Standard IEC 60715:2017. was approved by CENELEC as a European Standard without any modification. itch.ai/catalog/standards/sist/f7d31857-b973-4a75-94c6-424883c86533/sist-en-60715-2018

EN 60715:2017

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u> <u>Year</u> <u>Title</u> <u>EN/HD</u> <u>Year</u> IEC 60947-7-2 - Low-voltage switchgear and controlgear -EN 60947-7-2 2009

Part 7-2: Ancillary equipment - Protective conductor terminal blocks for copper conductors

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 60715:2018</u> https://standards.iteh.ai/catalog/standards/sist/f7d31857-b973-4a75-94c6-424883c86533/sist-en-60715-2018

Annex ZZ

(informative)

Relationship between this European standard and the safety objectives of Directive 2014/35/EU [2014 OJ L96] aimed to be covered

This European standard has been prepared under a Commission's standardisation request relating to harmonised standards in the field of the Low Voltage Directive, M/511, to provide one voluntary means of conforming to safety objectives of Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits [2014 OJ L96].

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZZ.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding safety objectives of that Directive, and associated EFTA regulations.

Table ZZ.1 – Correspondence between this European standard and Annex I of Directive 2014/35/EU [2014 OJ L96]

Safety objectives of Directive 2014/35/EU	Clause(s) / sub-clause(s) of this EN	Remarks/note
1 a)	2, 3, 5, Annex A	
iTel	STANDARD PRE	VIEW
1 b)	5, Annex B	
1 c)	Refer to 2 a) to 2 d) and 3 a) to 3 c) of this table SIST EN 60715:2018	•)
2 a) https://stand	ards.iteh.ai/catalog/standards/sist/f/d31857- 424883c86533/sist-en-60715-2018	Not applicable
2 b)	-	Not applicable
2 c)	4, 5, Annex A, Annex B	
2 d)	-	Not applicable
3 a)	4, 5, Annex A, Annex B	
3 b)	Annex B	
3 c)	Annex B	

WARNING 1: Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

WARNING 2: Other Union legislation may be applicable to the product(s) falling within the scope of this standard.



IEC 60715

Edition 2.0 2017-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

HORIZONTAL STANDARD

NORME HORIZONTALE

Dimensions of low-voltage switchgear and controlgear E Standardized mounting on rails for mechanical support of switchgear, controlgear and accessories

Dimensions de l'appareillage à basse tension – Montage normalisé sur profiléssupports pour le support mécanique des appareillages et de leurs accessoires

424883c86533/sist-en-60715-2018

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 29.130.20 ISBN 978-2-8322-4646-7

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOR	REWORD	4	
INT	RODUCTION	6	
1	Scope	7	
2	Normative references	7	
3	Terms and definitions	8	
4	Functional requirements	8	
5	Standard dimensions		
	.1 General		
	.2 Top hat section		
_	.3 "C" section		
	.4 "G" section		
Ann	ex A (normative) Specific steel mounting rails		
Α	1 General	14	
Α	2 Top hat section rail TH 15-5,5		
	A.2.1 Dimensions	14	
	A.2.2 Tolerances	15	
Α	3 Top hat section rail TH 35-7,5 and TH 35-15		
	A.3.1 Dimensions h. S.T. A.N.D. A.R.D. P.R.E.V.	15	
	A.3.2 Tolerances	16	
Α	.4 Top hat section rail This 25 dards.iteh.ai)		
	A.4.1 Dimensions	16	
	A.4.2 Tolerances <u>SIST EN 60715:2018</u> 5.5 "C" section rails: C 20, C 30, C 424883c86533/sist-en-60/15-2018	17	
Α	1.5 "C" section rails: C 20, C 30, C 40 and C 50 c 10 c	17	
	A.5.1 Dimensions		
^	A.5.2 Tolerance		
Α	A.6.1 Dimensions		
	A.6.2 Tolerances		
Ann	ex B (informative) Application guide		
	3.1 General		
	3.2 Guidance for use of top hat rails		
	B.2.1 For steel rails in Annex A		
	B.2.2 For rails other than steel rails		
В	3.3 Guidance for use of "C" section rails		
	B.3.1 General	23	
	B.3.2 For steel rails to Annex A	23	
	B.3.3 For rails other than steel rails	27	
Bibli	iography	28	
Figu	re 1 – Mounting rail TH 15	9	
Figu	re 2 – Mounting rail TH 35	9	
Figure 3 – Mounting rail TH 75			
_	Figure 4 – Mounting rail C 20		
_	re 5 – Mounting rail C 30		
_	re 6 – Mounting rail C 40		
94		1 1	

Figure 7 – Mounting rail C 50	12
Figure 8 – Mounting rail G 32	13
Figure A.1 – Top hat rails 15 mm wide for snap-on mounting of equipment	15
Figure A.2 – Tolerances (TH 15-5,5)	15
Figure A.3 – Top hat rails 35 mm wide for snap-on mounting of equipment	16
Figure A.4 – Tolerances (TH 35-7,5 and TH 35-15)	16
Figure A.5 – Top hat rail 75 mm wide for snap-on mounting of equipment	17
Figure A.6 – Tolerances (TH 75-25)	17
Figure A.7 – "C" section rails	18
Figure A.8 – Tolerances (C 20, C 30, C 40 and C 50)	18
Figure A.9 – Dimensions of "G" section rails	19
Figure A.10 – Tolerances (G 32)	19
Figure B.1 – Assessment of rail deflection	21
Figure B.2 – Permissible load capacity $M_{E} = f(L,h)$	22
Figure B.3 – Permissible load capacity $M_{E} = f(L,h)$	23
Figure B.4 – Assessment of rail deflection	24
Figure B.5 – Permissible load capacity $M_{E} = f(L)$	25
Figure B.6 – Assembly of two identical "C" section rails Assessment of the deflection	26
Figure B.7 – Assembly of two identical "C" section rails Permissible stress $M_E = f(L)$ for $H = 100$ mmstandards.rten.ar	27
(Stanuarus.item.ar)	
Table A.1 – Dimensions of "C" section Fails EN. 60715:2018.	
Table B.1 – Maximum torque Mmax/000000000000000000000000000000000000	24

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DIMENSIONS OF LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR – STANDARDIZED MOUNTING ON RAILS FOR MECHANICAL SUPPORT OF SWITCHGEAR, CONTROLGEAR AND ACCESSORIES

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity. EC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

 SIST EN 60715:2018
- 5) IEC itself does not provide any attestation of conformity. Independent certification todies provide conformity assessment services and, in some areas access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60715 has been prepared by subcommittee 121A: Low-voltage switchgear and controlgear, of IEC technical committee 121: Switchgear and controlgear and their assemblies for low voltage.

This second edition cancels and replaces the first edition published in 1981 and Amendment 1:1995. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the electrical function of the rail for protective earthing is covered by the relevant product standard.
- b) The document has been editorially updated to bring it into compliance with the ISO/IEC Directives, Part 2:2016, and drawings have been updated to bring them in compliance with ISO tolerancing and drawing standards.

IEC 60715:2017 © IEC 2017

- 5 -

It has the status of a horizontal standard in accordance with IEC Guide 108.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
121A/153/FDIS	121A/163/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 60715:2018</u> https://standards.iteh.ai/catalog/standards/sist/f7d31857-b973-4a75-94c6-424883c86533/sist-en-60715-2018 **- 6 -**

INTRODUCTION

This document is provided as a horizontal standard. It is necessary to define standardized mounting on rails for mechanical support of low-voltage switchgear and controlgear, electrical accessories, and similar devices.

The user wants them to be easy to fix, remove and rearrange.

Two methods are used for fixing a device on a rail:

- either directly by clipping on the rail (this method is particularly suitable for "top hat" rails or "G" rails);
- or by means of a variety of accessories such as sliding nuts and hooked or T-headed bolts (this method is particularly suitable for "C" rails).

In the case of "G" rails, the first of these methods has been mainly used for mounting terminal blocks which snap in and out of position and are clamped in rows by adjustable end stops.

The rail can take the form of a standard section as an integral part of the enclosure.

Rails are also available of composite sections that combine, for example, "top hat" and "C" section sizes thus accepting devices with various arrangements for mounting.

One or more rails can be used as necessary for fixing devices.

Since rail mounting can affect the performance of equipment, it can be advisable for equipment manufacturers to give guidance in their literature on the suitability for this form of mounting.

SIST EN 607152018

https://standards.iteh.ai/catalog/standards/sist/f7d31857-b973-4a75-94c6-424883c86533/sist-en-60715-2018