



# SLOVENSKI STANDARD

## SIST EN 17092-2:2020

01-maj-2020

Nadomešča:

SIST EN 13595-1:2002

SIST EN 13595-2:2003

SIST EN 13595-3:2002

SIST EN 13595-4:2002

---

**Varovalna obleka za voznike motornih koles - 2. del: Oblečila razreda AAA -  
Zahteve**

Protective garments for motorcycle riders - Part 2: Class AAA garments - Requirements

([standards.iteh.ai](https://standards.iteh.ai))

Motorradfahrerschutzbekleidung - Teil 2: Kleidungsstücke der Klasse AAA - Anforderungen

[SIST EN 17092-2:2020](#)

[https://standards.iteh.ai/catalog/standards/sist/e85e8d7e-2272-49a0-b3f4-](https://standards.iteh.ai/catalog/standards/sist/e85e8d7e-2272-49a0-b3f4-777777777777/sist-en-17092-2-2020)

Vêtements de protection pour les motocyclistes - Partie 2: Vêtements de classe AAA -  
Exigences

**Ta slovenski standard je istoveten z: EN 17092-2:2020**

---

**ICS:**

13.340.10	Varovalna obleka	Protective clothing
43.140	Motorna kolesa in mopedi	Motorcycles and mopeds

**SIST EN 17092-2:2020**

**en,fr,de**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 17092-2:2020

<https://standards.iteh.ai/catalog/standards/sist/e85e8d7e-2272-49a0-b3f4-9709b804f2f4/sist-en-17092-2-2020>

EUROPEAN STANDARD

**EN 17092-2**

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2020

ICS 13.340.10

Supersedes EN 13595-1:2002, EN 13595-2:2002, EN  
13595-3:2002, EN 13595-4:2002

English Version

## Protective garments for motorcycle riders - Part 2: Class AAA garments - Requirements

Vêtements de protection pour les motocyclistes - Partie  
2 : Vêtements de classe AAA - ExigencesMotorradfahrerschutzbekleidung - Teil 2:  
Kleidungsstücke der Klasse AAA - Anforderungen

This European Standard was approved by CEN on 25 November 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

<b>Contents</b>	<b>Page</b>
European foreword.....	3
Introduction .....	4
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions .....	8
4 Requirements .....	10
4.1 General.....	10
4.1.1 Tests.....	10
4.1.2 Innocuousness.....	10
4.1.3 Dimensional stability of garments.....	11
4.1.4 Garment and samples performance after cleaning .....	11
4.2 Impact energy absorption.....	11
4.2.1 General.....	11
4.2.2 Impact protector location and fixation .....	12
4.3 Impact abrasion resistance .....	12
4.4 Structurally strong seams (SSS).....	13
4.4.1 General.....	13
4.4.2 Seam strength.....	13
4.5 Tear strength.....	14
4.6 Restraint.....	14
4.6.1 General.....	14
4.6.2 Two-piece suit requirements for joint between upper part and lower part.....	14
4.6.3 Garment sleeve restraint.....	14
4.7 Additional garment construction requirements .....	15
4.7.1 General.....	15
4.7.2 Structural closures .....	15
4.7.3 Vents .....	15
4.7.4 Pockets.....	15
4.7.5 Zone intrusions.....	15
4.7.6 Collar material .....	17
4.7.7 Use of open mesh materials.....	18
4.7.8 Use of retroreflective materials (optional) .....	18
4.8 Fit and ergonomics .....	18
5 Marking.....	18
6 Information to be supplied to the user - Wearer information and instructions for use ....	19
Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered.....	21
Bibliography.....	23

## European foreword

This document (EN 17092-2:2020) has been prepared by Technical Committee CEN/TC 162 “Protective clothing including hand and arm protection and lifejackets”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2020, and conflicting national standards shall be withdrawn at the latest by February 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document, together with EN 17092-1:2020, EN 17092-3:2020, EN 17092-4:2020, 17092-5:2020 and EN 17092-6:2020, supersede EN 13595-1:2002, EN 13595-2:2002, EN 13595-3:2002, and EN 13595-4:2002.

This document has been prepared under a standardization request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of Regulation (EU) 2016/425.

For relationship with EU Regulation, see informative Annex ZA, which is an integral part of this document.

**iTeh STANDARD PREVIEW**

This document is part of a series of standards specifying test methods and requirements for motorcyclists' protective garments. EN 17092 comprises multiple parts:

- Part 1: Test methods [SIST EN 17092-2:2020](https://standards.iteh.ai/catalog/standards/sist/e85e8d7e-2272-49a0-b3f4-9709b804f2f4/sist-en-17092-2-2020)
- Part 2: Class AAA garments — Requirements
- Part 3: Class AA garments — Requirements
- Part 4: Class A garments — Requirements
- Part 5: Class B garments — Requirements
- Part 6: Class C garments — Requirements

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Introduction

Motorcyclists' protective jackets, trousers, one-piece suits, two-piece suits, impact protector ensemble garments and other protective garments (hereinafter: "garments") are intended to give some amount of protection to riders without significantly reducing the ability of the rider to control the motorcycle. In addition, they are designed to provide adequate protection against the risks against which they are intended to protect, such as a fall from a motorcycle or another accident. Additional, particular, hazards encountered during a motorcycle accident may include: impact with and abrasion from the riding surface, impacts with the rider's motorcycle, conflicting vehicles, and other objects. Motorcyclists' protective garments are not intended to and cannot prevent traumas caused by high-energy impacts, traumas caused by severe forces of bending, twisting, torsion, flexion, or crushing as the result of striking an object, traumas caused by extreme abrasion, traumas caused by extreme movements, or traumas caused by massive penetrations. No protective garments can offer complete protection against all injuries. The principle of this standard is to define the basic performance requirements considered essential for motorcyclists' protective garments, in order for them to offer useful classes of protection to riders according to the risks they may encounter, in the situations described above, during various riding activities and in various riding environments. This standard does not cover risks caused by extreme weather conditions. Where additional protective features are claimed (e.g. high visibility), the assessment of said protective features will be done with reference to the appropriate additional standards.

Motorcycling encompasses a diverse range of riders participating in a diverse range of activities. While all motorcyclists face similar fundamental risks when involved in an accident or a fall from a motorcycle, the type and degree of risk or hazard that a motorcyclist will encounter and the class of protection that they will need is closely linked to the riding activity, the riding environment, and the nature of the accident. In addition, because each motorcyclist participates in their chosen riding activity in different ways, within specific riding activities motorcyclists are also exposed to varying levels of risk and, therefore, require varying classes of protection. The elements that are a part of the fundamental design and functionality of a particular type of motorcyclists' protective garment, while appropriate and minimally constraining or limiting when used in a specific environment for a specific riding activity, may, on the other hand, present unacceptable constraints and liabilities in other riding environments and for other riding activities, such as increased penalties of weight, decreased range of motion and/or heat stress, and therefore, may not be acceptable for use by all riders during all motorcycle activities. This series of standards has been developed to encompass a large range of motorcycle disciplines and motorcyclists' activities, each with their own particular risks and appropriate classes of protection, to ensure that the best possible protection of an appropriate type is available for riders during their riding activities.

This standard is a part of a series of standards including also EN 17092-3, EN 17092-4, EN 17092-5 and EN 17092-6, which together describe the requirements for motorcyclists' garments, according to the various classes of protection offered and EN 17092-1, which specifies the test methods to assess the conformity of said garments to the requirements of the applicable product standard of the EN 17092 series.

### Classes of motorcycle protective garments and the principle of risk category zoning

#### Classes of Protection

Garments designed to provide protection for motorcycle riders are tested according to the class of protection they afford. The performance requirements for the classes of protection are detailed by specific standards as follows:

— EN 17092-2 — Class AAA garments

offer protection from impact and abrasion, using materials and construction that meet higher requirements than for garments covered by parts 3, and 4 of this standard series.

Class AAA garments may have limiting ergonomic, weight and thermal penalties for some riding activities.

Some common examples are: one-piece or two-piece suits.

— EN 17092-3 — Class AA garments.

offer protection from impact and abrasion, using materials and construction that meet higher requirements than for garments covered by part 4 of this standard series and lower requirements than for garments covered by part 2 of this standard series.

Class AA garments generally offer protection, against the risks of the greatest diversity of riding activities, and they may have lower ergonomic and weight penalties than Class AAA garments.

Some common examples are: garments designed to be worn by themselves or to be worn over other clothing.

— EN 17092-4 — Class A garments.

Offer a minimum necessary degree of protection from impact and abrasion, using materials and construction that meet lower requirements than for parts 2 and 3 of this standard series.

Class A garments are expected to have the least ergonomic and weight penalties.

Some common examples are: garments, designed to be worn by themselves or to be worn over other clothing by riders in warm environments.

— EN 17092-5 — Class B garments.

This class is for specialized garments, designed to provide the equivalent abrasion protection of Class A garments but without the inclusion of impact protectors.

Class B garments do not offer impact protection and it is recommended that they be worn with, at least, EN 1621-1 shoulder and elbow impact protectors, in the case of a jacket, or EN 1621-1 knee impact protectors, in the case of trousers, in order to offer complete minimum protection.

Some common examples are: modular garments suitable to be combined with other garments providing impact protection.

— EN 17092-6 — Class C garments.

This class is for specialized non-shell, impact protector ensemble garments, designed only to hold one or more impact protectors in place, either as an undergarment or as an overgarment.

Class C garments are designed to provide impact protection for areas covered by the impact protector(s) only and they do not offer complete minimum abrasion protection and may not offer complete minimum impact protection.

Class C garments are designed to offer supplemental *impact* protection only. It is intended that Class C garments be worn in combination with Class AAA, AA, A or B garments to enhance the protection Class AAA, AA, A or B garments offer.

Some common examples are: modular garments suitable to be combined with other garments providing impact and abrasion protection or only abrasion protection.

This standard contains the requirements for Class AAA garments.

**EN 17092-2:2020 (E)****Risk category zoning**

The performance requirements of the various aforementioned standards for motorcyclists' protective garments are, in turn, based on specific performance requirements for the garments' "risk category zones". Risk category zones are defined according to the likelihood that the area of the garment included in the zone will be subject to mechanical stress, in the event of an accident. There are three zones, as follows:

- Zone 1 - the areas of motorcyclists' protective garments that have a high risk of damage e.g. impact, abrasion, and tearing.
- Zone 2 - the areas of motorcyclists' protective garments that have a moderate risk of damage e.g. abrasion and tearing.
- Zone 3 - the areas of motorcyclists' protective garments that have a low risk of damage e.g. abrasion and tearing.

## **iTeh STANDARD PREVIEW** **(standards.iteh.ai)**

SIST EN 17092-2:2020

<https://standards.iteh.ai/catalog/standards/sist/e85e8d7e-2272-49a0-b3f4-9709b804f2f4/sist-en-17092-2-2020>



## 1 Scope

This document specifies general requirements for motorcyclists' protective garments of Class AAA: protective garments, which are intended to provide limited protection to the wearer against abrasion and impact injury. It applies to protective garments for motorcycle on-road use.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1150:1999, *Protective clothing - Visibility clothing for non-professional use - Test methods and requirements*

EN 1621-1:2012, *Motorcyclists' protective clothing against mechanical impact - Part 1: Motorcyclists' limb joint impact protectors - Requirements and test methods*

EN 1621-2:2014, *Motorcyclists' protective clothing against mechanical impact - Part 2: Motorcyclists' back protectors - Requirements and test methods*

EN 1621-3:2018, *Motorcyclists' protective clothing against mechanical impact — Part 3: Motorcyclists' chest protectors - Requirements and test methods*

EN 1621-4:2013, *Motorcyclists' protective clothing against mechanical impact - Part 4: Motorcyclists' inflatable protectors - Requirements and test methods*

EN 13356:2001, *Visibility accessories for non-professional use - Test methods and requirements*

EN 13594:2015, *Protective gloves for motorcycle riders - Requirements and test methods*

EN 13634:2017, *Protective footwear for motorcycle riders - Requirements and test methods*

EN ISO 3377-1:2011, *Leather - Physical and mechanical tests - Determination of tear load - Part 1: Single edge tear (ISO 3377-1:2011)*

EN ISO 13688:2013, *Protective clothing - General requirements (ISO 13688:2013)*

EN ISO 4674-1:2016, *Rubber- or plastics-coated fabrics - Determination of tear resistance - Part 1: Constant rate of tear methods (ISO 4674-1:2016)*

EN ISO 5077:2008, *Textiles - Determination of dimensional change in washing and drying (ISO 5077:2007)*

EN 17092-1:2020, *Protective garments for motorcycle riders — Part 1: Test methods*

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

#### 3.1

##### garment

jacket or trouser separate, one-piece or two-piece suit, impact protector ensemble clothing, and other protective motorcycle rider clothing types excluding protective motorcycle rider clothing for the head, neck, hands, or feet

#### 3.1.1

##### class AAA garment

clothing offering protection from impact and from abrasion, using materials and construction that meet higher requirements than for clothing covered by parts 3, and 4 of this standard series

#### 3.1.2

##### jacket

garment constructed to provide protective coverage for the upper part of the body generally from the neck to the waistline or below, including the arms. A system to link the jacket to trousers may be present

Note 1 to entry: For two-piece suits, jackets are the part of the suit that provide protective coverage for the upper part of the body, generally from the neck to the waistline or below, including the arms.

[SIST EN 17092-2:2020](https://standards.iteh.ai/catalog/standards/sist/e85e8d7e-2272-49a0-b3f4-9709b804f2f4/sist-en-17092-2-2020)

#### 3.1.3

##### trouser (including salopettes)

garment constructed to provide protective coverage from the area of the ankles up until the top of the hips or above

Note 1 to entry: A system to link the trousers to jackets may be present.

Note 2 to entry: For two-piece suits, trousers are the part of the suit that provide protective coverage generally from the ankles up until the top of the hips or above, including the area of the pelvis and buttocks.

#### 3.1.4

##### one-piece suit

single garment constructed to provide protective coverage generally from the ankles to the neck, including the arms

#### 3.1.5

##### two-piece suit

garment constructed in two pieces: an upper part, providing protective coverage for the upper part of the body including the arms and a lower part, providing protective coverage for the lower part of the body generally to the ankles, with a system that joins the two pieces thereby, creating a single garment, which essentially provides the protective coverage of a one-piece suit

**3.1.6****impact protector ensemble garment**

garment, which holds one or more impact protectors in place and is designed for use as an under or over-garment and may take the general form of a jacket, trousers, one-piece suit, two-piece suit, or other forms

**3.2****impact protector**

arrangement of energy absorbing and or impact spreading materials designed to offer some impact protection to a specific area

Note 1 to entry: Impact protector may be permanent in a garment or removable.

**3.3****hard shell impact protector**

impact protector with a hard exterior shell that is the first material of the protector affected in the event of an impact

Note 1 to entry: Hard shell impact protectors may be permanently mounted to a garment or removable.

**3.4****attached protector**

impact protector attached to the exterior of a garment but separate from the structurally strong layer and not integrated directly into the structurally strong layer by sewing, pockets or other means

Note 1 to entry: An attached protector may be permanently mounted to a garment or removable.

**3.5****external rigid or semi-rigid reinforcements**

structurally stiff materials, generally of low flexibility, such as plastic or metal sheets that are attached to the exterior of the structurally strong layer or are sewn into the structurally strong layer, becoming a part of it, whose purpose is to improve the impact abrasion resistance at that location

**3.6****structural strong layer****SSL**

layer or combination of layers of materials that confer the mechanical properties on a garment that allows it to resist damage and mechanical stress and thereby provide protection in an accident; this layer may or may not include the outermost layer

**3.6.1****structurally strong seam****SSS**

permanent joint between pieces of material forming the SSL held together by sewing or other methods

Note 1 to entry: Darts sewn into a continuous piece of material are not considered structural strong seams. Where the dart is created by folding and cutting in a "V" shape, and then bringing the edges of the "V" together, for sewing, this renders it a Structurally Strong Seam

**3.7****loop restraint**

mechanism whereby a part of a garment limb or a loop of material attached to it passes around a digit of the hand