

SLOVENSKI STANDARD SIST EN 61169-59:2018

01-januar-2018

Radiofrekvenčni konektorji - 59. del: Področna specifikacija za navojne večpolne radiofrekvenčne konektorje vrste L32-4 in L32-5 (IEC 61169-59:2017)

Radio-frequency connectors - Part 59: Sectional specification for type L32-4 and L32-5 threaded muti-pin radio-frequency connectors (IEC 61169-59:2017)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten z: EN 61169-59:2017 https://standards.iien.a/catalog/standards/sist/5546ac3c-1459-4976-b19a-

38bf1b6091e8/sist-en-61169-59-2018

ICS:

33.120.30 Radiofrekvenčni konektorji RF connectors

(RF)

SIST EN 61169-59:2018 en

SIST EN 61169-59:2018

iTeh STANDARD PREVIEW (standards.iteh.ai)

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN 61169-59

September 2017

ICS 33.120.30

English Version

Radio-frequency connectors -Part 59: Sectional specification for type L32-4 and L32-5 threaded multi-pin radio-frequency connectors (IEC 61169-59:2017)

Connecteurs pour fréquences radioélectriques Partie 59: Spécification intermédiaire relative aux connecteurs pour fréquences radioélectriques multicoaxiaux filetés L32-4 and L32-5 (IEC 61169-59:2017) Hochfrequenzsteckverbinder - Teil 59: Rahmenspezifikation für mehrpolige Hochfrequenzsteckverbinder mit Gewinde Typ L32-4 und L32-5 (IEC 61169-59:2017)

This European Standard was approved by CENELEC on 2017-06-26. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member. III and III a

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions. dards iteh avcatalog/standards sist/5546acsc-1459-49/6-b19a-

38bf1b6091e8/sist-en-61169-59-2018

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 61159-59:2017

European foreword

The text of document 46F/351/CDV, future edition 1 of IEC 61159-59, prepared by SC 46F "RF and microwave passive components", of IEC/TC 46 "Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61159-59:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at (dop) 2018-03-26 national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2020-06-26 the document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

iTeh STANDARD PREVIEW

The text of the International Standard IEC 61159-59:2017 was approved by CENELEC as a European Standard without any modification.

EN 61159-59:2017

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>	
IEC 61169-1	2013	Radio-frequency connectors	Part 1:EN 61169-1	2013	
		Generic specification -	General		
		requirements and measuring meth	ods		
IEC 61726	-	Cable assemblies, cables, connec	ctors andEN 61726	-	
	passive microwave components/				
	11.	Screening attenuation measureme	nt by the		
		reverberation chamber method	ai)		
IEC 62037	series	Passive RF and microwave	devices,EN 62037	series	
		intermodulation level measuremen	t		
		<u>SIST EN 61169-59:2018</u>			

https://standards.iteh.ai/catalog/standards/sist/5546ac5c-1459-4976-b19a-38bf1b6091e8/sist-en-61169-59-2018

SIST EN 61169-59:2018

iTeh STANDARD PREVIEW (standards.iteh.ai)



IEC 61169-59

Edition 1.0 2017-05

INTERNATIONAL STANDARD



Radio-frequency dontectors ANDARD PREVIEW
Part 59: Sectional specification for type L32-4 and L32-5 threaded multi-pin radio-frequency connectors

<u>SIST EN 61169-59:2018</u> https://standards.iteh.ai/catalog/standards/sist/5546ac5c-1459-4976-b19a-38bf1b6091e8/sist-en-61169-59-2018

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.120.30 ISBN 978-2-8322-4398-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

Г	JREWC		4		
1	Scop	re	6		
2	Norn	native references	6		
3	Term	ns and definitions	6		
4	Matii	ng face and gauge information	7		
	4.1	Dimensions – General connectors – Grade 2	7		
	4.1.1	Connector with pin contact	7		
	4.1.2	Connector with socket contact	9		
	4.1.3	Mating face of RF channel	12		
	4.2	Gauges			
	4.2.1	- 3			
	4.2.2	3 71			
	4.2.3	- 0			
	4.2.4	3			
	4.2.5	9			
5		ity assessment procedure			
	5.1	General			
	5.2	Rating and characteristics Test schedule and inspection requirements	19		
	5.3				
	5.3.1	(StandardSittenar)			
	5.3.2				
	5.4	Procedures for the qualification approvato 2018			
	5.4.1 5.4.2	201-01-001-0/	24		
	5.4.2				
	5.4.4				
6	_	uctions for preparation of detail specifications			
U	6.1	General			
	6.2	Identification of the component			
	6.3	Performance			
	6.4	Marking, ordering information and related matters	_		
	6.5	Selection of tests, test conditions and severities			
	6.6	Blank detail specification pro-forma for Type L32-4 and L32-5 threaded			
	0.0	multi-pin radio frequency connectors	26		
7	Mark	ing	31		
	7.1	Marking of component	31		
	7.2	Marking and contents of package	31		
Αı	nnex A	(normative) Isolation test method	32		
	A.1	Preparation of test sample	32		
	A.2	Test procedure	32		
Fi	gure 1 -	- L32-5 connector with 5 pin contacts	7		
	_	- L32-4 connector with 4 pin contacts			
	_	- L32-5 connector with 5 socket contacts			
	-				
	_	- L32-4 connector with 4 socket contacts			
Ηİ	gure 5 -	- Mating face of RF channel	12		

Figure 6 – Gauge for socket contact of RF channel	13
Figure 7 – Gauge for L32-5 connector with 5 pin contacts	14
Figure 8 – Gauge for L32-4 connector with 4 pin contacts	15
Figure 9 – Gauge for L32-5 connector with 5 socket contacts	16
Figure 10 – Gauge for L32-4 connector with 4 socket contacts	18
Table 1 – Dimensions of L32-5 connector with 5 pin contacts	
Table 2 – Dimensions of L32-4 connector with 4 pin contacts	9
Table 3 – Dimensions of L32-5 connector with 5 socket contacts	10
Table 4 – Dimensions of L32-4 connector with 4 socket contacts	11
Table 5 – Dimensions of the mating face of RF channel	13
Table 6 – Dimensions of gauge for socket contact	14
Table 7 – Dimensions of gauge L32-5 connector with 5 pin contacts	15
Table 8 – Dimensions of gauge L32-4 connector with 4 pin contacts	16
Table 9 – Dimensions of gauge for L32-5 connector with 5 socket contacts	17
Table 10 – Dimensions of gauge for L32-4 connector with 4 socket contacts	18
Table 11 – Rating and characteristics	20
Table 12 – Acceptance tests	22
Table 12 – Acceptance tests Table 13 – Periodic tests	23
(standards.iteh.ai)	

SIST EN 61169-59:2018

38bf1b6091e8/sist-en-61169-59-2018

– 4 –

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RADIO-FREQUENCY CONNECTORS -

Part 59: Sectional specification for type L32-4 and L32-5 threaded multi-pin radio-frequency connectors

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user. (standards.iteh.ai)
 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications
- 4) In order to promote international uniformity, IEC National Committee's undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

 https://standards.iteh.ai/catalog/standards/sist/5546ac5c-1459-4976-b19a-
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61169-59 has been prepared by subcommittee 46F: RF and microwave passive components, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories.

The text of this International Standard is based on the following documents:

CDV	Report on voting	
46F/351/CDV	46F/362/RVC	

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

IEC 61169-59:2017 © IEC 2017

- 5 -

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61169 series, under the general title: *Radio-frequency connectors*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

(standards.iteh.ai)

- 6 **-**

RADIO-FREQUENCY CONNECTORS -

Part 59: Sectional specification for type L32-4 and L32-5 threaded multi-pin radio-frequency connectors

1 Scope

This part of IEC 61169, which is a sectional specification (SS), provides information and rules for the preparation of detail specifications (DS) for type L32-4 and L32-5 threaded multi-pin radio frequency connectors with anti mismating mechanism, 50 Ω nominal impedance. The operating frequency of each channel is up to 4 GHz. These connectors have been widely used in mobile communication system like TD-SCDMA and TD-LTE, and can also be used in some similar equipment.

It also prescribes mating face dimensions for general connectors-grade 2, gauging information and tests selected from IEC 61169-1, applicable to all detail specifications relating to type L32-4 and L32-5 multi-pin connectors.

This sectional specification provides information and rules for the preparation of detail specifications for type L32-4 and L32-5 multi-pin connectors together with the pro forma blank detail specification.

This specification indicates the recommended performance characteristics to be considered when writing a detail specification and it covers test schedules and inspection requirements for assessment levels M and H.

SIST EN 61169-59:2018

https://standards.iteh.ai/catalog/standards/sist/5546ac5c-1459-4976-b19a-

NOTE Metric dimension are original dimensions?1e8/sist-en-61169-59-2018

All undimensioned pictorial configurations are for reference purpose only.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61169-1:2013, Radio frequency connectors – Part 1: Generic specification – General requirements and measuring methods

IEC 61726, Cable assemblies, cables, connectors and passive microwave components – Screening attenuation measurement by the reverberation chamber method

IEC 62037 (all parts), Passive RF and microwave devices, intermodulation level measurement

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses: