



SLOVENSKI STANDARD
oSIST prEN ISO 18415:2017
01-februar-2017

Kozmetika - Mikrobiologija - Ugotavljanje prisotnosti specifičnih in nespecifičnih mikroorganizmov (ISO/FDIS 18415:2017)

Cosmetics - Microbiology - Detection of specified and non-specified microorganisms (ISO/FDIS 18415:2017)

Kosmetische Mittel - Mikrobiologie - Nachweis von spezifizierten und nichtspezifizierten Mikroorganismen (ISO/FDIS 18415:2017)

Cosmétiques - Microbiologie - Détection des micro-organismes spécifiés et non spécifiés (ISO/FDIS 18415:2017)

Ta slovenski standard je istoveten z: prEN ISO 18415

ICS:

07.100.40 Kozmetika - mikrobiologija Cosmetics microbiology

oSIST prEN ISO 18415:2017

en,fr,de

FINAL
DRAFTINTERNATIONAL
STANDARDISO/FDIS
18415

ISO/TC 217

Secretariat: ISIRI

Voting begins on:
2017-01-02Voting terminates on:
2017-03-27

**Cosmetics — Microbiology —
Detection of specified and non-
specified microorganisms***Cosmétiques — Microbiologie — Détection des micro-organismes
spécifiés et non spécifiés*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 18415:2017](https://standards.iteh.ai/catalog/standards/sist/c0f7954d-1cc7-4309-afa6-ed470edb4297/sist-en-iso-18415-2017)[https://standards.iteh.ai/catalog/standards/sist/c0f7954d-1cc7-4309-afa6-
ed470edb4297/sist-en-iso-18415-2017](https://standards.iteh.ai/catalog/standards/sist/c0f7954d-1cc7-4309-afa6-ed470edb4297/sist-en-iso-18415-2017)

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

ISO/CEN PARALLEL PROCESSINGReference number
ISO/FDIS 18415:2017(E)

© ISO 2017

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 18415:2017

<https://standards.iteh.ai/catalog/standards/sist/c0f7954d-1cc7-4309-afa6-ed470edb4297/sist-en-iso-18415-2017>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword.....	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Principle.....	3
5 Diluents and culture media.....	3
5.1 General.....	3
5.2 Diluent for the microbial suspension (tryptone sodium chloride solution).....	3
5.2.1 General.....	3
5.2.2 Composition.....	4
5.2.3 Preparation.....	4
5.3 Culture media.....	4
5.3.1 General.....	4
5.3.2 Enrichment broth.....	4
5.3.3 Non-selective agar medium.....	5
6 Apparatus and glassware.....	5
7 Strains of microorganism.....	6
8 Handling of cosmetic products and laboratory samples.....	6
9 Procedure.....	6
9.1 General recommendations.....	6
9.2 Preparation of the initial suspension in the enrichment broth.....	6
9.2.1 General.....	6
9.2.2 Water-miscible products.....	7
9.2.3 Water-immiscible products.....	7
9.2.4 Filterable products.....	7
9.3 Incubation of the initial suspension.....	7
9.4 Isolation of specified and non-specified microorganisms.....	7
9.5 Procedure for identification of the specified microorganism: <i>Pseudomonas aeruginosa</i>	7
9.5.1 Gram staining.....	7
9.5.2 Oxidase test.....	7
9.5.3 Identification test.....	8
9.6 Procedure for identification of the specified microorganism: <i>Escherichia coli</i>	8
9.6.1 Gram staining.....	8
9.6.2 Oxidase test.....	8
9.6.3 Identification test.....	8
9.7 Procedure for identification of the specified microorganism: <i>Staphylococcus aureus</i>	8
9.7.1 Gram staining.....	8
9.7.2 Catalase test.....	8
9.7.3 Identification test.....	8
9.8 Procedure for the identification of the specified microorganism: <i>Candida albicans</i>	9
9.8.1 Gram staining.....	9
9.8.2 Identification test.....	9
9.9 Procedure for the identification of non-specified microorganisms.....	9
9.9.1 Gram staining.....	9
9.9.2 Oxidase test.....	9
9.9.3 Catalase test.....	9
9.9.4 Identification test.....	9
10 Expression of the results.....	10
10.1 Detection of specified microorganisms.....	10

ISO/FDIS 18415:2017(E)

10.2	Detection of non-specified microorganisms.....	10
10.3	Absence of microorganisms.....	10
11	Neutralization of the antimicrobial properties of the product.....	10
11.1	General.....	10
11.2	Preparation of inoculum.....	10
11.3	Suitability of detection method by enrichment.....	10
11.3.1	Principle.....	10
11.3.2	Procedure.....	11
11.3.3	Interpretation of suitability test results.....	11
12	Test report.....	11
Annex A	(informative) General scheme for identification of microorganisms.....	13
Annex B	(informative) Other media.....	14
Annex C	(informative) Neutralizers of antimicrobial activity of preservatives and rinsing liquids.....	17
Bibliography	19

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 18415:2017

<https://standards.iteh.ai/catalog/standards/sist/c0f7954d-1cc7-4309-afa6-ed470edb4297/sist-en-iso-18415-2017>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 217, *Cosmetics*.

This second edition cancels and replaces the first edition (ISO 18415:2007), of which it constitutes a minor revision with the following changes:

- the term “validated” in [3.8](#) has been changed to “demonstrated to be suitable”;
- the term “validated” in [Clause 4](#) has been changed to “demonstrated”;
- the phrase “are validated” in [5.1](#) has been changed to “have been demonstrated to be suitable”;
- instances of the term “validation” in [5.2.1](#), [5.3.3.1](#), [11.3.1](#), [11.3.2](#) and in the heading title of [11.3.3](#) have been changed to “suitability test”;
- the term “validation” in the heading title of [11.3](#) has been changed to “suitability”;
- instances of “validated” in [11.3.3](#) have been changed to “satisfactory”;
- the term “validation” in [Clause 12 f\)](#) has been changed to “demonstration of the suitability”.

ISO/FDIS 18415:2017(E)

Introduction

Microbiological examinations of cosmetic products are carried out according to an appropriate microbiological risk analysis in order to ensure their quality and safety for consumers.

Microbiological risk analysis depends on several parameters such as:

- potential alteration of cosmetic products;
- pathogenicity of microorganisms;
- site of application of the cosmetic product (hair, skin, eyes, mucous membranes);
- type of user (adults, children including under 3 years).

For cosmetics and other topical products, the detection of skin pathogens such as *Staphylococcus aureus*, *Pseudomonas aeruginosa* and *Candida albicans* may be relevant because they can cause skin or eye infection. The detection of other kinds of microorganisms might be of interest since these microorganisms (including indicators of faecal contamination e.g. *Escherichia coli*) suggest hygienic failure during manufacturing process.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 18415:2017

<https://standards.iteh.ai/catalog/standards/sist/c0f7954d-1cc7-4309-afa6-ed470edb4297/sist-en-iso-18415-2017>

Cosmetics — Microbiology — Detection of specified and non-specified microorganisms

1 Scope

This document gives general guidelines for the detection and identification of specified microorganisms in cosmetic products as well as for the detection and identification of other kinds of aerobic mesophilic non-specified microorganisms in cosmetic products.

Microorganisms considered as specified in this document might differ from country to country according to national practices or regulations. Most of them considered as specified microorganisms include one or more of the following species: *Pseudomonas aeruginosa*, *Escherichia coli*, *Staphylococcus aureus* and *Candida albicans*.

In order to ensure product quality and safety for consumers, it is advisable to perform an appropriate microbiological risk analysis in order to determine the types of cosmetic product to which this document is applicable. Products considered to present a low microbiological risk include those with low water activity, hydro-alcoholic products, extreme pH values, etc.

The method described in this document is based on the detection of microbial growth in a non-selective liquid medium (enrichment broth) suitable to detect microbial contamination, followed by isolation of microorganisms on non-selective agar media. Other methods can be appropriate depending on the level of detection required.

In this document specific indications are given for identification of *Pseudomonas aeruginosa*, *Escherichia coli*, *Staphylococcus aureus* and *Candida albicans*. Other microorganisms that grow under the conditions described in this document may be identified by using suitable tests according to a general scheme (see [Annex A](#)). Other standards (e.g. ISO 18416, ISO 21150, ISO 22717, ISO 22718) may be appropriate.

Because of the large variety of cosmetic products within this field of application, this method might not be suited in every detail to some products (e.g. certain water-immiscible products). Other methods (e.g. automated) can be substituted for the test presented here provided that their equivalence has been demonstrated or the method has been otherwise validated.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 21148:—¹⁾, *Cosmetics — Microbiology — General instructions for microbiological examination*

EN 12353, *Chemical disinfectants and antiseptics — Preservation of test organisms used for the determination of bactericidal, mycobactericidal, sporicidal and fungicidal activity*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— IEC Electropedia: available at <http://www.electropedia.org/>

1) To be published.

ISO/FDIS 18415:2017(E)

— ISO Online browsing platform: available at <http://www.iso.org/obp>

- 3.1 product**
portion of an identified cosmetic product received in the laboratory for testing
- 3.2 sample**
portion of the *product* (3.1) (at least 1 g or 1 ml) that is used in the test to prepare the *initial suspension* (3.3)
- 3.3 initial suspension**
suspension (or solution) of the *sample* (3.2) in a defined volume of an appropriate *enrichment broth* (3.8)
- 3.4 sample dilution**
dilution of the *initial suspension* (3.3)
- 3.5 aerobic mesophilic microorganisms**
mesophilic bacteria or yeast growing aerobically under the conditions specified in this document

Note 1 to entry: In the described conditions, other types of microorganism (e.g. molds) are detectable.

- 3.6 specified microorganisms**
aerobic mesophilic bacteria or yeast undesirable in a cosmetic product and recognized as a skin pathogen species that may be harmful for human health or as an indication of hygienic failure in the manufacturing process

- 3.6.1 *Pseudomonas aeruginosa***
Gram-negative rod (bacilli), motile, smooth colonies pigmented brown or greenish

Note 1 to entry: The main characteristics for identification are growth on a selective cetrimide agar medium, oxidase positive, production of diffusible fluorescent pigments and production of a soluble phenazine pigment (pyocyanin) in suitable media.

Note 2 to entry: *Pseudomonas aeruginosa* can be isolated from a wide variety of environmental sources, especially in water and has a very high potential to spoil many different substrates. It can produce infections of human skin or eye areas. It is undesirable in cosmetic products for its potential pathogenicity and its capacity to affect the physico-chemical properties of the cosmetic formula.

- 3.6.2 *Escherichia coli***
Gram-negative rod (bacilli), motile, smooth colonies

Note 1 to entry: The main characteristics are catalase positive, oxidase negative, fermentation of lactose, production of indole, growth on selective medium containing bile salts with characteristic colonies.

Note 2 to entry: *Escherichia coli* can be isolated from the moist environmental sources (air, water, soil) and is a faecal contamination indicator.

- 3.6.3 *Staphylococcus aureus***
Gram-positive cocci, mainly aggregated in grape-like clusters, smooth colonies generally pigmented in yellow

Note 1 to entry: The main characteristics for identification are growth on a specific selective medium, catalase positive, coagulase positive.

Note 2 to entry: *Staphylococcus aureus* is an opportunistic pathogen for humans, which often can be also present on the skin of healthy individuals without causing them any apparent illness. It is a specified microorganism and undesirable in cosmetic products.

3.6.4

Candida albicans

yeast that forms white to beige, creamy and convex colonies on the surface of a non-selective agar medium

Note 1 to entry: The main characteristics for identification are production of germ tube and/or pseudomycelium and chlamyospore when the test is performed following the method specified in this document.

3.7

non-specified microorganism

aerobic mesophilic bacteria or yeast found in cosmetic products, not defined in [3.6](#)

3.8

enrichment broth

non-selective liquid medium containing suitable neutralizers and/or dispersing agents and demonstrated to be suitable for the *product* ([3.1](#)) under test

4 Principle

The first step of the procedure is to perform an enrichment by using a non-selective broth medium to increase the number of microorganisms without the risk of inhibition by the selective ingredients that are present in selective/differential growth media.

The following steps (isolation and identification) are performed according to need by using appropriate conditions of incubation and suitable identification test, as described in this document.

The possible inhibition of microbial growth by the sample shall be neutralized to allow the detection of viable microorganisms^[9]. In all cases and whatever the methodology, the neutralization of the antimicrobial properties of the product shall be checked and demonstrated^{[9][10][11]}.

5 Diluents and culture media

5.1 General

General specifications are given in ISO 21148. When water is used in a formula, use distilled water or purified water as specified in ISO 21148.

The enrichment broth is used to disperse the sample and to increase the initial microbial population. It may contain neutralizers if the specimen to be tested has antimicrobial properties. The efficacy of the neutralization shall be demonstrated (see [Clause 11](#)). Information relative to suitable neutralizers is given in [Annex C](#).

The enrichment broth (see [5.3.2.1](#)) or any of the ones listed in [Annex B](#) is suitable for checking the presence of specified and non-specified microorganisms in accordance with this document provided that they have been demonstrated to be suitable in accordance with [Clause 11](#).

Other diluents and culture media may be used if it has been demonstrated that they are suitable for use.

5.2 Diluent for the microbial suspension (tryptone sodium chloride solution)

5.2.1 General

The diluent is used for the preparation of bacteria and yeast suspensions used for the suitability test procedure (see [Clause 11](#)).