

SLOVENSKI STANDARD SIST EN ISO 24444:2020

01-marec-2020

Nadomešča:

SIST EN ISO 24444:2011

Kozmetika - Preskusne metode za zaščito pred soncem - Določevanje faktorja zaščite pred soncem (SPF) in vivo (ISO 24444:2019)

Cosmetics - Sun protection test methods - In vivo determination of the sun protection factor (SPF) (ISO 24444:2019)

Kosmetik - Untersuchungsverfahren für Sonnenschutzmittel / In-vivo-Bestimmung des Sonnenschutzfaktors (SSF) (ISO 24444:2019) (standards.iteh.ai)

Cosmétiques - Méthodes d'essai de protection solaire. (FPS (ISO 24444:2019) ards/sist/4dc545a-b88a-4805-87b2-

34a0473fcd8a/sist-en-iso-24444-2020

Ta slovenski standard je istoveten z: EN ISO 24444:2020

ICS:

71.100.70 Kozmetika. Toaletni

pripomočki

Cosmetics. Toiletries

SIST EN ISO 24444:2020

en,fr,de

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 24444:2020

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 24444

January 2020

ICS 71.100.70

Supersedes EN ISO 24444:2010

English Version

Cosmetics - Sun protection test methods - In vivo determination of the sun protection factor (SPF) (ISO 24444:2019)

Cosmétiques - Méthodes d'essai de protection solaire - Détermination in vivo du facteur de protection solaire (FPS) (ISO 24444:2019)

Kosmetik - Untersuchungsverfahren für Sonnenschutzmittel - In-vivo-Bestimmung des Sonnenschutzfaktors (SSF) (ISO 24444:2019)

This European Standard was approved by CEN on 9 December 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 24444:2020 (E)

Contents	Page
European foreword	3

iTeh STANDARD PREVIEW (standards.iteh.ai)

European foreword

This document (EN ISO 24444:2020) has been prepared by Technical Committee ISO/TC 217 "Cosmetics" in collaboration with Technical Committee CEN/TC 392 "Cosmetics" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2020, and conflicting national standards shall be withdrawn at the latest by July 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 24444:2010.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

https://standards.iteh.ai/catalog/standards/sist/f4dc545a-b88a-4805-87b2-

The text of ISO 24444:2019 has been approved by CEN as EN ISO 24444:2020 without any modification.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 24444:2020

INTERNATIONAL STANDARD

ISO 24444

Second edition 2019-12

Cosmetics — Sun protection test methods — In vivo determination of the sun protection factor (SPF)

Cosmétiques — Méthodes d'essai de protection solaire — Détermination in vivo du facteur de protection solaire (FPS)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 24444:2020</u> https://standards.iteh.ai/catalog/standards/sist/f4dc545a-b88a-4805-87b2-34a0473fcd8a/sist-en-iso-24444-2020



Reference number ISO 24444:2019(E)

ISO 24444:2019(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 24444:2020</u> https://standards.iteh.ai/catalog/standards/sist/f4dc545a-b88a-4805-87b2-34a0473fcd8a/sist-en-iso-24444-2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents			
Fore	eword		v
Intr	oductio	on	vii
1		ne	
2	-	native references	
3		ns and definitions	
4		eral principle	
5	Test 5.1	Selection of the test subjects	
	3.1	5.1.1 General	
		5.1.2 Skin colour of the test subjects	
		5.1.3 Age restriction	
		5.1.4 Frequency of participation in tests	
	5.2	5.1.5 Ethics and consent	
_		•	
6	Appa 6.1	aratus and materials — Source of ultraviolet radiation General	
	6.2	Quality of ultraviolet radiation	
	6.3	Total irradiance (UV, visible and near infrared rays)	5
	6.4	Total irradiance (UV, visible and near infrared rays)	5
		6.4.1 General	5
		6.4.3 UV sensor 6.4.4 Large beam source EN ISO 24444 2020	6
		6.4.5 https Small beam source standards sist/4dc545a-b88a-4805-87b2-	
7	Maintenance and monitoring the UV solar simulator output		
	7.1	Spectroradiometry	
	7.2	Radiometry	
8	Refe	rence sunscreen formulations	9
	8.1	General	
	8.2	Reference standard to be used	9
9	Proc	edure	9
	9.1	Main steps	
	9.2	Test conditions	
	9.3 9.4	Position of the test subjects Product application	
	9.5	Procedure for MED assessment	
	7.0	9.5.1 General	
		9.5.2 Time of assessment of MED	
		9.5.3 Data rejection criteria	
		9.5.4 Test failure criteria 9.5.5 Expression of MEDs	
		1	
10		ulation of the sun protection factor and statistics	
	10.1 10.2	Calculation of the individual SPF (SPF _i)	
	10.2	Statistical criterion	
	10.4	Validation of the test	
11	Test	report	17
	11.1	Overview	
	11.2	General information	
	11.3	Data in tabular form for each test subject	17

ISO 24444:2019(E)

11.4 Statistics for the test products	18
Annex A (normative) Selection criteria for the test subjects	19
Annex B (normative) Definition of the UV solar simulator output	21
Annex C (normative) SPF reference sunscreen formulations	28
Annex D (normative) Calculations and statistics	41
Annex E (normative) Colourimetric determination of skin colour typing and prediction of the minimal erythemal dose (MED) without UV exposure	47
Annex F (informative) Visual guidance for erythema grading	51
Annex G (Normative) Sample report form	55
Bibliography	59

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 217, Cosmetics.

This second edition cancels and replaces the first ledition (ISO-24444:2010), which has been technically revised.

34a0473fcd8a/sist-en-iso-24444-2020

The main changes compared to the previous edition are as follows.

- The definition of the minimal erythema response (MED) criteria has been revised.
- The choice of eligible test subjects is now based solely on individual typology angle (ITA°) with a requirement for the average ITA° for the test panel to be within the range 41° to 55°, with a minimum of three subjects within two of the three ITA° ranges.
- The ITA° is used to define the range of unprotected MED doses for the provisional or the test day unprotected MED determination (if no provisional MEDu determination is made).
- Three new reference standard sunscreens have been validated and added to the method to validate SPF test panels for products with SPF equal to 25 or higher (P5, P6 and P8).
- New test methods are provided to determine the uniformity of the beam of both large and small beam size solar simulators. A requirement for uniformity greater than or equal to 90 % has been added.
- Sunscreen application procedures have been described in greater detail.
- An informative Annex F has been added with photographic examples of erythema responses with guidelines for grading.
- The reporting tables in Annex G) and the requirements in Clause 11 have modified to provide more complete information on the results of the testing.
- The bibliography has been updated.

ISO 24444:2019(E)

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 24444:2019(E)

Introduction

The level of sun protection provided by sunscreen products has traditionally been estimated using the sun protection factor or SPF test, which uses the erythemal response of the skin to ultraviolet (UV) radiation. The SPF is a ratio calculated from the energies required to induce a minimum erythemal response with and without sunscreen product applied to the skin of human test subjects. It uses ultraviolet radiation usually from an artificial source.

Different standard methods are available and described in ISO/TR 26369^{[1]-[3]}.

Since the publication of the first version of this document, harmonization has been achieved in many member countries. The objective of this updated version is to further improve reproducibility between test sites, so as to obtain the same SPF value.

iTeh STANDARD PREVIEW (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Cosmetics — Sun protection test methods — In vivo determination of the sun protection factor (SPF)

1 Scope

This document specifies a method for the in vivo determination of the sun protection factor (SPF) of sunscreen products. It is applicable to products that contain any component able to absorb, reflect or scatter ultraviolet (UV) rays and which are intended to be placed in contact with human skin.

This document provides a basis for the evaluation of sunscreen products for the protection of human skin against erythema induced by solar ultraviolet rays.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

34a0473fcd8a/sist-en-iso-24444-2020

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

2 1

ultraviolet radiation

UVR

electromagnetic radiation in the range of 290 nm to 400 nm

3.1.1

ultraviolet B

UVB

electromagnetic radiation in the range of 290 nm to 320 nm

3.1.2

ultraviolet A

UVA

electromagnetic radiation in the range of 320 nm to 400 nm

Note 1 to entry: UVA II = 320 nm to 340 nm; UVA I = 340 nm to 400 nm.

3.1.3

erythemal effective irradiance

 $E_{\rm er}$

radiometric quantity derived by multiplying the spectral irradiance $E(\lambda)$ of the solar simulator with the erythema action spectrum^[4] $s_{er}(\lambda)$ at each wavelength λ and integrating over wavelength range of 290 nm to 400 nm

$$E_{\text{er}} = \int_{290}^{400} E(\lambda) s_{\text{er}}(\lambda) d\lambda \text{ unit: W/m}^2 \text{ (eff.)}$$