

SLOVENSKI STANDARD
oSIST prEN 13138-2:2018
01-april-2018

Plavajoči pripomočki za učenje plavanja - 2. del: Varnostne zahteve in preskusne metode za plavajoče pripomočke, ki se držijo z rokami

Buoyant aids for swimming instruction - Part 2: Safety requirements and test methods for buoyant aids to be held

Auftriebshilfen für das Schwimmenlernen - Teil 2: Sicherheitstechnische Anforderungen und Prüfverfahren für Auftriebshilfen, die gehalten werden

Aides à la flottabilité pour l'apprentissage de la natation - Partie 2: Exigences de sécurité et méthodes d'essai pour les aides à la flottabilité à tenir

<https://standards.iteh.ai/catalog/standards/sist/74e09e32-cca9-4f42-a649-9d4c438e8643/osist-pr-en-13138-2-2018>

Ta slovenski standard je istoveten z: prEN 13138-2

ICS:

13.340.70	Rešilni jopiči, vzgonska pomagala in plavajoči pripomočki	Lifejackets, buoyancy aids and floating devices
97.220.40	Oprema za športe na prostem in vodne športe	Outdoor and water sports equipment

oSIST prEN 13138-2:2018

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN 13138-2:2018](https://standards.iteh.ai/catalog/standards/sist/74e09e32-eea9-4f42-a649-9d4c438e8643/osist-pren-13138-2-2018)

<https://standards.iteh.ai/catalog/standards/sist/74e09e32-eea9-4f42-a649-9d4c438e8643/osist-pren-13138-2-2018>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

DRAFT
prEN 13138-2

February 2018

ICS 13.340.70; 97.220.40

Will supersede EN 13138-2:2014

English Version

Buoyant aids for swimming instruction - Part 2: Safety requirements and test methods for buoyant aids to be held

Aides à la flottabilité pour l'apprentissage de la natation - Partie 2: Exigences de sécurité et méthodes d'essai pour les aides à la flottabilité à tenir

Auftriebshilfen für das Schwimmenlernen - Teil 2: Sicherheitstechnische Anforderungen und Prüfverfahren für Auftriebshilfen, die gehalten werden

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 162.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3
Introduction	4
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	6
4 Classification.....	8
5 Safety Requirements.....	9
6 Test methods	11
7 Warnings and markings.....	12
Annex A (normative) Procedures for testing efficiency of valves of inflatable devices	15
Annex B (informative) Test procedures for seam strength and durability of inflatable devices.....	16
Annex C (normative) Test procedures for determining the puncture resistance of inflatable devices.....	17
Annex D (normative) Procedures for testing resistance of marking to saliva.....	18
Annex E (normative) Detailed illustrations regarding the layout of Safety information symbols, general safety signs and their arrangement on the product.....	19
E.1 General.....	19
E.2 Product safety information symbols.....	19
E.2.1 General.....	19
E.2.2 Graphical Symbols characterising the category of information and heading arrayed groups of symbols	19
E.2.3 Graphical Symbols expressing warnings.....	19
E.2.4 Graphical Symbols expressing prohibitions	20
E.2.5 Graphical Symbols expressing instructions	20
E.2.6 Safety information symbol.....	21
E.2.6.1 Size of graphical symbols	21
E.2.6.2 Colour of graphical symbols.....	21
E.2.6.3 Arrangement of graphical symbols	21
Annex F (informative) Significant changes between this document and the previous edition	24
Annex G (normative) Test procedure for entanglement on protruding parts.....	25
Bibliography.....	26

European foreword

This document (prEN 13138-2:2018) has been prepared by Technical Committee CEN/TC 162 “Protective clothing including hand and arm protection and lifejackets”, the secretariat of which is held by DIN.

This document is currently submitted to the CEN Enquiry.

This document will supersede EN 13138-2:2014.

Annex F provides details of significant technical changes between this European Standard and the previous edition EN 13138-2:2014.

EN 13138, *Buoyant aids for swimming instruction*, consists of the following parts dealing with buoyant devices for swimming instructions for the various stages of the learning process:

- *Part 1: Safety requirements and test methods for buoyant aids to be worn*
- *Part 2: Safety requirements and test methods for buoyant aids to be held*
- *Part 3: Safety requirements and test methods for swim seats*
- *Part 4: In-water performance testing of buoyant aids to be worn*

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN 13138-2:2018](https://standards.iteh.ai/catalog/standards/sist/74e09e32-eea9-4f42-a649-9d4c438e8643/osist-pren-13138-2-2018)

<https://standards.iteh.ai/catalog/standards/sist/74e09e32-eea9-4f42-a649-9d4c438e8643/osist-pren-13138-2-2018>

Introduction

The entire process of learning to swim is considered to include two stages:

- getting familiar with the water environment and movements in it;
- acquiring skills in standard swimming strokes.

Buoyant aids for swimming instructions (in brief: swimming device(s)) are intended to assist persons (in particular children) to learn to swim. The design and purpose of the devices are related to the above stages.

Swimming devices are intended to give the user positive buoyancy in the water while maintaining the correct body position for swimming. However, it should not be assumed that standard conformity of the devices will by itself eliminate the risk of drowning as this depends also on the behaviour of the user and any supervision.

Although this European Standard sets performance requirements to ensure that swimming devices perform appropriately, it is essential that the devices are used correctly and under constant and close supervision. It is important to ensure that they are securely fitted to the appropriate size of user and that when correctly fitted, they cannot become displaced. Swim seats however should allow immediate escape in case of capsizing. Therefore the use of these devices is recommended to be restricted to water out of standing depth of the user.

The highest degree of protection against drowning can only be achieved by using lifejackets. It is essential that there is a clear distinction between devices intended to preserve life and those which are intended only to assist buoyancy for the user when learning to swim. As swimming devices are not life preservers, they should only be used in swimming pools and other situations free from current, tides and waves.

The bulk storage of some sorts of swimming devices could, under certain conditions, result in a potential fire hazard. The perceived risk of such a hazard was evaluated against the actual risk to the user from materials treated with certain known toxic fire retardant chemicals. However, the fire hazard is less of a problem to the user than the risk associated with the swimming devices being put in the mouth, especially by children. For this reason, flammability requirements are not included in this European Standard.

For the above reasons and to differentiate these devices from aquatic toys, advisory safety measures, including marking, warning notices and user instructions are included in this standard.

The range both of the design and function of buoyant aids for swimming instruction varies considerably and for this reason, the standard for swimming devices has been prepared in three parts, namely devices that are intended to allow the user to become familiar with water (passive user), devices that are worn (active user) and those devices that are held by the user to improve swimming strokes.

- Part 1 of this European Standard is only for devices that are securely attached to the body (class B devices = for an active user). They are intended to introduce the user to the range of swimming strokes.
- Part 2 of this European Standard is for devices that are held either in the hands or by the body (class C = devices for an active user) and are intended to assist with improving specific elements of the swimming stroke. For adult beginners or more advanced users they can also be used for further stages of the process to learn to swim.
- Part 3 of this European Standard deals only with swim seats to assist children up to 36 months in their first attempts to learn to swim i.e. to get familiar with the "in-water-environment" and moving

through it. The child is positioned inside the buoyant structure, which provides buoyancy and lateral support to the body, thereby keeping the child's head above water level (class A devices = for a passive user).

Swim seats allow young children to experience the water environment and being moved through it. Movements of lower limbs and arms are possible. The use of swim seats does however not replicate any form of a correct swimming stroke.

- Part 4 of this European Standard deals with in-water performance testing for class B devices and provides objective methods of measuring the lifting and turning capacity of a swimming device by applying test manikins of various sizes. It is applicable only in connection with part 1.

Swim seats complying with this standard provide a stable, floating position for a child sitting in the swim seat and avoids entrapment in case of capsizing. Children in swim seats do however require very close parental supervision. Overload beyond specified body weight, breaking waves and violent external forces are remaining risks that can cause capsizing. Use of these devices in water that is of the child's standing depth will increase the risk of capsizing and will hinder or block the escape from the seat in case of emergency.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN 13138-2:2018](https://standards.iteh.ai/catalog/standards/sist/74e09e32-eea9-4f42-a649-9d4c438e8643/osist-pren-13138-2-2018)

<https://standards.iteh.ai/catalog/standards/sist/74e09e32-eea9-4f42-a649-9d4c438e8643/osist-pren-13138-2-2018>

prEN 13138-2:2018 (E)**1 Scope**

This European Standard specifies safety requirements for construction, performance, sizing and marking for swimming devices intended to assist users with movement through the water in the early stages of water awareness, while learning to swim or while learning part of a swimming stroke. It also gives methods of test for verification of these requirements.

This part 2 of EN 13138 applies only to class C devices that are designed to be held in the hands or by the body. Typical devices include kick boards and pull/kick boards. These devices are used to assist in learning to swim or to assist with swimming strokes and improving specific elements of the stroke, which have either inherent buoyancy or can be inflated.

It does not apply to pull buoys, swim rings, lifebuoys, buoyancy aids, lifejackets or aquatic toys.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 71-1, *Safety of toys — Part 1: Mechanical and physical properties*

EN 20105-A02, *Textiles — Tests for colour fastness — Part A02: Grey scale for assessing change in colour (ISO 105-A02)*

EN ISO 105-E03:2010, *Textiles — Tests for colour fastness — Part E03: Colour fastness to chlorinated water (swimming-pool water) (ISO 105-E03:2010)*

EN ISO 105-E04, *Textiles — Tests for colour fastness — Part E04: Colour fastness to perspiration (ISO 105-E04)*

EN ISO 105-X12, *Textiles — Tests for colour fastness — Part X12: Colour fastness to rubbing (ISO 105-X12)*

EN ISO 3696:1995, *Water for analytical laboratory use — Specification and test methods (ISO 3696:1987)*

EN ISO 12402-9:2006, *Personal flotation devices — Part 9: Test methods (ISO 12402-9:2006)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1**buoyancy**

resultant upthrust of a swimming device when totally submerged in fresh water with its uppermost part just below the water surface

3.2

inherent buoyancy

upthrust provided by material which is less dense than water or by sealed chambers that are not inflatable and are filled with air or gas

3.3

buoyant aid for swimming instruction (in brief 'swimming device')

garment or device which when worn or held correctly will provide the buoyancy required to become familiar with movement through the water, assist with learning to swim or to improve swimming stroke

3.4

minimum buoyancy

least buoyancy required by the standard

3.5

original buoyancy

buoyancy provided by the complete device when first tested

3.6

class A device

buoyant device in which the child is in contact with the water positioned inside the buoyant structure so that it will keep the passive user in a stable floating position where the base of the chin is at or above the surface of the water.

Note 1 to entry: This device is intended to allow the user to become familiar with the water environment.

3.7

class B device

buoyant swimming device intended to be worn, to be securely attached to the body and to introduce the active user to the range of swimming strokes

3.8

class C device

device intended to be held either in the hands or, by the body and to assist with swimming strokes and/or improving specific elements of the strokes

3.9

device to be worn

device having either inherent buoyancy or may be inflated to provide buoyancy and which is securely attached to the body in such a way that it cannot be accidentally removed and so as to provide the user with buoyancy

3.10

device to be held

device held either in the hands or by the body and provides buoyancy whilst it is being held by the user

3.11

conditioning

process to which the complete device shall be submitted that includes immersion in chlorinated salt swimming pool water and storage in cold and hot conditions and comprising a number of cycles, to simulate the conditions to which the device is likely to be subjected in normal use and storage

prEN 13138-2:2018 (E)**3.12****component**

sub group of the entire device which contributes to either buoyancy, function or safety

3.13**swim seat**

buoyant device intended to introduce the user to the aquatic environment and to build water confidence as a pre-requisite to learning to swim.

Note 1 to entry: Swim seats provide safety for the user but do not guarantee protection against drowning.

3.14**swim seat system**

all integrated components (parts) of a swim seat which contribute to stable floating conditions and to safety during normal use or after an emergency capsizing

3.15**escape**

complete separation between the test dummy and the swim seat in case of a deliberate capsizing of the swim seat or swim seat system

3.16**assessment panel**

group of three people who are appointed by a test house, all of whom are experienced in assessing buoyant aids for swimming instruction

3.17**kick board**

buoyant device designed to be held in the hands or by the arms in order to support the body in the water to assist the user to improve swimming strokes

3.18**Turning-Lifting-Capacity****TLC**

Turning Lifting Capacity of a swimming device is its capability to turn the user's body into a specified floating angle and to lift him to a level where the body floats at least just on equal level with the water surface or above

Note 1 to entry: It is expressed as angle x between calibrated sinking angle and floating angle achieved by the device.

3.19**sinking angle**

sinking angle is the angle to which a test manikin is intentionally calibrated when hung on its center of gravity and completely immersed under water

4 Classification

Buoyant swimming devices shall be classified by design according to Table 1.

Table 1 — Classification of buoyant devices

Class	Description
A	Buoyant device in which the child is in contact with the water positioned inside the buoyant structure. This device is intended to allow the user to become familiar with the water environment. The device will keep the passive user in a stable floating position so that the base of the chin is at or above the surface of the water.
B	Buoyant swimming device intended to be worn, to be securely attached to the body and to introduce the active user to the range of swimming strokes.
C	Device intended to be held either in the hands or by the body and to assist with swimming strokes and/or improving specific elements of the strokes.

5 Safety Requirements

5.1 General

Construction of a buoyant swimming device shall be such that it corresponds in terms of design, dimensions, safety, strength and durability for its intended use. The requirements set out were chosen to ensure compliance with these considerations.

Where buoyant swimming devices are provided in several components, the requirements apply to all components. Where buoyancy is not inherent, devices shall have a minimum of two separate chambers safeguarding function and safety if one chamber fails. A device shall be only class A or class B or class C.

Hand-held devices shall be assessed by the assessment panel to determine whether they comply with the ergonomic requirements of the intended user group.

There are no colour requirements for these devices.

5.2 Buoyancy characteristics of the complete device

When tested in accordance with the procedures in EN ISO 12402-9:2006, the device shall, with all of its buoyant components, have a minimum buoyancy of 15N.

5.3 Design

5.3.1 Innocuousness

Class C devices shall be of a design such that they cannot cause harm to the user.

5.3.2 Edges, corners and points

Edges and corners of hard and rigid materials shall be chamfered or rounded.

Round edges or corners shall have a minimum radius of 1 mm and where a chamfer is part of the design, it shall be of $(45 \pm 5)^\circ$ and at least 1 mm in width. There shall be no barbs or other sharp points or features. Testing shall be by measurement and tactile assessment.

5.3.3 Small parts

Attached small parts shall withstand a pull of (90 ± 2) N in the direction most likely to cause failure without becoming detached from the device. Parts which can become detached, including those that may accidentally come away or be torn off the device, shall not fit wholly into the small parts cylinder, testing of which shall be in accordance with EN 71-1.