

## SLOVENSKI STANDARD SIST EN IEC 62604-2:2018

01-maj-2018

Nadomešča: SIST EN 62604-2:2012

# Radiofrekvenčni (SAW) in visokofrekvenčni (BAW) duplekserji ocenjene kakovosti - 2. del: Smernice za uporabo (IEC 62604-2:2017)

Surface Acoustic Wave (SAW) and Bulk Acoustic Wave (BAW) duplexers of assessed quality - Part 2: Guidelines for the use (IEC 62604-2:2017)

Oberflächenwellen-(OFW-) und Volumenwellen-(BAW-)Duplexer mit bewerteter Qualität – Teil 2: Leitfaden für die Anwendung (IEC 62604-2:2017)

Duplexeurs à ondes acoustiques de surface (OAS) et à ondes acoustiques de volume (OAV) sous assurance de la qualité en Partie 2: Lignes directrices d'utilisation (IEC 62604-2:2017) 334a5105fbb2/sist-en-iec-62604-2-2018

Ta slovenski standard je istoveten z: EN IEC 62604-2:2018

<u>ICS:</u>

31.140 Piezoelektrične naprave Piezoelectric devices

SIST EN IEC 62604-2:2018

en

# iTeh STANDARD PREVIEW (standards.iteh.ai)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

#### SIST EN IEC 62604-2:2018

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

## EN IEC 62604-2

March 2018

Supersedes EN 62604-2:2012

ICS 31.140

English Version

# Surface acoustic wave (SAW) and bulk acoustic wave (BAW) duplexers of assessed quality - Part 2: Guidelines for the use (IEC 62604-2:2017)

Duplexeurs à ondes acoustiques de surface (OAS) et à ondes acoustiques de volume (OAV) sous assurance de la qualité - Partie 2: Lignes directrices d'utilisation (IEC 62604-2:2017) Oberflächenwellen-(OFW-) und Volumenwellen-(BAW-) Duplexer mit bewerteter Qualität - Teil 2: Leitfaden für die Anwendung (IEC 62604-2:2017)

This European Standard was approved by CENELEC on 2018-01-03. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

#### SIST EN IEC 62604-2:2018

CENELEC members are the national electrotechnical committees of Austria Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav, Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

### EN IEC 62604-2:2018 (E)

### European foreword

The text of document 49/1217/CDV, future edition 2 of IEC 62604-2, prepared by IEC/TC 49 "Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62604-2:2018.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2018-10-03
•	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2021-01-03

This document supersedes EN 62604-2:2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

### Endorsement notice

The text of the International Standard IEC 62604-2.2017 was approved by CENELEC as a European Standard without any modification. (standards.iteh.ai)

In the official version, for Bibliography, the following notes have to be added for the standards indicated: SIST EN IEC 62604-2:2018

IEC 60862-2:2012	//standaNQTEh.a	i/cata Harmonized as EN 60862-2:2012 (not modified).

IEC 61019-1:2004	NOTE4a5105	Harmonized as EN 61019-1:2005 (not modified).
IEC 61019-2:2005	NOTE	Harmonized as EN 61019-2:2005 (not modified).
IEC 62047-7:2011	NOTE	Harmonized as EN 62047-7:2011 (not modified).
IEC 62575-2:2012	NOTE	Harmonized as EN 62575-2:2012 (not modified).

# Annex ZA

### (normative)

# Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: <a href="https://www.cenelec.eu">www.cenelec.eu</a>.

Publication	Year	<u>Title</u>	<u>EN/HD</u>	Year
IEC 60862-1	2015	Surface acoustic wave (SAW) filters of assessed quality - Part 1: Generic specification	EN 60862-1	2015
IEC 62575-1	2015	Radio frequncy (RF) bulk acoustic wave (BAW) filters of assessed quality - Part 1: Generic specification	EN 62575-1	2016

### iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 62604-2:2018

https://standards.iteh.ai/catalog/standards/sist/31d977a9-2411-4f07-8196-334a5105fbb2/sist-en-iec-62604-2-2018

# iTeh STANDARD PREVIEW (standards.iteh.ai)



# IEC 62604-2

Edition 2.0 2017-11

# INTERNATIONAL STANDARD



### Surface acoustic wave (SAW) and bulk acoustic wave (BAW) duplexers of assessed quality – (standards.iteh.ai) Part 2: Guidelines for the use

<u>SIST EN IEC 62604-2:2018</u> https://standards.iteh.ai/catalog/standards/sist/31d977a9-2411-4f07-8196-334a5105fbb2/sist-en-iec-62604-2-2018

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31.140

ISBN 978-2-8322-5081-5

Warning! Make sure that you obtained this publication from an authorized distributor.

### CONTENTS

1   Scope   6     2   Normative references   6     3   Terms and definitions   7     4   Technical considerations   7     5   Fundamentals of SAW and BAW duplexers   7     5.1   Basic function   7     5.1.1   General   7     5.1.2   TX filter response (filter response from TX port to antenna port)   8     5.1.3   RX filter response (filter response from antenna port to RX port)   9     5.1.4   Isolation (isolation from TX port to RX port)   9     5.1.5   Brinciple of operation   10     5.4   Diplexer   14     6   SAW and BAW duplexer characteristics   14     6.1   General conditions for SAW and BAW duplexers   16     6.2.1   UMTS duplexer   16     6.2.2   US CDMA duplexer   17     6.2.3   PCS CDMA duplexer   17     6.2.4   Harmonics and inter-modulation duplexer   21     7.1   Power durability   SIST EN IPC 62604-22018   21     7.2   Harmonics and inter-modulation duplexer   21 <t< th=""></t<>			
2   Normative references   6     3   Terms and definitions   7     4   Technical considerations   7     5   Fundamentals of SAW and BAW duplexers   7     5.1   Basic function   7     5.1.1   General   7     5.1.2   TX filter response (filter response from TX port to antenna port)   8     5.1.3   RX filter response (filter response from antenna port to RX port)   9     5.1.4   Isolation (isolation from TX port to RX port)   9     5.1.5   Basic structure   10     5.3   Principle of operation   10     5.4   Diplexer   14     6   SAW and BAW duplexer characteristics   14     6.1   General conditions for SAW and BAW duplexers   16     6.2.1   UMTS duplexer common and BAW duplexers   16     6.2.2   US CDMA duplexer and and structure   17     6.2.3   PCS CDMA duplexer and and structure   17     7.4   Application guidelines   21     7.1   Power durability   Stst FNLPC 62604-22018   21     7.2   Harmonics and Inter-modul			
3   Terms and definitions   7     4   Technical considerations   7     5   Fundamentals of SAW and BAW duplexers   7     5.1   Basic function   7     5.1.1   General   7     5.1.2   TX filter response (filter response from TX port to antenna port)   8     5.1.3   RX filter response (filter response from antenna port to RX port)   9     5.2   Basic structure   10     5.3   Principle of operation   10     5.4   Diplexer   14     6   SAW and BAW duplexer characteristics   14     6.1   General conditions for SAW and BAW duplexers   14     6.2   Typical characteristics of SAW and BAW duplexers   16     6.2.1   UMTS duplexer   17     6.2.2   US CDMA duplexer   17     6.2.3   PCS CDMA duplexer   16     6.2.4   UMTS duplexer and ards.iteh.ai   17     7.4   Power durability   SISTENTEC 62604-22018   21     7.4   Power durability   21   17     7.3   Measurement method for the duplexer   21			
4   Technical considerations   7     5   Fundamentals of SAW and BAW duplexers.   7     5.1   Basic function   7     5.1.1   General   7     5.1.2   TX filter response (filter response from TX port to antenna port)   8     5.1.3   RX filter response (filter response from antenna port to RX port)   9     5.1.4   Isolation (isolation from TX port to RX port)   9     5.2   Basic structure   10     5.3   Principle of operation   10     5.4   Diplexer   14     6   SAW and BAW duplexer characteristics   14     6.1   General conditions for SAW and BAW duplexers   16     6.2.1   UMTS duplexer STANDARD PREVIEW   16     6.2.2   US CDMA duplexer   17     6.2.3   PCS CDMA duplexer   17     6.2.4   UMTS duplexer   17     6.2.5   PCS CDMA duplexer   17     6.2.6   US CDMA duplexer   17     6.2.7   Harmonics and inter modulation distortion   21     7.1   Power durability   Sist EN EC COM - 2018   21			
5   Fundamentals of SAW and BAW duplexers			
5.1   Basic function   7     5.1.1   General   7     5.1.2   TX filter response (filter response from TX port to antenna port)   8     5.1.3   RX filter response (filter response from antenna port to RX port)   9     5.1.4   Isolation (isolation from TX port to RX port)   9     5.2   Basic structure   10     5.3   Principle of operation   10     5.4   Diplexer   14     6   SAW and BAW duplexer characteristics   14     6.1   General conditions for SAW and BAW duplexers   14     6.2   Typical characteristics of SAW and BAW duplexers   16     6.2.1   UMTS duplexer   17     7.2   Actional duplexer   17     7.3   PCS CDMA duplexer   17     7.4   Power durability   SITEN IFC 62604-22018   21     7.1   Power durability   SITEN IFC 62604-22018   21     7.1   Power durability   SITEN IFC 62604-22018   21     7.2   Harmonics and inter-modulation distortion   23   23     8   Bibliography   24   24			
5.1.1   General   7     5.1.2   TX filter response (filter response from TX port to antenna port)   8     5.1.3   RX filter response (filter response from antenna port to RX port)   9     5.1.4   Isolation (isolation from TX port to RX port)   9     5.2   Basic structure   10     5.3   Principle of operation   10     5.4   Diplexer   14     6   SAW and BAW duplexer characteristics   14     6.1   General conditions for SAW and BAW duplexers   14     6.2   Typical characteristics of SAW and BAW duplexers   16     6.2.1   UMTS duplexer   17     6.2.2   US CDMA duplexer   17     7   Application guidelines   21     7.1   Power durability   SISTEN IFC 62604-22018   21     7.1   Power durability   SISTEN IFC 62604-22018   21     7.2   Harmonics and inter-modulation distortion   23     7.3   Measurement method for the duplexer   24     7.4   Electrostatic voltage protection   23     Bibliography   24     Figure 1 – Basic duplexer co			
5.1.2   TX filter response (filter response from TX port to antenna port)   .8     5.1.3   RX filter response (filter response from antenna port to RX port)   .9     5.1.4   Isolation (isolation from TX port to RX port)   .9     5.2   Basic structure   .10     5.3   Principle of operation   .10     5.4   Diplexer   .14     6   SAW and BAW duplexer characteristics   .14     6.1   General conditions for SAW and BAW duplexers   .16     6.2.1   UMTS duplexer characteristics of SAW and BAW duplexers   .16     6.2.1   UMTS duplexer characteristics of SAW and BAW duplexers   .16     6.2.2   US CDMA duplexer   .17     6.2.3   PCS CDMA duplexer   .17     6.2.4   UNTS duplexer   .17     7.4   Power durability			
5.1.3   RX filter response (filter response from antenna port to RX port)			
5.1.4   Isolation (isolation from TX port to RX port)   .9     5.2   Basic structure   .10     5.3   Principle of operation   .10     5.4   Diplexer   .14     6   SAW and BAW duplexer characteristics   .14     6.1   General conditions for SAW and BAW duplexers   .14     6.2   Typical characteristics of SAW and BAW duplexers   .16     6.2.1   UMTS duplexer cr. A. NDARD PREVTEW   .16     6.2.2   US CDMA duplexer   .17     6.2.3   PCS CDMA duplexer   .17     6.2.4   US CDMA duplexer   .17     7.4   Application guidelines   .21     7.1   Power durability			
5.2   Basic structure   10     5.3   Principle of operation   10     5.4   Diplexer   14     6   SAW and BAW duplexer characteristics   14     6.1   General conditions for SAW and BAW duplexers   14     6.2   Typical characteristics of SAW and BAW duplexers   16     6.2.1   UMTS duplexer CTANDARD PREVIEW   16     6.2.2   US CDMA duplexer   17     6.2.3   PCS CDMA duplexer   17     7   Application guidelines   21     7.1   Power durability   SIST EN IEC 62604-2.2018   21     7.2   Harmonics and inter-modulation distructure of the duplexer   21     7.3   Measurement method for the duplexer   21     7.4   Electrostatic voltage protection   23     Bibliography   24     Figure 1 – Basic duplexer configuration   8     Figure 2 – Basic TX filter response example of SAW and BAW duplexers   9     Figure 3 – Basic RX filter response example of SAW and BAW duplexers   9     Figure 4 – Basic isolation characteristics example of SAW and BAW duplexers   10     Figure 5 – The block diagram of a duplexer			
5.3   Principle of operation   10     5.4   Diplexer   14     6   SAW and BAW duplexer characteristics   14     6.1   General conditions for SAW and BAW duplexers   14     6.2   Typical characteristics of SAW and BAW duplexers   16     6.2.1   UMTS duplexer STANDARD PREVIEW   16     6.2.2   US CDMA duplexer ANDARD PREVIEW   16     6.2.3   PCS CDMA duplexer ANDARD PREVIEW   17     6.2.3   PCS CDMA duplexer ANDARD PREVIEW   16     7.4   Power durability   SIST EN IEC 62604-22018   21     7.1   Power durability   SIST EN IEC 62604-22018   21     7.2   Harmonics and inter-modulation distortion   23   23     Bibliography   24   23   23     Bibliography   24   24   24     Figure 1 – Basic duplexer configuration   8   8     Figure 2 – Basic TX filter response example of SAW and BAW duplexers   9     Figure 3 – Basic RX filter response example of SAW and BAW duplexers   9     Figure 5 – The block diagram of a duplexer   10     Figure 5 – The block diagram of a duplexer			
5.4   Diplexer   14     6   SAW and BAW duplexer characteristics   14     6.1   General conditions for SAW and BAW duplexers   14     6.2   Typical characteristics of SAW and BAW duplexers   16     6.2.1   UMTS duplexer CTANDARD PREVIEW   16     6.2.2   US CDMA duplexer   17     6.2.3   PCS CDMA duplexer and ards.iteh.ai   17     7   Application guidelines   21     7.1   Power durability   SISTENTIC 62604-22018   21     7.2   Harmonics and inter-modulation distortion   21     7.3   Measurement method for the duplexer   21     7.4   Electrostatic voltage protection   23     Bibliography   24     Figure 1 – Basic duplexer configuration   8     Figure 2 – Basic TX filter response example of SAW and BAW duplexers   9     Figure 3 – Basic solation characteristics example of SAW and BAW duplexers   10     Figure 5 – The block diagram of a duplexer   11     Figure 6 – Demanded condition of TX part for duplexers   12     Figure 7 – Phase rotation in TX part   13			
6   SAW and BAW duplexer characteristics   14     6.1   General conditions for SAW and BAW duplexers   14     6.2   Typical characteristics of SAW and BAW duplexers   16     6.2.1   UMTS duplexer STANDARD PREVIEW   16     6.2.2   US CDMA duplexer STANDARD PREVIEW   16     6.2.3   PCS CDMA duplexer and ards.iteh.ai   17     7   Application guidelines   21     7.1   Power durability   SIST EN IEC 62604-22018   21     7.2   Harmonics and inter-modulation distortion   21     7.3   Measurement method for the duplexer   21     7.4   Electrostatic voltage protection   23     Bibliography   24     Figure 1 – Basic duplexer configuration   8     Figure 2 – Basic TX filter response example of SAW and BAW duplexers   9     Figure 3 – Basic RX filter response example of SAW and BAW duplexers   9     Figure 5 – The block diagram of a duplexer   11     Figure 6 – Demanded condition of TX part for duplexers   12     Figure 7 – Phase rotation in TX part   13			
6.1   General conditions for SAW and BAW duplexers   14     6.2   Typical characteristics of SAW and BAW duplexers   16     6.2.1   UMTS duplexer STANDARD PREVIEW   16     6.2.2   US CDMA duplexer STANDARD PREVIEW   16     6.2.3   PCS CDMA duplexer and and store the store and s			
6.2   Typical characteristics of SAW and BAW duplexers   16     6.2.1   UMTS duplexer STANDARD PREVIEW   16     6.2.2   US CDMA duplexer   17     6.2.3   PCS CDMA duplexer and ards.itch.ai   17     7   Application guidelines   21     7.1   Power durability   SISTEN IEC 62604-22018   21     7.2   Harmonics and Inter-method for the duplexer   21     7.3   Measurement method for the duplexer   21     7.4   Electrostatic voltage protection   23     Bibliography   24     Figure 1 – Basic duplexer configuration   8     Figure 2 – Basic TX filter response example of SAW and BAW duplexers   9     Figure 3 – Basic RX filter response example of SAW and BAW duplexers   10     Figure 5 – The block diagram of a duplexer   11     Figure 6 – Demanded condition of TX part for duplexers   12     Figure 7 – Phase rotation in TX part   13			
6.2.1   UMITS duplexer of the analysis of the duplexer   16     6.2.2   US CDMA duplexer   17     6.2.3   PCS CDMA duplexer and ards item and ards item and strands item and			
6.2.2   OS CDMA duplexer   17     6.2.3   PCS CDMA duplexer   17     7   Application guidelines   21     7.1   Power durability   SIST EN IEC 62604-2:2018   21     7.2   Harmonics and inter-modulation distortion   21     7.3   Measurement method for the duplexer   21     7.4   Electrostatic voltage protection   23     Bibliography   24     Figure 1 – Basic duplexer configuration   8     Figure 2 – Basic TX filter response example of SAW and BAW duplexers   9     Figure 3 – Basic isolation characteristics example of SAW and BAW duplexers   9     Figure 4 – Basic isolation characteristics example of SAW and BAW duplexers   10     Figure 5 – The block diagram of a duplexer   11     Figure 7 – Phase rotation in TX part   13			
7   Application guidelines   21     7.1   Power durability   SIST EN IEC 62604-2:2018   21     7.2   Harmonics and inter-modulation distribution distribution distribution distribution distribution   21     7.3   Measurement method for the duplexer   21     7.4   Electrostatic voltage protection   23     Bibliography   24     Figure 1 – Basic duplexer configuration   8     Figure 2 – Basic TX filter response example of SAW and BAW duplexers   9     Figure 3 – Basic isolation characteristics example of SAW and BAW duplexers   9     Figure 4 – Basic isolation characteristics example of SAW and BAW duplexers   10     Figure 5 – The block diagram of a duplexer   11     Figure 6 – Demanded condition of TX part for duplexers   12     Figure 7 – Phase rotation in TX part   13			
7.1   Power durability   SIST EN IEC 62604-2:2018   21     7.2   Harmonics and inter-modulation distortion   21     7.3   Measurement method for the duplexer   21     7.4   Electrostatic voltage protection   23     Bibliography   24     Figure 1 – Basic duplexer configuration   8     Figure 2 – Basic TX filter response example of SAW and BAW duplexers   9     Figure 3 – Basic isolation characteristics example of SAW and BAW duplexers   9     Figure 5 – The block diagram of a duplexer   11     Figure 6 – Demanded condition of TX part for duplexers   12     Figure 7 – Phase rotation in TX part   13			
7.1   Fower durability and site available station distortion   21     7.2   Harmonics and inter-modulation distortion   21     7.3   Measurement method for the duplexer   21     7.4   Electrostatic voltage protection   23     Bibliography   24     Figure 1 – Basic duplexer configuration   8     Figure 2 – Basic TX filter response example of SAW and BAW duplexers   9     Figure 3 – Basic isolation characteristics example of SAW and BAW duplexers   9     Figure 5 – The block diagram of a duplexer   11     Figure 6 – Demanded condition of TX part for duplexers   12     Figure 7 – Phase rotation in TX part   13			
7.2   Hammonios and intel 33420050002500-00-02604-2-2018   21     7.3   Measurement method for the duplexer   21     7.4   Electrostatic voltage protection   23     Bibliography   24     Figure 1 – Basic duplexer configuration   8     Figure 2 – Basic TX filter response example of SAW and BAW duplexers   9     Figure 3 – Basic RX filter response example of SAW and BAW duplexers   9     Figure 4 – Basic isolation characteristics example of SAW and BAW duplexers   10     Figure 5 – The block diagram of a duplexer   11     Figure 6 – Demanded condition of TX part for duplexers   12     Figure 7 – Phase rotation in TX part   13			
7.4   Electrostatic voltage protection   23     Bibliography   24     Figure 1 – Basic duplexer configuration   8     Figure 2 – Basic TX filter response example of SAW and BAW duplexers   9     Figure 3 – Basic RX filter response example of SAW and BAW duplexers   9     Figure 4 – Basic isolation characteristics example of SAW and BAW duplexers   10     Figure 5 – The block diagram of a duplexer   11     Figure 6 – Demanded condition of TX part for duplexers   12     Figure 7 – Phase rotation in TX part   13			
Bibliography24Figure 1 – Basic duplexer configuration8Figure 2 – Basic TX filter response example of SAW and BAW duplexers9Figure 3 – Basic RX filter response example of SAW and BAW duplexers9Figure 4 – Basic isolation characteristics example of SAW and BAW duplexers10Figure 5 – The block diagram of a duplexer11Figure 6 – Demanded condition of TX part for duplexers12Figure 7 – Phase rotation in TX part13			
Figure 1 – Basic duplexer configuration8Figure 2 – Basic TX filter response example of SAW and BAW duplexers9Figure 3 – Basic RX filter response example of SAW and BAW duplexers9Figure 4 – Basic isolation characteristics example of SAW and BAW duplexers10Figure 5 – The block diagram of a duplexer11Figure 6 – Demanded condition of TX part for duplexers12Figure 7 – Phase rotation in TX part13			
Figure 1 – Basic duplexer configuration8Figure 2 – Basic TX filter response example of SAW and BAW duplexers9Figure 3 – Basic RX filter response example of SAW and BAW duplexers9Figure 4 – Basic isolation characteristics example of SAW and BAW duplexers10Figure 5 – The block diagram of a duplexer11Figure 6 – Demanded condition of TX part for duplexers12Figure 7 – Phase rotation in TX part13			
Figure 2 – Basic TX filter response example of SAW and BAW duplexers   9     Figure 3 – Basic RX filter response example of SAW and BAW duplexers   9     Figure 4 – Basic isolation characteristics example of SAW and BAW duplexers   10     Figure 5 – The block diagram of a duplexer   11     Figure 6 – Demanded condition of TX part for duplexers   12     Figure 7 – Phase rotation in TX part   13			
Figure 3 – Basic RX filter response example of SAW and BAW duplexers   9     Figure 4 – Basic isolation characteristics example of SAW and BAW duplexers   10     Figure 5 – The block diagram of a duplexer   11     Figure 6 – Demanded condition of TX part for duplexers   12     Figure 7 – Phase rotation in TX part   13			
Figure 4 – Basic isolation characteristics example of SAW and BAW duplexers   10     Figure 5 – The block diagram of a duplexer   11     Figure 6 – Demanded condition of TX part for duplexers   12     Figure 7 – Phase rotation in TX part   13			
Figure 5 – The block diagram of a duplexer   11     Figure 6 – Demanded condition of TX part for duplexers   12     Figure 7 – Phase rotation in TX part   13			
Figure 6 – Demanded condition of TX part for duplexers   12     Figure 7 – Phase rotation in TX part   13			
Figure 7 – Phase rotation in TX part			
Figure 7 – Phase rotation in TX part			
Figure 8 – Demanded condition of RX part for duplexers			
Figure 9 – Basic diplexer configuration14			
Figure 10 – Typical wide range frequency response of TX filter			
Figure 11 – Typical wide range frequency response of RX filter for upper local system15			
Figure 12 – Phase shifter by microstrip line on the surface of a ceramic package16			
Figure 13 – Lumped element phase shifter16			
Figure 14 – Duplexer configuration			
Figure 15 – Frequency characteristics of SAW duplexer for UMTS Band 1 system			
Figure 16 – Frequency characteristics of a SAW duplexer for US CDMA system			
Figure 17 – Frequency characteristics of BAW duplexer for PCS CDMA system <sup>)</sup> 20			

IEC 62604-2:2017 © IEC 2017 - 3 -

Figure 18 – Four-port-type network analyzer for duplexer measurement	22
Figure 19 – Four-port-type network analyzer for measurement of a balanced RX port duplexer	23

Table 1 – Frequency allocation for typical LTE frequency division duplex (FDD) bands..........8

# iTeh STANDARD PREVIEW (standards.iteh.ai)

- 4 -

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### SURFACE ACOUSTIC WAVE (SAW) AND BULK ACOUSTIC WAVE (BAW) DUPLEXERS OF ASSESSED QUALITY –

#### Part 2: Guidelines for the use

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. TANDARD PREVIEW
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, <u>IEC National Committees</u> undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter. 334a51051bb2/sist-en-icc-62604-2-2018
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62604-2 has been prepared by IEC technical committee 49: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection.

This second edition cancels and replaces the first edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- diplexers are described;
- duplexers with a balanced RX port are considered in the measurement method subclause (7.3).

IEC 62604-2:2017 © IEC 2017

– 5 –

NOTE In this standard, SAW and BAW duplexers are treated simultaneously because both duplexers are used in the same manner especially in mobile phone systems and have same requirements of characteristics, test method and so on.

The text of this International Standard is based on the following documents:

CDV	Report on voting
49/1217/CDV	49/1251/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62604 series, published under the general title *Surface acoustic wave (SAW) and bulk acoustic wave (BAW) duplexers of assessed quality*, can be found on the IEC website.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer. **Teh STANDARD PREVIEW** 

### (standards.iteh.ai)