

SLOVENSKI STANDARD SIST EN IEC 62576:2018

01-oktober-2018

Nadomešča:

SIST EN 62576:2010

Elektronski dvoplastni kondenzatorji za hibridna električna vozila - Metode za preskušanje električnih karakteristik

Electric double-layer capacitors for use in hybrid electric vehicles - Test methods for electrical characteristics

Elektrische Doppelschichtkondensatoren für die Verwendung in Hybridelektrofahrzeugen - Prüfverfahren für die elektrischen Kennwerte (Standards.iteh.ai)

Condensateurs électriques à double couche pour véhicules électriques hybrides - Méthodes d'essai des caractéristiques électriques lélectriques l'fd2c3321-7c2c-454b-8ddd-4f50bf9f6d73/sist-en-icc-62576-2018

Ta slovenski standard je istoveten z: EN IEC 62576:2018

ICS:

31.060.01 Kondenzatorji na splošno Capacitors in general 43.120 Električna cestna vozila Electric road vehicles

SIST EN IEC 62576:2018 en

SIST EN IEC 62576:2018

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 62576:2018

https://standards.iteh.ai/catalog/standards/sist/fd2c3321-7c2c-454b-8ddd-4f50bf9f6d73/sist-en-iec-62576-2018

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM **EN IEC 62576**

June 2018

ICS 31.060.99; 43.120

Supersedes EN 62576:2010

English Version

Electric double-layer capacitors for use in hybrid electric vehicles - Test methods for electrical characteristics (IEC 62576:2018)

Condensateurs électriques à double couche pour véhicules électriques hybrides - Méthodes d'essai des caractéristiques électriques (IEC 62576:2018) Elektrische Doppelschichtkondensatoren für die Verwendung in Hybridelektrofahrzeugen - Prüfverfahren für die elektrischen Kennwerte (IEC 62576:2018)

This European Standard was approved by CENELEC on 2018-03-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

SIST EN IEC 62576:2018

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslay Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 62576:2018

European foreword

The text of document 69/486/CDV, future edition 2 of IEC 62576, prepared by IEC/TC 69 "Electric road vehicles and electric industrial trucks" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62576:2018.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2018-12-27
_	latest data by which the national	(dow)	2024 02 27

 latest date by which the national standards conflicting with the document have to be withdrawn

(dow) 2021-03-27

This document supersedes EN 62576:2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62576:2018 was approved by CENELEC as a European Standard without any modification TANDARD PREVIEW

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61881-3:2012 NOTE Harmonized as EN 61881-3:2012 (not modified).

IEC 61881-3:2012/A1:2013 NOTE EN Harmonized as EN 61881-3:2012/A1:2013 (not modified).

https://standards.iteh.ai/catalog/standards/sist/fd2c3321-7c2c-454b-8dd NOTE Harmonized as EN 62391 Series. 4t50b19fod73/sist-en-iec-625/6-2018



IEC 62576

Edition 2.0 2018-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Electric double-layer capacitors for use in hybrid electric vehicles – Test methods for electrical characteristics iteh.ai)

Condensateurs électriques à double couche pour véhicules électriques hybrides – Méthodes d'essai des caractéristiques électriques -7c2c-454b-8ddd-

4f50bf9f6d73/sist-en-iec-62576-2018

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 31.060.99; 43.120 ISBN 978-2-8322-5341-0

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD4					
INTRODUCTION6					
1 Scope	7				
2 Normative references	7				
3 Terms and definitions	7				
4 Tests methods	10				
4.1 Capacitance, internal resistance, and maximum power density	10				
4.1.1 Circuit for measurement					
4.1.2 Test equipment					
4.1.3 Measurement procedure					
4.1.4 Calculation method for capacitance					
4.1.5 Calculation method for internal resistance					
4.1.6 Calculation method for maximum power density	13				
4.2 Voltage maintenance characteristics	13				
4.2.1 Circuit for measurement	13				
4.2.2 Test equipment	14				
4.2.3 Measurement procedures	15				
4.2.3 Measurement procedures4.2.4 Calculation of voltage maintenance rate	16				
4.3 Energy efficiency (standards:iteh:ai) 4.3.1 Circuit for test	16				
4.3.2 Test equipment <u>SIST EN 1EC 62576:2018</u>	16				
4.3.3 Measurement procedures of standards / sist/fd2c3321-7c2c-454b-8ddd-	17				
4.3.4 Calculation of energy/befficiencyen-iec-62576-2018	18				
Annex A (informative) Endurance test: continuous application of rated volta					
temperature					
A.1 General					
A.2 Test procedure					
A.2.1 Test condition					
A.2.2 Test procedure					
A.2.3 Judgment criteria					
Annex B (informative) Heat equilibrium time of capacitors					
B.1 General					
B.2 Heat equilibrium time of capacitors					
Annex C (informative) Charging/discharging efficiency and measurement c	urrent24				
C.1 General	24				
C.2 Charging efficiency, discharging efficiency, and current	24				
Annex D (informative) Procedures for setting the measurement current of c with uncertain nominal internal resistance					
D.1 General	26				
D.2 Current setting procedures for measurement of capacitor					
D.3 Example of setting current for determining capacitor characteristi					
	Annex E (informative) Endurance cycling test				
E.1 General					
E.2 Test method					
E.2.1 Test temperature					
E.2.2 Test equipment					

E.2.3	Preconditioning	27
E.2.4	Initial measurements	27
E.2.5	Test steps	27
E.2.6	Test	28
E.2.7	End of test criteria	28
E.2.8	Post treatment	29
E.2.9	Final measurement	29
E.2.10	Acceptance criteria	29
Bibliography		30
Figure 1 – Bas	ic circuit for measuring capacitance, internal resistance and maximum	
power density		10
	age-time characteristics between capacitor terminals in capacitance	
and internal re	sistance measurement	11
Figure 3 – Bas	ic circuit for measuring the voltage maintenance characteristics	14
	e characteristics of voltage between capacitor terminals in voltage	
maintenance to	est	15
	age-time characteristics between capacitor terminals in	
	arging efficiency test	
Figure B.1 – H	eat equilibrium times of capacitors (from 85 °C to 25 °C)	22
Figure B.2 – H	eat equilibrium times of capacitors (from –40 °C to 25 °C)	23
Figure B.3 – Te	emperature changes of capacitors central portions	23
Figure E.1 – E	ndurance cycling test steps	28
	SIST EN IEC 62576:2018	
Table D.1 – Ex	https://standards.iteh.ai/catalog/standards/sist/fd2c3321-7c2c-454b-8ddd- cample of setting current for measurement of capacitor	26

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRIC DOUBLE-LAYER CAPACITORS FOR USE IN HYBRID ELECTRIC VEHICLES – TEST METHODS FOR ELECTRICAL CHARACTERISTICS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity. EC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

 SIST EN IEC 62576.2018
- 5) IEC itself does not provide any attestation of conformity independent certification bodies provide conformity assessment services and, in some areas access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62576 has been prepared by IEC technical committee 69: Electric road vehicles and electric industrial trucks.

This second edition cancels and replaces the first edition published in 2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) information on applicability of this document has been added in Clause 1;
- b) the definitions of some terms in Clause 3 have been improved;
- c) the description of test procedures in Clause 4 has been clarified;
- d) information on endurance cycling test has been added (Annex E).

IEC 62576:2018 © IEC 2018

- 5 -

The text of this International Standard is based on the following documents:

CDV	Report on voting
69/486/CDV	69/539/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- · amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

(standards.iteh.ai)

SIST EN IEC 62576:2018
https://standards.iteh.ai/catalog/standards/sist/fd2c3321-7c2c-454b-8ddd-4f50bf9f6d73/sist-en-iec-62576-2018

IEC 62576:2018 © IEC 2018

The electric double-layer capacitor (capacitor) is used as an energy storage system for vehicles. Capacitor-installed electric vehicles are commercialized with an eye to improving fuel economy by recovering regenerative energy, and by peak power assistance during acceleration, etc. Although standards for capacitors already exists (IEC 62391 series), those for electric vehicles involve patterns of use, usage environment, and values of current that are quite different from those assumed in the existing standards. Standard evaluation and test methods will be useful for both auto manufacturers and capacitor suppliers to speed up the development and lower the costs of such capacitors. With these points in mind, this document aims to provide basic and minimum specifications in terms of the methods for testing electrical characteristics, and to create an environment that supports the expanding market of electric vehicles and large capacity capacitors. Additional practical test items to be standardized should be reconsidered after technology and market stabilization of capacitors for electric vehicles. Regarding endurance, which is important in practical use, just a basic concept is set forth in the informative annexes.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 62576:2018 https://standards.iteh.ai/catalog/standards/sist/fd2c3321-7c2c-454b-8ddd-4f50bf9f6d73/sist-en-iec-62576-2018

- 6 -

INTRODUCTION

IEC 62576:2018 © IEC 2018

-7-

ELECTRIC DOUBLE-LAYER CAPACITORS FOR USE IN HYBRID ELECTRIC VEHICLES – TEST METHODS FOR ELECTRICAL CHARACTERISTICS

1 Scope

This document describes the methods for testing electrical characteristics of electric double-layer capacitor cells (hereinafter referred to as "capacitor") used for peak power assistance in hybrid electric vehicles.

All the tests in this document are type tests.

This document can also be applicable to the capacitor used in idling reduction systems (start and-stop systems) for the vehicles.

This document can also be applicable to the capacitor modules consisting of more than one cell.

NOTE Annex E provides information on endurance cycling test.

2 Normative references STANDARD PREVIEW

(standards.iteh.ai)

There are no normative references in this document.

SIST EN IEC 62576:2018

3 Terms and definitions ds.iteh.ai/catalog/standards/sist/fd2c3321-7c2c-454b-8ddd-4f50bf9f6d73/sist-en-iec-62576-2018

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

ambient temperature

temperature of the air, in the immediate vicinity of a capacitor

3.2

applied voltage

voltage (V) applied between the terminals of a capacitor

3.3

calculation end voltage

voltage (V) at a selected end point for calculating the characteristics including capacitance under a state of voltage decrease during discharge

3.4

calculation start voltage

voltage (V) at a selected start point for calculating the characteristics including capacitance under a state of voltage decrease during discharge

- 8 -

IEC 62576:2018 © IEC 2018

3.5

capacitance

ability of a capacitor to store electrical charge (F)

3.6

charge accumulated electrical energy

amount of charged energy (J) accumulated from the beginning to the end of charging

3.7

charge current

 I_{c}

current (A) required to charge a capacitor

3.8

charging efficiency

efficiency under specified charging conditions, and ratio (%) of stored energy to charge accumulated electrical energy

Note 1 to entry: This value is calculated from the internal resistance of a capacitor.

Note 2 to entry: Refer to Formula C.8.

3.9

constant voltage charging

charging during which the voltage is maintained at a constant value regardless of charge current or temperature

3.10

(standards.iteh.ai)

discharge accumulated electrical energy

amount of discharged energy (J) accumulated from the beginning to the end of discharging https://standards.iteh.ai/catalog/standards/sist/fd2c3321-7c2c-454b-8ddd-

4f50bf9f6d73/sist-en-iec-62576-2018

3.11 discharge current

 I_{c}

current (A) required to discharge a capacitor

3.12

discharging efficiency

efficiency under specified discharging conditions, and ratio (%) of discharge accumulated electrical energy to stored energy

Note 1 to entry: This value is calculated from the internal resistance of a capacitor.

Note 2 to entry: Refer to Formula C.10.

3 13

electric double-layer capacitor

capacitor

device that stores electrical energy using a double layer in an electrochemical cell, and whose positive and negative electrodes are of the same material

Note 1 to entry: The electrolytic capacitor is not included in capacitor of this document.

3.14

energy efficiency

 E_{ϵ}

ratio (%) of discharge accumulated electrical energy to charge accumulated electrical energy under specified charging and discharging conditions