

SLOVENSKI STANDARD SIST-TS CEN ISO/TS 17444-1:2018

01-februar-2018

Nadomešča:

SIST-TS CEN ISO/TS 17444-1:2013

Elektronsko pobiranje pristojbin - Uspešnost zaračunavanja - 1. del: Meritve (ISO/TS 17444-1:2017)

Electronic fee collection - Charging performance - Part 1: Metrics (ISO/TS 17444-1:2017)

Elektronische Gebührenerhebung - Abbuchungsdurchführung - Teil 1: Metriken (ISO/TS 17444-1:2017) **Teh STANDARD PREVIEW**

(standards.iteh.ai)

Perception du télépéage - Performance d'imputation - Partie 1: Métrique (ISO/TS 17444-1:2017)

SIST-TS CEN ISO/TS 17444-1:2018

https://standards.iteh.ai/catalog/standards/sist/edf67cb6-c3fd-40a8-84de-52a82931193d/sist-ts-cen-iso-ts-17444-1-2018

Ta slovenski standard je istoveten z: CEN ISO/TS 17444-1:2017

ICS:

03.220.20 Cestni transport Road transport

35.240.60 Uporabniške rešitve IT v IT applications in transport

prometu

SIST-TS CEN ISO/TS 17444-1:2018 en,fr,de

SIST-TS CEN ISO/TS 17444-1:2018

iTeh STANDARD PREVIEW (standards.iteh.ai)

TECHNICAL SPECIFICATION SPÉCIFICATION TECHNIQUE TECHNISCHE SPEZIFIKATION

CEN ISO/TS 17444-1

October 2017

ICS 03.220.20; 35.240.60

Supersedes CEN ISO/TS 17444-1:2012

English Version

Electronic fee collection - Charging performance - Part 1: Metrics (ISO/TS 17444-1:2017)

Perception du télépéage - Performance d'imputation - Partie 1: Métrique (ISO/TS 17444-1:2017)

Elektronische Gebührenerhebung -Abbuchungsdurchführung - Teil 1: Metriken (ISO/TS 17444-1:2017)

This Technical Specification (CEN/TS) was approved by CEN on 27 August 2017 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

SIST-TS CEN ISO/TS 17444-12018

https://standards.iteh.ai/catalog/standards/sist/edf67cb6-c3fd-40a8-84de-52a82931193d/sist-ts-cen-iso-ts-17444-1-2018



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

CEN ISO/TS 17444-1:2017 (E)

Contents	Page
European foreword	3

iTeh STANDARD PREVIEW (standards.iteh.ai)

CEN ISO/TS 17444-1:2017 (E)

European foreword

This document (CEN ISO/TS 17444-1:2017) has been prepared by Technical Committee ISO/TC 204 "Intelligent transport systems" in collaboration with Technical Committee CEN/TC 278 "Intelligent transport systems" the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN ISO/TS 17444-1:2012.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO/TS 17444-1:2017 has been approved by CEN as CEN ISO/TS 17444-1:2017 without any modification.

(standards.iteh.ai)

SIST-TS CEN ISO/TS 17444-1:2018

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST-TS CEN ISO/TS 17444-1:2018

TECHNICAL SPECIFICATION

ISO/TS 17444-1

Second edition 2017-09

Electronic fee collection — Charging performance —

Part 1: **Metrics**

Perception du télépéage — Performance d'imputation —

iTeh STPartie D Métrale PREVIEW (standards.iteh.ai)



iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST-TS CEN ISO/TS 17444-1:2018 https://standards.iteh.ai/catalog/standards/sist/edf67cb6-c3fd-40a8-84de-52a82931193d/sist-ts-cen-iso-ts-17444-1-2018



COPYRIGHT PROTECTED DOCUMENT

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Conter	nts	Page
Foreword	l	iv
Introduct	tion	v
1 Sc	ope	1
2 No	ormative references	2
	rms and definitions	
	obreviated terms	
5 De	efinition of charging performance metrics	
5.1	40.101	
5.2	1 1001 10 10 10 10 10 10 10 10 10 10 10	
5.3	2116 00 2116 1 100 100	
5.4		
5.5		12
5.6		13
5.7		
	5.7.1 General	
	5.7.2 Metrics relevant for all schemes	
	5.7.3 Metrics only applicable to discrete schemes	16
	5.7.4 Metrics applicable to continuous schemes	17
5.8	Charge Report Metrics 5.8.1 General	18
	5.8.1 General	18
	5.8.2 Metrics relevant for all schemes	18
	5.8.3 Metrics only applicable to discrete schemes	
	5.8.4 Metrics applicable to continuous schemes	20
Annex A ((informative) Defining Performance Requirements c3fd-40a8-84de	21
Bibliogra	phy 52a82931193d/sist-ts-cen-iso-ts-17444-1-2018	25

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see the following URL: www.iso.org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*.

This second edition cancels pandure places at healing stredition (ISO/TISc 1744448182012), which has been revised with the following changes: 52a82931193d/sist-ts-cen-iso-ts-17444-1-2018

- editorial and formal corrections, as well as changes, to improve readability;
- updated terminology.

A list of all parts in the ISO/TS 17444 series can be found on the ISO website.

Introduction

Electronic tolling systems are complex distributed systems involving mission-critical technology such as dedicated short-range communication (DSRC) and global navigation satellite systems (GNSS) both subject to a certain random behaviour that may affect the computation of the charges. Thus, in order to protect the interests of the different involved stakeholders, in particular Service Users and Toll Chargers, it is essential to define metrics that measure the performance of the system as far as computation of charges is concerned and ensure that the potential resulting errors in terms of size and probability are acceptable. These metrics will be an essential tool when establishing requirements for the systems and also for examination of the system capabilities both during acceptance and during the operational life of the system.

In addition, in order to ensure the interoperability of different systems, it will be necessary to agree on common metrics to be used and on the actual values that define the required acceptable performances. Although this is not covered in this document, it is covered in ISO/TS 17444-2.

Toll schemes take on various forms as identified in ISO 17575 (all parts) and ISO 14906. In order to create a uniform performance metric specification, toll schemes are grouped into two classes, based on the character of their primary charging variable: Charging based on discrete events (charges when a vehicle crosses or stands within a certain zone), and those based on a continuous measurement (duration or distance).

The following are examples of discrete (event-based) toll schemes.

- Single object charging a road section, by pass, bridge, tunnel, mountain pass or even a ferry, charged per passage; most tolled bridges belong to this category.
- Closed road charging: a fixed amount is charged for a certain combination of entry and exit on a motorway or other closed road network; many of the motorways in Southern Europe belong to this category.
 SIST-TS CEN ISO/TS 17444-1:2018

 https://standards.iteh.ai/catalog/standards/sist/edf67cb6-c3fd-40a8-84de
- Discrete road links charging? determined by usage of specified road links, whether or not used in their entirety.
 - EXAMPLE German heavy goods vehicle (HGV) charge.
- Charging for cordon crossing: triggered by passing in or out through a cordon that encircles a city core, for example.
 - EXAMPLE Stockholm congestion charging.

The following are examples of continuous toll schemes.

- Charging based on direct distance measurement: defined as an amount per kilometre driven.
 - EXAMPLE Switzerland's HGV charge; US basic vehicle miles travelled approach.
- Charging based on direct distance measurement in different tariff zones or road types: defined as an amount per kilometre driven, with different tariffs applying in different zones or on different road types. This is a widely discussed approach, also known as Time-Distance-Place charging, and is under consideration in many European countries.
 - EXAMPLE OReGO, the pilot programme in Oregon, is an example from North America.
- Time in use charge: determined by the accumulated time a vehicle has been in operation, or, alternatively, by the time the vehicle has been present inside a predefined zone.

In all these examples of toll schemes, tolls may additionally vary as a function of vehicle class characteristics such as trailer presence, number of axles, taxation class, operating function, and depending on time of day or day of week, so that, for example, tariffs are higher in rush hour and lower on the weekends.

With this degree of complexity, it is not surprising to find that the attempts to evaluate and compare technical solutions for Service User charging have been made on an individual basis each time a procurement or study is initiated, and with only limited ability to reuse prior comparisons made by other testing entities.

The identification of different types of schemes as proposed in ISO 17575 (all parts) and their grouping in the mentioned two classes is described in Table 1, which also identifies the examples mentioned above.

Examples	Scheme type	ISO 17575 category
Single object charging	Discrete	Sectioned roads pricing
Closed road charging	Discrete	Sectioned roads pricing
Discrete road links charging	Discrete	Sectioned roads pricing
Charging for cordon crossing	Discrete	Cordon pricing
Time in use charge	Continuous	Area pricing — time
Cumulative distance charge	Continuous	Area pricing — distance
Charging for cumulative distance (or time) in different zones (or by road type)	Continuous	Area pricing — distance

Table 1 — Tolling scheme designs grouped according to Scheme categories

No toll schemes are purely continuous. At the very least, a system must be able to stop accumulating charges when it leaves a jurisdiction in which a charge is due, and resume charging when it returns or enters another. Additionally, many Charging Schemes are set up so that the tariff is modified using discrete parameters, such as spatial zones, time spans, vehicle classes, etc. Under those circumstances, each unit of distance or time costs a different amount depending, for example, on whether it takes place inside or outside an area, such as a city, whether a trip takes place in rush hour or at night, or depending on what type of vehicle is used. In this document references to a "continuous system" have to be understood as those systems having some continuous behaviour even though they can also integrate some discrete nature. References to "discrete systems" are himited to others existent that are purely discrete.

In these schemes, all the discrete parts (zones, cordons, events, time, vehicle class, etc.) that a system has to identify are translated into a particular tariff (e.g. price per kilometre) that has to be applied to the measured continuous variable (e.g. distance travelled) resulting in another continuous parameter, money.

Some features of discrete and continuous toll schemes that are of relevance for the definition of metrics proposed in this document are analysed below.

Discrete toll schemes

In a discrete toll scheme, distinct events are associated with the identification of Charge Objects. It can happen that a vehicle crossed a cordon, passed a bridge or was present in an area on a given day. An event that takes place can either be correctly recorded by the system or can be missed. However, there is also the possibility that an event is recorded even though it did not actually take place. This is summarized in the following matrix in Table 2.

Table 2 — Theoretical event decision matrix for discrete schemes

Event Matrix		System detects charge object detection	
		Yes	No
	Yes	Correct	Missed Recognition
Charge object detection takes place		Charging	(Undercharging)
	No	False Positive	Correct
		(Overcharging)	Non-charging

In <u>Table 2</u> are two successful scenarios (Correct Charging and Correct Non-charging) and two unsuccessful (Missed Recognition and False Positive). The unsuccessful scenarios have very different consequences. A Missed Recognition, i.e. a charge object detection that takes place but is not recorded by the system, implies an undercharging, as the Service User is not charged.

In the case of False Positive, a *vehicle that is not using the toll domain* is being charged for an event which did not take place. This implies an overcharging which is in violation of the legal rights of the *Service User*, and ultimately risks eroding trust in the system.

This document therefore makes a distinction between the two types of errors and defines associated metrics to protect the interests of the Toll Charger and Service Users in terms of the allowed probabilities of those events.

Continuous toll schemes

A continuous toll scheme is one where the charge is calculated using accumulated time or distance the base tariff is applied to.

Note that a discrete scheme with a large number of Charge Objects would lead to charging incremental variations, and is hence approaching a continuous scheme (the higher the number of events the closer such schemes are to a continuous scheme). In any case, this would still formally be a discrete scheme.

In discrete toll schemes errors are binary: either a charge object detection is correctly recorded or it is not. However, in continuous schemes the errors are relatively small and they vary continuously, i.e. those errors are real (in the mathematical sense) variables instead of logical variables. Figure 1 shows different levels of dispersion and different directions of bias. The horizontal axis shows the size of the errors and the vertical axis the probability density. The vertical line in each plot represents zero charging error. Note that it is possible to have small dispersion (i.e. a small standard deviation) that still biases charging high or low (i.e. not accurate).