

SLOVENSKI STANDARD

SIST EN 3645-005:2019

01-september-2019

Nadomešča:

SIST EN 3645-005:2009

Aeronavtika - Konektorji, električni, okrogli, zaščiten kontakt, hitra spojka z navojem, stalna delovna temperatura 175 °C ali 200 °C - 005. del: Podlaga, hermetična, z okroglo prirobnico, privarjena - Standard za proizvod

Aerospace series - Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous - Part 005: Receptacle, hermetic, round flange, solder mounting - Product standard

iTeh STANDARD PREVIEW

Luft- und Raumfahrt - Elektrische Rundsteckverbinder, kontaktgeschützt, drei-gängige Gewinde Schnellkupplung, Dauerbetriebstemperaturen 175 °C oder 200 °C - Teil 005: Fester Steckverbinder, hermetisch, mit rundem Schweißflansch - Produktnorm

<https://standards.iteh.ai/catalog/standards/sist/52811a92-3455-4929-8b25-e20124461910/sist-en-3645-005-2019>

Série aérospatiale - Connecteurs électriques circulaires à contacts protégés, à accouplement par filetage à pas rapide à trois filets, températures d'utilisation 175 °C ou 200 °C continu - Partie 005 : Embase hermétique à collerette ronde à fixation par brasage - Norme de produit

Ta slovenski standard je istoveten z: EN 3645-005:2019

ICS:

31.220.10	Vtiči in vtičnice, konektorji	Plug-and-socket devices. Connectors
49.060	Letalska in vesoljska električna oprema in sistemi	Aerospace electric equipment and systems

SIST EN 3645-005:2019

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 3645-005:2019

<https://standards.iteh.ai/catalog/standards/sist/52811a92-3455-4929-8b25-e20124461910/sist-en-3645-005-2019>

EUROPEAN STANDARD

EN 3645-005

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2019

ICS 49.060

Supersedes EN 3645-005:2006

English Version

Aerospace series - Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous - Part 005: Receptacle, hermetic, round flange, solder mounting - Product standard

Série aérospatiale - Connecteurs électriques circulaires à contacts protégés, à accouplement par filetage à pas rapide à trois filets, températures d'utilisation 175 °C ou 200 °C continu - Partie 005 : Embase hermétique à colerette ronde à fixation par brasage - Norme de produit

Luft- und Raumfahrt - Elektrische Rundsteckverbinder, kontaktgeschützt, dreigängige Gewinde-Schnellkupplung, Betriebstemperatur 175 °C oder 200 °C konstant - Teil 005: Hermetischer fester Steckverbinder mit rundem Schweißflansch - Produktnorm

iTeh STANDARD PREVIEW
(standards.iteh.ai)

This European Standard was approved by CEN on 2 December 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

<https://standards.iteh.ai/catalog/standards/sist/52811a92-3455-4929-8b25-e20124461910/sist-en-3645-005-2019>

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, North Macedonia, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents		Page
European foreword		3
1	Scope.....	4
2	Normative references.....	4
3	Terms and definitions	5
4	Required characteristics	5
5	Designation	7
6	Marking.....	8
7	Technical specification	8

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 3645-005:2019](#)

<https://standards.iteh.ai/catalog/standards/sist/52811a92-3455-4929-8b25-e20124461910/sist-en-3645-005-2019>

European foreword

This document (EN 3645-005:2019) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2019, and conflicting national standards shall be withdrawn at the latest by December 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 3645-005:2019](#)

<https://standards.iteh.ai/catalog/standards/sist/52811a92-3455-4929-8b25-e20124461910/sist-en-3645-005-2019>

EN 3645-005:2019 (E)**1 Scope**

This European Standard specifies the characteristics of round flange hermetic receptacles, mounted by soldering, in the family of circular electrical connectors with triple start threaded coupling.

It applies to models in Table 3.

The contacts are unremovable and soldered termination.

For plugs and protective covers, see EN 3645-006, EN 3645-008, EN 3645-011, and EN 3645-012 respectively.

These connectors are derived from and interchangeable with model Y in specification MIL-DTL-38999/25.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 3645-001, *Aerospace series — Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous — Part 001: Technical specification*

EN 3645-002, *Aerospace series — Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous — Part 002: Specification of performance and contact arrangements*

EN 3645-006, *Aerospace series — Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous — Part 006: Protective cover for receptacle — Product standard*

EN 3645-008, *Aerospace series — Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous — Part 008: Non release plug with grounding ring — Product standard*

EN 3645-011, *Aerospace series — Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous — Part 011: Lanyard release plug with grounding fingers — Type 1 — Product standard*

EN 3645-012, *Aerospace series — Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous — Part 012: Lanyard release plug with grounding fingers — Type 2 — Product standard*

MIL-DTL-38999/25, *Connector, electrical, circular, threaded, receptacle, solder mounting, hermetic, hermetic solder contacts, series III, metric* ¹⁾

1) Published by: Department of Defense (DOD), The Pentagon, Washington D.C. 20301 USA.

3 Terms and definitions

For the purposes of this standard, the terms and definitions given in EN 3645-001 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:


- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Required characteristics

4.1 Dimensions and mass

See Figure 1 and Table 1.

Dimensions and tolerances are in millimetres.



Key

- 1 Red strip

Figure 1 — Round flange receptacle

Table 1 — Round flange receptacle - Dimensions

Shell size	<i>F</i> max.	<i>N</i> max.	<i>S</i> max.	<i>Z</i> max.	Stainless steel mass g max.
09	17,10	5,10	19,40	23,80	15
11	19,90		21,80		20
13	23,10		24,90		25
15	26,20		28,10		31
17	29,40		31,30		38
19	31,80		33,60		44
21	35,00	5,90	36,80	24,60	51
23	38,20		40,00		60
25	41,30		43,20		71

4.2 Materials and surface treatment

See Table 3.

iTeh STANDARD PREVIEW

4.3 Recommended panel cut-out (standards.iteh.ai)

See Figure 2 and Table 2.

Dimensions and tolerances are in millimetres.

SIST EN 3645-005:2019

<https://standards.iteh.ai/catalog/standards/sist/52811a92-3455-4929-8825-e20124461910/sist-en-3645-005-2019>




Figure 2 — Panel cut-out

Table 2 — Panel cut-out - Dimensions

Shell size	A + 0,25 0
09	17,20
11	20,00
13	23,20
15	26,30
17	29,50
19	31,90
21	35,10
23	38,30
25	41,40

4.4 Electrical, mechanical and climatic characteristics

See EN 3645-002.

ITeH STANDARD PREVIEW
(standards.iteh.ai)

5 Designation

EXAMPLE

[SIST EN 3645-005:2019](https://standards.iteh.ai/catalog/standards/sist/52811a92-3455-4929-8b25-e20124461910/sist-en-3645-005-2019)

<https://standards.iteh.ai/catalog/standards/sist/52811a92-3455-4929-8b25-e20124461910/sist-en-3645-005-2019>

