

SLOVENSKI STANDARD

SIST EN ISO 2507-2:2018

01-januar-2018

Nadomešča:

SIST EN 727:1997

Plastomerne cevi in fittingi - Temperatura zmečišča po Vicatu - 2. del: Preskusni pogoji za cevi in fittinge iz nemehčanega polivinilklorida (PVC-U) ali kloriranega polivinilklorida (PVC-C) ter za cevi iz visoko na udar odpornega polivinilklorida (PVC-HI) (ISO 2507-2:1995)

Thermoplastics pipes and fittings - Vicat softening temperature - Part 2: Test conditions for unplasticized poly(vinyl chloride) (PVC-U) or chlorinated poly(vinyl chloride) (PVC-C) pipes and fittings and for high impact resistance poly(vinyl chloride) (PVC-HI) pipes (ISO 2507-2:1995)

(standards.iteh.ai)

Rohre und Formstücke aus Thermoplasten - Vicat-Erweichungstemperatur - Teil 2: Prüfbedingungen für Rohre und Formstücke aus weichmacherfreiem Poly(vinylchlorid) (PVC-U) oder chloriertem Poly(vinylchlorid) (PVC-C) und Rohre aus hochschlagzähem Poly(vinylchlorid) (PVC-HI) (ISO 2507-2:1995)

Tubes et raccords en matières thermoplastiques - Température de ramollissement Vicat - Partie 2: Conditions particulières d'essai pour tubes et raccords en poly(chlorure de vinyle) non plastifié (PVC-U) ou en poly(chlorure de vinyle) chloré (PVC-C) et tubes en poly(chlorure de vinyle) à résistance au choc améliorée (PVC-HI) (ISO 2507-2:1995)

Ta slovenski standard je istoveten z: EN ISO 2507-2:2017

ICS:

23.040.20	Cevi iz polimernih materialov	Plastics pipes
23.040.45	Fittingi iz polimernih materialov	Plastics fittings

SIST EN ISO 2507-2:2018

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 2507-2:2018](https://standards.iteh.ai/catalog/standards/sist/a01f50ce-fd08-4266-9916-2100eb7a400b/sist-en-iso-2507-2-2018)

<https://standards.iteh.ai/catalog/standards/sist/a01f50ce-fd08-4266-9916-2100eb7a400b/sist-en-iso-2507-2-2018>

EUROPEAN STANDARD

EN ISO 2507-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2017

ICS 23.040.20; 23.040.45

Supersedes EN 727:1994

English Version

Thermoplastics pipes and fittings - Vicat softening temperature - Part 2: Test conditions for unplasticized poly(vinyl chloride) (PVC-U) or chlorinated poly(vinyl chloride) (PVC-C) pipes and fittings and for high impact resistance poly(vinyl chloride) (PVC-HI) pipes (ISO 2507-2:1995)

Tubes et raccords en matières thermoplastiques -
Température de ramollissement Vicat - Partie 2:
Conditions particulières d'essai pour tubes et raccords
en poly(chlorure de vinyle) non plastifié (PVC-U) ou en
poly(chlorure de vinyle) chloré (PVC-C) et tubes en
poly(chlorure de vinyle) à résistance au choc améliorée
(PVC-HI) (ISO 2507-2:1995)

Rohre und Formstücke aus Thermoplasten - Vicat-
Erweichungstemperatur - Teil 2: Prüfbedingungen für
Rohre und Formstücke aus weichmacherfreiem
Poly(vinylchlorid) (PVC-U) oder chloriertem
Poly(vinylchlorid) (PVC-C) und Rohre aus
hochschlagzähem Poly(vinylchlorid) (PVC-HI) (ISO
2507-2:1995)

(standards.iteh.ai)

This European Standard was approved by CEN on 19 September 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 2507-2:2018](https://standards.iteh.ai/catalog/standards/sist/a01f50ce-fd08-4266-9916-2100eb7a400b/sist-en-iso-2507-2-2018)

<https://standards.iteh.ai/catalog/standards/sist/a01f50ce-fd08-4266-9916-2100eb7a400b/sist-en-iso-2507-2-2018>

European foreword

The text of ISO 2507-2:1995 has been prepared by Technical Committee ISO/TC 138 “Plastics pipes, fittings and valves for the transport of fluids” of the International Organization for Standardization (ISO) and has been taken over as EN ISO 2507-2:2017 by Technical Committee CEN/TC 155 “Plastics piping systems and ducting systems” the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2018, and conflicting national standards shall be withdrawn at the latest by April 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 727:1994.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Full STANDARD PREVIEW
(standards.iteh.ai)
Endorsement notice

The text of ISO 2507-2:1995 has been approved by CEN as EN ISO 2507-2:2017 without any modification.

<https://standards.iteh.ai/catalog/standards/sist/a01f50ce-fd08-4266-9916-2100eb7a400b/sist-en-iso-2507-2-2018>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 2507-2:2018](https://standards.iteh.ai/catalog/standards/sist/a01f50ce-fd08-4266-9916-2100eb7a400b/sist-en-iso-2507-2-2018)

<https://standards.iteh.ai/catalog/standards/sist/a01f50ce-fd08-4266-9916-2100eb7a400b/sist-en-iso-2507-2-2018>

INTERNATIONAL
STANDARD**ISO**
2507-2First edition
1995-02-15

**Thermoplastics pipes and fittings —
Vicat softening temperature —****Part 2:**

Test conditions for unplasticized poly(vinyl chloride) (PVC-U) or chlorinated poly(vinyl chloride) (PVC-C) pipes and fittings and for high impact resistance poly(vinyl chloride) (PVC-HI) pipes

SIST EN ISO 2507-2:2018
https://standards.iteh.ai/catalog/standards/sist/a01150cc-4266-4266-9916-2507-2/iso-2507-2-2018

Tubes et raccords en matières thermoplastiques — Température de ramollissement Vicat —

Partie 2: Conditions particulières d'essai pour tubes et raccords en poly(chlorure de vinyle) non plastifié (PVC-U) ou en poly(chlorure de vinyle) chloré (PVC-C) et tubes en poly(chlorure de vinyle) à résistance au choc améliorée (PVC-HI)

Reference number
ISO 2507-2:1995(E)

ISO 2507-2:1995(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 2507-2 was prepared by Technical Committee ISO/TC 138, *Plastics pipes, fittings and valves for the transport of fluids*, Subcommittee SC 5, *General properties of pipes, fittings and valves of plastic materials and their accessories*. *Test methods and basic specifications*.

This first edition of ISO 2507-2, and ISO 2507-1, cancels and replaces the second edition of ISO 2507 (ISO 2507:1982), of which it constitutes a technical revision.

ISO 2507 consists of the following parts, under the general title *Thermoplastics pipes and fittings — Vicat softening temperature*:

- Part 1: *General test method*
- Part 2: *Test conditions for unplasticized poly(vinyl chloride) (PVC-U) or chlorinated poly(vinyl chloride) (PVC-C) pipes and fittings and for high impact resistance poly(vinyl chloride) (PVC-HI) pipes*
- Part 3: *Test conditions for acrylonitrile/butadiene/styrene (ABS) and acrylonitrile/styrene/acrylic ester (ASA) pipes and fittings*

Annexes A, B and C of this part of ISO 2507 are for information only.

© ISO 1995

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Thermoplastics pipes and fittings — Vicat softening temperature —

Part 2:

Test conditions for unplasticized poly(vinyl chloride) (PVC-U) or chlorinated poly(vinyl chloride) (PVC-C) pipes and fittings and for high impact resistance poly(vinyl chloride) (PVC-HI) pipes

iTeh STANDARD PREVIEW (standards.iteh.ai)

1 Scope

This part of ISO 2507 specifies the particular test conditions for determining the Vicat softening temperature (VST) of unplasticized poly(vinyl chloride) (PVC-U) or chlorinated poly(vinyl chloride) (PVC-C) pipes and fittings and of high impact resistance poly(vinyl chloride) (PVC-H) pipes.

It also gives, for information, the corresponding basic specifications.

NOTE 1 The general test method for determining the Vicat softening temperature of thermoplastics pipes and fittings is given in ISO 2507-1.

2 Normative reference

The following standard contains provisions which, through reference in this text, constitute provisions of this part of ISO 2507. At the time of publication, the edition indicated was valid. All standards are subject to revision, and parties to agreements based on this part of ISO 2507 are encouraged to investigate the possibility of applying the most recent edition of the

<https://standards.iteh.ai/catalog/standards/sist/5014501c-fd08-4366-991b-2100eb7a400b/sist-en-iso-2507-2:2018> standard indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 2507-1:1995, *Thermoplastics pipes and fittings — Vicat softening temperature — Part 1: General test method*.

3 Principle

See clause 3 in ISO 2507-1:1995, applicable to the thermoplastics materials covered by this part of ISO 2507.

4 Apparatus

See clause 4 in ISO 2507-1:1995.

5 Test pieces

See clause 5 in ISO 2507-1:1995.

6 Conditioning

See clause 6 in ISO 2507-1:1995.