



**TECHNICAL SPECIFICATION ISO/TS 13141:2010**  
**TECHNICAL CORRIGENDUM 1**

Published 2013-04-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

**Electronic fee collection — Localisation augmentation  
communication for autonomous systems —**

TECHNICAL CORRIGENDUM 1

*Perception de télépéage — Communications d'augmentation de localisations pour systèmes autonomes —*

*RECTIFICATIF TECHNIQUE 1*

**iTeh STANDARD PREVIEW**

Technical Corrigendum 1 to ISO/TS 13141:2010 was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*, in collaboration with Technical Committee CEN/TC 278, *Road transport and traffic telematics*.

[ISO/TS 13141:2010/Cor 1:2013](https://standards.iteh.ai/catalog/standards/sist/cf5bfec2-8152-473e-846a-f702a82e9388/iso-ts-13141-2010-cor-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/cf5bfec2-8152-473e-846a-f702a82e9388/iso-ts-13141-2010-cor-1-2013>

---

*Page 15, Annex A*

Replace

```
'Container ::= CHOICE {
    integer                [0]    INTEGER,
    bitstring              [1]    BIT STRING,
    octetstring            [2]    OCTET STRING (SIZE (0..127), ...),
    universalString        [3]    UniversalString,
    beaconId               [4]    BeaconID,
    t-apdu                 [5]    T-APDUs,
    dsrcApplicationEntityId [6]    DSRCAApplicationEntityID,
    dsrc-Ase-Id            [7]    Dsrc-EID,
    attrIdList             [8]    AttributeIdList,
    attrList               [9]    AttributeList,
    time                   [15]   Time,
    vector                 [16]   SEQUENCE (SIZE(0..255)) OF INTEGER(0..127,...),
    contLAC                [87]   LACData
-- Container CHOICE type values [88..127] are reserved for private use and intended for
    the addressing of the corresponding private attribute identifiers.
}'
```

with

```
'Container ::= CHOICE {
    integer                [0]    INTEGER,
    bitstring              [1]    BIT STRING,
    octetstring            [2]    OCTET STRING (SIZE (0..127), ...),
    universalString        [3]    UniversalString,
    beaconId               [4]    BeaconID,
    t-apdu                 [5]    T-APDUS,
    dsrcApplicationEntityId [6]    DSRCAApplicationEntityID,
    dsrc-Ase-Id            [7]    Dsrc-EID,
    attrIdList             [8]    AttributeIdList,
    attrList               [9]    AttributeList,
    time                   [15]   Time,
    vector                 [16]   SEQUENCE (SIZE(0..255)) OF INTEGER(0..127,...),
    contLAC                [87]   LACData
-- Defines the LAC Container type as the next values in the row after the EFC data types
-- of ISO 14906 and those of ISO/TS 12813
-- Container CHOICE type values [88..127] are reserved for private use and intended for
-- the addressing of the corresponding private attribute identifiers.
}'
```

i.e. a closing ')' related to the size constraints for OCTET STRING ASN.1 type and correcting the syntax for the concluding remark.