

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Enterprise-control system integration –
Part 4: Object model attributes for manufacturing operations management
integration**

**Intégration des systèmes entreprise-contrôle –
Partie 4: Attributs des modèles d'objets pour l'intégration de la gestion des
opérations de fabrication**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 62264-4

Edition 1.0 2015-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Enterprise-control system integration –
Part 4: Object model attributes for manufacturing operations management
integration**

**Intégration des systèmes entreprise-contrôle –
Partie 4: Attributs des modèles d'objets pour l'intégration de la gestion des
opérations de fabrication**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.99; 35.100.05; 35.200.50

ISBN 978-2-8322-3062-6

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	10
1 Scope.....	11
2 Normative references.....	11
3 Terms, definitions, abbreviations and conventions.....	11
3.1 Terms and definitions.....	11
3.2 Symbols and abbreviations.....	13
3.3 Conventions.....	14
4 Information exchange between manufacturing operations.....	14
4.1 Activity information exchange network.....	14
4.2 Information exchange models.....	15
4.2.1 Overview.....	15
4.2.2 Process segments and work masters.....	15
4.2.3 Common resource definitions.....	15
4.2.4 Work models.....	15
5 Object model representation.....	16
5.1 Minimum attribute sets.....	16
5.2 Attribute extensibility.....	16
5.3 Object model structure.....	16
5.4 Conventions used in table of attributes.....	17
5.4.1 Attribute table elements.....	17
5.4.2 Object identification.....	18
5.4.3 Data types of attributes.....	18
5.4.4 Value types.....	18
5.4.5 Presentation of examples.....	18
5.4.6 References to resources.....	19
6 Resource relationship network model.....	19
6.1 Resource relationship network.....	19
6.2 Resource relationship network attributes.....	20
6.3 Resource network connection.....	21
6.4 Resource network connection property.....	22
6.5 From resource reference.....	22
6.6 From resource reference property.....	23
6.7 To resource reference.....	23
6.8 To resource reference property.....	24
6.9 Resource network connection type.....	25
6.10 Resource network connection type property.....	25
7 Work definition model.....	25
7.1 Work definition.....	25
7.2 Work master.....	26
7.3 Work directive.....	26
7.4 Work definition attributes.....	27
7.5 Parameter specification.....	28
7.6 Personnel specification.....	28
7.7 Personnel specification property.....	28

7.8	Equipment specification.....	29
7.9	Equipment specification property.....	29
7.10	Physical asset specification.....	29
7.11	Physical asset specification property.....	29
7.12	Material specification.....	29
7.13	Material specification property.....	29
7.14	Workflow specification.....	29
7.14.1	Workflow specification model.....	29
7.14.2	Workflow specification attributes.....	31
7.14.3	Workflow specification node.....	32
7.14.4	Workflow specification node property.....	32
7.14.5	Workflow specification connection.....	32
7.14.6	Workflow specification connection property.....	33
7.14.7	Workflow specification node type.....	33
7.14.8	Workflow specification node type property.....	33
7.14.9	Workflow specification connection type.....	34
7.14.10	Workflow specification connection type property.....	34
8	Work schedule and job list models.....	35
8.1	Work schedule.....	35
8.2	Work schedule attributes.....	37
8.3	Work request attributes.....	38
8.4	Job list definition.....	39
8.5	Job list attributes.....	40
8.6	Job order attributes.....	40
8.7	Job order parameter.....	42
8.8	Personnel requirement.....	42
8.9	Personnel requirement property.....	42
8.10	Equipment requirement.....	42
8.11	Equipment requirement property.....	42
8.12	Physical asset requirement.....	42
8.13	Physical asset requirement property.....	42
8.14	Material requirement.....	42
8.15	Material requirement property.....	42
8.16	Job order to work master relationship.....	42
9	Work performance model.....	43
9.1	Work performance.....	43
9.2	Work performance attributes.....	44
9.3	Work response.....	45
9.4	Job response list.....	46
9.5	Job response.....	47
9.6	Job response data.....	47
9.7	Personnel actual.....	47
9.8	Personnel actual property.....	48
9.9	Equipment actual.....	48
9.10	Equipment actual property.....	48
9.11	Physical asset actual.....	48
9.12	Physical asset actual property.....	48
9.13	Material actual.....	48
9.14	Material actual property.....	48

10	Work capability model.....	48
10.1	Work capability	48
10.2	Work capability attributes	49
10.3	Personnel capability	50
10.4	Personnel capability property	50
10.5	Equipment capability	50
10.6	Equipment capability property.....	51
10.7	Physical asset capability	51
10.8	Physical asset capability property.....	51
10.9	Material capability	51
10.10	Material capability property.....	51
11	Work master capability model	51
11.1	Work master capability	51
11.2	Work master capability attributes.....	52
11.3	Personnel capability	53
11.4	Personnel capability property	53
11.5	Equipment capability	53
11.6	Equipment capability property.....	54
11.7	Physical asset capability	54
11.8	Physical asset capability property.....	54
11.9	Material capability	54
11.10	Material capability property.....	54
12	Work KPI model.....	54
13	Work alert model	54
13.1	Work alert	54
13.2	Work alert definition	55
13.3	Work alert definition property.....	55
13.4	Work alert attributes	56
13.5	Work alert property.....	57
14	Work calendar model.....	57
14.1	Work calendar definition and work calendar	57
14.2	Work calendar definition.....	58
14.3	Work calendar definition entry	59
14.4	Work calendar definition entry property.....	60
14.5	Work calendar.....	60
14.6	Work calendar entry	60
14.7	Work calendar entry property.....	61
15	Work documents.....	61
16	Work record model	62
16.1	Work record definition	62
16.2	Work record	63
16.3	Work record extensions.....	63
16.4	Work record model	65
16.5	Work record entry	66
16.6	Work record container objects	67
16.7	Event types and subtypes.....	67
17	Object lists and relationships	68
18	Compliance	71

Annex A (informative) Questions and answers about object use	72
A.1 How are dependencies in the work schedule and work response handled?	72
A.2 What are examples of resource relationships?	72
Annex B (informative) Related standards	75
Annex C (informative) Representing a workflow specification in BPMN	77
Annex D (informative) Representing a workflow specification in flowchart notation	81
Annex E (informative) Example of work calendars	83
E.1 Four-day 24-hour shift pattern	83
E.2 Example of ISO 8601 format strings	85
E.3 Bank holiday work calendar	85
Bibliography	87
Figure 1 – Information exchange models for manufacturing operations management	14
Figure 2 – Resource relationship network	20
Figure 3 – Work definition model	26
Figure 4 – Relationship of work master to work directive	27
Figure 5 – Workflow specification model	30
Figure 6 – Example of a workflow specification in BPMN format	30
Figure 7 – Example of a workflow specification in flowchart format	31
Figure 8 – Work schedule model	35
Figure 9 – Operations schedule for a site	36
Figure 10 – Work schedule for an area	36
Figure 11 – Work request, job order, job list	37
Figure 12 – Work request example for continuous processing	37
Figure 13 – Example of job orders and work master relationships	43
Figure 14 – Work performance model	44
Figure 15 – Work capability model	49
Figure 16 – Work master capability object model	52
Figure 17 – Work alert model	55
Figure 18 – Work calendar model	58
Figure 19 – Work record environment	63
Figure 20 – Work record container example	64
Figure 21 – Work record element reference example	65
Figure 22 – Work record model	66
Figure 23 – Relationship between models	69
Figure A.1 – Equipment resources	73
Figure A.2 – Routing relationship network	73
Figure A.3 – Gas main relationship network	74
Figure A.4 – “Usable in” relationship network	74
Figure B.1 – Relationship to IEC 62264-2 and IEC 61512 standards	76
Figure C.1 – Example of a workflow specification in BPMN notation	79
Figure C.2 – Example workflow process in the workflow specification model	80
Figure D.1 – Example of a workflow specification in flowchart notation	81
Figure D.2 – Example workflow process in the workflow specification model	82

Table 1 – UML notation used	17
Table 2 – Example table	18
Table 3 – Resource relationship network attributes	21
Table 4 – Resource network connection attributes	21
Table 5 – Resource network connection property attributes	22
Table 6 – From resource reference attributes	23
Table 7 – From resource reference property attributes	23
Table 8 – To resource reference attributes	24
Table 9 – To resource reference property attributes	24
Table 10 – Resource network connection type attributes	25
Table 11 – Resource network connection type property attributes	25
Table 12 – Additional attributes of material specification	27
Table 13 – Work definition attributes	28
Table 14 – Workflow specification attributes	31
Table 15 – Workflow specification node attributes	32
Table 16 – Workflow specification node property attributes	32
Table 17 – Workflow specification connection attributes	33
Table 18 – Workflow specification connection property attributes	33
Table 19 – Workflow specification node type attributes	33
Table 20 – Workflow specification node type property attributes	34
Table 21 – Workflow specification connection type attributes	34
Table 22 – Workflow specification connection property attributes	34
Table 23 – Work schedule attributes	38
Table 24 – Work request attributes	39
Table 25 – Job list attributes	40
Table 26 – Job order attributes	41
Table 27 – Work performance attributes	45
Table 28 – Work response attributes	46
Table 29 – Job response list attributes	46
Table 30 – Job response attributes	47
Table 31 – Work capability attributes	50
Table 32 – Work master capability attributes	53
Table 33 – Work alert definition attributes	55
Table 34 – Work alert definition property attributes	56
Table 35 – Examples of work alert properties	56
Table 36 – Work alert attributes	57
Table 37 – Work alert property attributes	57
Table 38 – Work calendar definition attributes	59
Table 39 – Work calendar definition entry attributes	59
Table 40 – Work calendar definition entry property attributes	60
Table 41 – Work calendar attributes	60
Table 42 – Work calendar entry attributes	61

Table 43 – Work calendar entry property attributes	61
Table 44 – Work record entry attributes	67
Table 45 – Additional event types and subtypes	68
Table 46 – Objects and models	70
Table E.1 – Four-day 24-hour shift pattern example.....	83
Table E.2 – Work calendar definition for 4-day 24-hour shift entry examples.....	83
Table E.3 – Work calendar definition entry for 4-day 24-hour shift example	84
Table E.4 – Work calendar entries for 2014 shift calendar.....	85
Table E.5 – Work calendar definition for 2014 England bank holidays	85
Table E.6 – Work calendar definition entries for 2014 England bank holidays.....	86

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 62264-4:2015](https://standards.iteh.ai/catalog/standards/sist/2891aa41-7fcb-41c0-a6dd-db6223f75181/iec-62264-4-2015)

<https://standards.iteh.ai/catalog/standards/sist/2891aa41-7fcb-41c0-a6dd-db6223f75181/iec-62264-4-2015>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ENTERPRISE-CONTROL SYSTEM INTEGRATION –**Part 4: Object model attributes for manufacturing operations management integration**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62264-4 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation, in co-operation with ISO technical committee 184/SC5: Interoperability, integration and architectures for enterprise systems and automation applications.

It is published as a double logo standard.

The text of this standard is based on the following documents:

FDIS	Report on voting
65E/479/FDIS	65E/488/RVD

Full information on the voting for the approval of this standard can be found in the report on

voting indicated in the above table. In ISO, the standard has been approved. In ISO, the standard has been approved by 10 P members out of 10 having cast a vote.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62264 series, published under the general title *Enterprise-control system integration*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

STANDARD PREVIEW
(standards.iteh.ai)

[IEC 62264-4:2015](https://standards.iteh.ai/catalog/standards/sist/2891aa41-7fcb-41c0-a6dd-db6223f75181/iec-62264-4-2015)

<https://standards.iteh.ai/catalog/standards/sist/2891aa41-7fcb-41c0-a6dd-db6223f75181/iec-62264-4-2015>

INTRODUCTION

This part of IEC 62264 defines the interfaces between enterprise activities and control activities and is to be used in conjunction with IEC 62264-3.

The scope of this part of IEC 62264 is limited to defining the details of the information content of interfaces within manufacturing operations management. The scope is limited to the definition of object models and attributes for the information defined in IEC 62264-3. The goal is to reduce the effort, cost, and errors associated with implementing these interfaces.

The standard may be used to reduce the effort associated with implementing new product offerings. The goal is to have enterprise systems and control systems that interoperate and easily integrate.

This part of IEC 62264 further defines the object models and attributes involved in data exchange between activities of manufacturing operations management defined in 62264-3. The models and terminology defined in IEC 62264-3 and this part of IEC 6226

- a) emphasize good manufacturing operations management integration practices during the entire life cycle of the systems;
- b) can be used to improve existing integration capability of manufacturing operations management systems; and
- c) can be applied regardless of the degree of automation.

Specifically, IEC 62264-3 and this part of IEC 62264 provide a standard terminology and a consistent set of concepts and models for integrating manufacturing operations management systems that will improve communications between all parties involved. Benefits produced will

- d) reduce the user's time to reach full production levels for new products;
- e) enable vendors to supply appropriate tools for implementing integration of manufacturing operations management systems;
- f) enable users to better identify their needs;
- g) reduce the cost of automating manufacturing processes;
- h) optimize supply chains; and
- i) reduce life-cycle engineering efforts.

IEC 62264-3 and this part of IEC 62264 may be used to reduce the effort associated with implementing new product offerings. The goal is to have manufacturing operations management systems that interoperate and easily integrate.

It is not the intent of the standards to

- 1) suggest that there is only one way of implementing integration of manufacturing operations management systems;
- 2) force users to abandon their current way of handling integration; or
- 3) restrict development in the area of integration of manufacturing operations management systems.

ENTERPRISE-CONTROL SYSTEM INTEGRATION –

Part 4: Object model attributes for manufacturing operations management integration

1 Scope

This part defines object models and attributes exchanged between Level 3 manufacturing operations management activities defined in IEC 62264-3.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62264-1:2013, *Enterprise-control system integration – Part 1: Models and terminology*

IEC 62264-2:2013, *Enterprise-control system integration – Part 2: Object and attributes for enterprise-control system integration*

IEC 62264-3, *Enterprise-control system integration – Part 3: Activity models of manufacturing operations management*

IEC 61512-1, *Batch control – Part 1: Models and terminology*

IEC 61512-4:2009, *Batch control – Part 4: Batch production records*

IEC 62682, *Management of alarm systems for the process industries*

ISO/IEC 19501, *Information technology – Open Distributed Processing – Unified Modeling Language (UML) Version 1.4.2*

ISO/IEC 19505-1, *Information technology – Object Management Group Unified Modeling Language (OMG UML) – Part 1: Infrastructure*

ISO/IEC 19505-2, *Information technology – Object Management Group Unified Modeling Language (OMG UML) – Part 2: Superstructure*

ISO 8601, *Data elements and interchange formats – Information interchange – Representation of dates and times*

3 Terms, definitions, abbreviations and conventions

3.1 Terms and definitions

For the purposes of this document the terms and definitions given in IEC 62264-1 as well as the following apply.

**3.1.1
batch production record
BPR**

subset of the execution and business information that is retained based upon business requirements identified by the batch production record specification

Note 1 to entry: This note applies to the French language only.

[SOURCE: IEC 61512-4:2009, 3.2]

**3.1.2
job list**

collection of job orders for one or more work centers and/or resources for a specific time frame

**3.1.3
job order**

unit of scheduled work that is dispatched for execution

**3.1.4
job response**

information on the result of execution of a job order

**3.1.5
job response list**

collection of job responses for one or more work centers and/or resources for a specific time frame

**3.1.6
resource relationship network**

one or more expressions of a relationship between two or more resources

**3.1.7
work alert**

notification of a Level 3 event that does not require acknowledgement

**3.1.8
work calendar**

collection of work calendar entries

**3.1.9
work calendar entry**

information about a specific time period

**3.1.10
work capability**

collection of information about the resources for work for selected future and past times

**3.1.11
work definition**

collection of information about resources and workflow specification associated with job orders

**3.1.12
work directive**

type of work definition derived from a work master and used to perform a specific job order

3.1.13**work KPI**

key performance indicator related to Level 3 activities

3.1.14**work master**

type of work definition that is a template for work to be performed for a job order

3.1.15**work performance**

collection of work responses

Note 1 to entry: This note applies to the French language only.

3.1.16**work master capability**

collection of information about the resources for selected future and past times for a specific work master

3.1.17**work record**

subset of the execution and business information that is retained based upon business requirements

3.1.18**work request**

collection of job orders

3.1.19**work response**

collection of job responses

3.1.20**work schedule**

detailed schedule of MOM activities as a collection of work requests

3.1.21**workflow specification**

information representing work as a pattern of activities used to orchestrate the execution of procedures

EXAMPLE A repeatable sequence of procedures, enabled by an organization of resources with defined roles corresponding to flows of mass, energy or information.

3.2 Symbols and abbreviations

BPMN	Business Process Model and Notation
BPR	Batch production record
ERP	Enterprise resource planning
ID	Identifier
KPI	Key performance indicator
MES	Manufacturing execution system
MOM	Manufacturing operations management
SOP	Standard operating procedures
UML	Unified Modeling Language
UTC	Coordinated Universal Time