INTERNATIONAL STANDARD

ISO 17939

First edition 2015-09-01

Ships and marine technology — Oil tank hatches

Navires et technologie maritime — Huile trappe

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 17939:2015 https://standards.iteh.ai/catalog/standards/sist/942b3bd8-4f07-4360-82ee-b59fe76fa775/iso-17939-2015



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 17939:2015 https://standards.iteh.ai/catalog/standards/sist/942b3bd8-4f07-4360-82ee-b59fe76fa775/iso-17939-2015



COPYRIGHT PROTECTED DOCUMENT

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Co	ntent	S	Page
Fore	word		iv
1	Scop	9	1
2	Norn	native references	1
3	Class 3.1	ifications Types	
	3.2	Structure and main dimensions 3.2.1 Type A1 3.2.2 Type A1F 3.2.3 Type A2 3.2.4 Type A2F 3.2.5 Type B 3.2.6 Type BF 3.2.7 Type C1 3.2.8 Type C1F 3.2.9 Type C2	
4	Mate	rials	12
5	5.1 5.2	Appearance Rust-proof and surface treatment R.D. P.R. Performance (standards.iteh.) ng of watertightness	EVIEW 13
6	Testi	ng of watertightness	13
7	Desig	nation <u>ISO 17939-2015</u>	13

https://standards.iteh.ai/catalog/standards/sist/942b3bd8-4f07-4360-82ee-b59fe76fa775/iso-17939-2015

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information.

The committee responsible for this document is ISO/TC 8, *Ships and marine technology*, Subcommittee SC 8, *Ship design*.

ISO 17939:2015 https://standards.iteh.ai/catalog/standards/sist/942b3bd8-4f07-4360-82eeb59fe76fa775/iso-17939-2015

Ships and marine technology — Oil tank hatches

1 Scope

This International Standard specifies the classification, structure and main dimensions, materials, quality of manufacture, testing of watertightness and designation for oil tank hatches for application on board ships in order to ensure interchangeability of the hatches. The remaining dimensions, welding, and other details are left to the manufacturer.

These hatches generally conform to the requirements of the International Convention on Load Lines 1966 (ILLC66). These structures and specifications of oil-tight hatch covers in this International Standard meet IACS UR S26 requirements. The possibility for application in position 1 and position 2 has to be considered for each situation and, where necessary, the hatch covers shall be provided with additional stiffening.

This International Standard is applicable to the design, manufacturing, and test of accommodation ladders, as well as accommodation ladder used specifically in combination with pilot ladder (hereinafter referred as "pilot accommodation ladder").

Users of this International Standard should note that while observing the requirements of this International Standard, they should, at the same time, ensure compliance with such statutory requirements, rules, and regulations as may be applicable to the individual ship concerned.

(standards.iteh.ai)

2 Normative references

ISO 17939:2015

The following documents in whole or in part are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8501–1, Preparation of steel substrates before application of paints and related products — Visual assessment of surface cleanliness — Part 1: Rust grades and preparation grades of uncoated steel substrates and of steel substrates after overall removal of previous coatings.

3 Classifications

3.1 Types

Oil tank hatches are divided into the following types, see <u>Table 1</u>.

Table 1 — Classification of oil tank hatches

Types		Definition	Nominal size	Application in accordance with ILLC66 in position (s)	
	A1	circular flat hatch cover		2	
A (ainaulan)	A1F	circular flat hatch cover with stiffener	600, 700, 800,	1	
A (circular)	A2	circular curve hatch cover	900, 1 000, 1 200	2	
	A2F	circular curve hatch cover with stiffener	r	1	
	В	long circular hatch cover $600 \times 800, 750 \times 1200,$		2	
B (long circular)	BF	long circular hatch cover with stiffener	750 × 1 300, 750 × 1 500, 850 × 1 500	1	
	C1	flat hatch cover (upper circular, lower long circular)		2	
C (upper circular, lower long	C1F	flat hatch cover with stiffener (upper circular, lower long circular)	750 (750 × 1 200) ^a 750 (750 × 1 300) ^a 750 (750 × 1 500) ^a	1	
circular)	C2	curve hatch cover (upper circular, lower long circular)	850 (850 × 1 500) ^a 900 (900 × 1 500) ^a	2	
	C2F	curve hatch cover with stiffener (upper circular, lower long circular)		1	
a The data between parentheses are the size of lower long circular.					

(standards.iteh.ai)


3.2 Structure and main dimensions

ISO 17939:2015

3.2.1 Type A1

https://standards.iteh.ai/catalog/standards/sist/942b3bd8-4f07-4360-82eeb59fe76fe775/iso-17939-2015

b59fe76fa775/iso-17939-2015
Structure and main dimensions of type A1 hatch cover shall conform to the detail of Figure 1 and Table 2.



iTeh STANDARD PREVIEW

Ke	y		standards.iteh.ai)
1	coaming	8	lock catch
2	bearing	9	wing clamp 7939:2015
3	actuator	https://standardo.itel	h.si/iffenler/standards/sist/942b3bd8-4f07-4360-82ee-
4	junction plate	11	b59fc76fa775/iso-17939-2015 measuring hole cover (optional)
5	cover plate	12	clamp plate
6	seal ring	13	bearing pad welded on the bracket of a toggle bolt for metal to metal contact
7	clamping ring		

NOTE Thickness of coaming shall comply with the related requirements, such as the requirements of classification societies.

Figure 1 — Structure of type A1 hatch

Table 2 — Main dimensions of type A1 and type A1F


Dimensions in millimetres

Nominal sizes D	Deck opening sizes D_1	Н	t	Number of clips
600	570			
700	670	≥600	12	
800	770			
900	870			6
1 000	970		14	
1 200	1 170		14	

3.2.2 **Type A1F**

Structure and main dimensions of type A1F hatch cover shall conform to the detail of Figure 2 and Table 2.

Dimensions in millimetres



ISO 17939:2015

https://standards.iteh.ai/catalog/standards/sist/942b3bd8-4f07-4360-82eeb59fe76fa775/iso-17939-2015


Key		The potrous	b59fe76fa775/iso-17939-2015
1	coaming	8	lock catch
2	bearing	9	wing clamp
3	actuator	10	stiffener
4	junction plate	11	measuring hole cover (optional)
5	cover plate	12	clamp plate
6	seal ring	13	bearing pad welded on the bracket of a toggle bolt for metal to metal contact
7	clamping ring		

NOTE Thickness of coaming shall comply with the related requirements, such as the requirements of classification societies.

Figure 2 — Structure of type A1F hatch

Type A2 3.2.3

Structure and main dimensions of type A2 hatch cover shall conform to the detail of Figure 3 and Table 3.



Key

1 coaming 7 clamping ring SU 1/939:2015

2 bearing https://standards.iteh.av.catabystandards/sist/942b3bd8-4f07-4360-82ee-

3 actuator 9 wing clamp 5/iso-17939-2015

4 connecting rod 10 measuring hole cover (optional)

5 cover plate 11 clamp plate

6 seal ring 12 bearing pad welded on the bracket of a toggle bolt for metal to metal contact

NOTE Thickness of coaming shall comply with the related requirements, such as the requirements of classification societies.

Figure 3 — Structure of type A2 hatch

Table 3 — Main dimensions of type A2 and type A2F


Dimensions in millimetres

Nominal sizes D	Deck opening sizes D_1	Н	t	Number of clips
600	570			4
700	670	≥600	12	6
800	770			
900	870			
1 000	970		1.4	
1 200	1 170		14	

3.2.4 Type A2F

Structure and main dimensions of type A2F hatch cover shall conform to the detail of $\underline{\text{Figure 4}}$ and $\underline{\text{Table 3}}$.

Dimensions in millimetres



ISO 17939:2015

Keyhttps://standards.iteh.ai/catalog/standards/sist/942b3bd8-4f07-4360-82ee-b59fe76fa775/iso-17939-2015

1	coaming	8	lock catch
2	bearing	9	wing clamp
3	actuator	10	stiffener
4	connecting rod	11	measuring l

4 connecting rod 11 measuring hole cover (optional)

5 cover plate 12 clamp plate

6 seal ring 13 bearing pad welded on the bracket of a toggle bolt for metal to metal contact


7 clamping ring

NOTE Thickness of coaming shall comply with the related requirements, such as the requirements of classification societies.

Figure 4 — Structure of type A2F hatch

3.2.5 Type B

Structure and main dimensions of type B hatch cover shall conform to the detail of Figure 5 and Table 4.



ISO 17939:2015

https://standards.iteh.ai/catalog/standards/sist/942b3bd8-4f07-4360-82ee-b59fe76fa775/iso-17939-2015

1	coaming	8	lock catch
2	bearing	9	wing clamp
3	actuator	10	stiffener
4	junction plate	11	measuring hole cover (optional)
5	cover plate	12	clamp plate
6	seal ring	13	bearing pad welded on the bracket of a toggle bolt for metal to metal contact

7 clamping ring

Key

NOTE Thickness of coaming shall comply with the related requirements, such as the requirements of classification societies.

Figure 5 — Structure of type B hatch

Table 4 — Main dimensions of type B and type BF

Dimensions in millimetres

Nominal sizes A × B	Coaming sizes $A_1 \times B_1$	Н	t	Number of clips
600 × 800	570 × 770			4
750 × 1 200	720 × 1 170	720 × 1 170		
750 × 1 300	720 × 1 270	≥600	14	0
750 × 1 500	720 × 1 470			8
850 × 1 500	880 × 1 470			