

ETSI TS 138 423 V16.7.0 (2021-10)



**5G;
NG-RAN;
Xn Application Protocol (XnAP)
(3GPP TS 38.423 version 16.7.0 Release 16)**

<https://standards.iteh.ai/catalog/standards/sist/f3270e58-2045-4d58-87bc-9d5a8747b7a5/etsi-ts-138-423-v16-7-0-2021-10>



Reference

RTS/TSGR-0338423vg70

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Important notice

<https://standards.iteh.ai/catalog/standards/sist/3270e58-2045-4d58-87bc-9d5a8147b1a3/etsi-ts-138-423-v16-7-0-2021-10>
The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2021.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

<https://standards.iteh.ai/catalog/standards/sist/3270e58-2045-4d58-87bc-9d5a8747b7a5/etsi-ts-138-423-v16-7-0-2021-10>

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	12
1 Scope	13
2 References	13
3 Definitions, symbols and abbreviations	15
3.1 Definitions	15
3.2 Abbreviations	15
4 General	16
4.1 Procedure specification principles.....	16
4.2 Forwards and backwards compatibility	16
4.3 Specification notations	17
5 XnAP services	17
5.1 XnAP procedure modules	17
5.2 Parallel transactions.....	17
6 Services expected from signalling transport.....	17
7 Functions of XnAP.....	17
8 XnAP procedures	18
8.1 Elementary procedures	18
8.2 Basic mobility procedures	20
8.2.1 Handover Preparation	20
8.2.1.1 General	20
8.2.1.2 Successful Operation	20
8.2.1.3 Unsuccessful Operation	25
8.2.1.4 Abnormal Conditions	25
8.2.2 SN Status Transfer	26
8.2.2.1 General	26
8.2.2.2 Successful Operation.....	26
8.2.2.3 Unsuccessful Operation	27
8.2.2.4 Abnormal Conditions	27
8.2.3 Handover Cancel	27
8.2.3.1 General	27
8.2.3.2 Successful Operation.....	27
8.2.3.3 Unsuccessful Operation	27
8.2.3.4 Abnormal Conditions	28
8.2.4 Retrieve UE Context.....	28
8.2.4.1 General	28
8.2.4.2 Successful Operation.....	28
8.2.4.3 Unsuccessful Operation	30
8.2.4.4 Abnormal Conditions	30
8.2.5 RAN Paging.....	30
8.2.5.1 General	30
8.2.5.2 Successful operation.....	30
8.2.5.3 Unsuccessful Operation	31
8.2.5.4 Abnormal Condition.....	31
8.2.6 XN-U Address Indication	31
8.2.6.1 General	31
8.2.6.2 Successful Operation.....	31
8.2.6.3 Unsuccessful Operation	32
8.2.6.4 Abnormal Conditions	32

8.2.7	UE Context Release	32
8.2.7.1	General	32
8.2.7.2	Successful Operation.....	33
8.2.7.3	Unsuccessful Operation	34
8.2.7.4	Abnormal Conditions	34
8.2.8	Handover Success.....	34
8.2.8.1	General	34
8.2.8.2	Successful Operation.....	35
8.2.8.3	Unsuccessful Operation	35
8.2.8.4	Abnormal Conditions	35
8.2.9	Conditional Handover Cancel.....	35
8.2.9.1	General	35
8.2.9.2	Successful Operation.....	36
8.2.9.3	Unsuccessful Operation	36
8.2.9.4	Abnormal Conditions	36
8.2.10	Early Status Transfer	36
8.2.10.1	General	36
8.2.10.2	Successful Operation.....	37
8.2.10.3	Unsuccessful Operation	37
8.2.10.4	Abnormal Conditions	38
8.3	Procedures for Dual Connectivity	38
8.3.1	S-NG-RAN node Addition Preparation	38
8.3.1.1	General	38
8.3.1.2	Successful Operation.....	38
8.3.1.3	Unsuccessful Operation	42
8.3.1.4	Abnormal Conditions	42
8.3.2	S-NG-RAN node Reconfiguration Completion	43
8.3.2.1	General	43
8.3.2.2	Successful Operation.....	43
8.3.2.3	Abnormal Conditions	44
8.3.3	M-NG-RAN node initiated S-NG-RAN node Modification Preparation	44
8.3.3.1	General	44
8.3.3.2	Successful Operation.....	44
8.3.3.3	Unsuccessful Operation	51
8.3.3.4	Abnormal Conditions	51
8.3.4	S-NG-RAN node initiated S-NG-RAN node Modification	53
8.3.4.1	General	53
8.3.4.2	Successful Operation.....	53
8.3.4.3	Unsuccessful Operation	55
8.3.4.4	Abnormal Conditions	55
8.3.5	S-NG-RAN node initiated S-NG-RAN node Change.....	56
8.3.5.1	General	56
8.3.5.2	Successful Operation.....	56
8.3.5.3	Unsuccessful Operation	57
8.3.5.4	Abnormal Conditions	57
8.3.6	M-NG-RAN node initiated S-NG-RAN node Release	58
8.3.6.1	General	58
8.3.6.2	Successful Operation.....	58
8.3.6.3	Unsuccessful Operation	59
8.3.6.4	Abnormal Conditions	59
8.3.7	S-NG-RAN node initiated S-NG-RAN node Release	59
8.3.7.1	General	59
8.3.7.2	Successful Operation.....	59
8.3.7.3	Unsuccessful Operation	60
8.3.7.4	Abnormal Conditions	60
8.3.8	S-NG-RAN node Counter Check.....	60
8.3.8.1	General	60
8.3.8.2	Successful Operation.....	60
8.3.8.3	Unsuccessful Operation	61
8.3.8.4	Abnormal Conditions	61
8.3.9	RRC Transfer.....	61
8.3.9.1	General	61

8.3.9.2	Successful Operation.....	61
8.3.9.3	Unsuccessful Operation	62
8.3.9.4	Abnormal Conditions	62
8.3.10	Notification Control Indication.....	62
8.3.10.1	General	62
8.3.10.2	Successful Operation – M-NG-RAN node initiated.....	62
8.3.10.3	Successful Operation – S-NG-RAN node initiated	63
8.3.10.4	Abnormal Conditions	63
8.3.11	Activity Notification	63
8.3.11.1	General	63
8.3.11.2	Successful Operation.....	64
8.3.11.3	Abnormal Conditions	64
8.3.12	E-UTRA – NR Cell Resource Coordination.....	64
8.3.12.1	General	64
8.3.12.2	Successful Operation.....	65
8.3.13	Secondary RAT Data Usage Report	66
8.3.13.1	General	66
8.3.13.2	Successful Operation.....	66
8.3.13.3	Unsuccessful Operation	66
8.3.13.4	Abnormal Conditions	66
8.3.14	Trace Start.....	66
8.3.14.1	General	66
8.3.14.2	Successful Operation.....	66
8.3.14.3	Abnormal Conditions	67
8.3.15	Deactivate Trace	67
8.3.15.1	General	67
8.3.15.2	Successful Operation.....	67
8.3.15.3	Abnormal Conditions	68
8.4	Global procedures.....	68
8.4.1	Xn Setup	68
8.4.1.1	General	68
8.4.1.2	Successful Operation.....	68
8.4.1.3	Unsuccessful Operation	70
8.4.1.4	Abnormal Conditions	70
8.4.2	NG-RAN node Configuration Update	70
8.4.2.1	General	70
8.4.2.2	Successful Operation.....	71
8.4.2.3	Unsuccessful Operation	74
8.4.2.4	Abnormal Conditions	74
8.4.3	Cell Activation.....	74
8.4.3.1	General	74
8.4.3.2	Successful Operation.....	74
8.4.3.3	Unsuccessful Operation	75
8.4.3.4	Abnormal Conditions	75
8.4.4	Reset	75
8.4.4.1	General	75
8.4.4.2	Successful Operation.....	76
8.4.4.3	Unsuccessful Operation	76
8.4.4.4	Abnormal Conditions	76
8.4.5	Error Indication.....	77
8.4.5.1	General	77
8.4.5.2	Successful Operation.....	77
8.4.5.3	Unsuccessful Operation	77
8.4.5.4	Abnormal Conditions	77
8.4.6	Xn Removal	77
8.4.6.1	General	77
8.4.6.2	Successful Operation.....	78
8.4.6.3	Unsuccessful Operation	78
8.4.6.4	Abnormal Conditions	78
8.4.7	Failure Indication.....	79
8.4.7.1	General	79
8.4.7.2	Successful Operation.....	79

8.4.7.3	Unsuccessful Operation	79
8.4.7.4	Abnormal Conditions	79
8.4.8	Handover Report.....	79
8.4.8.1	General	79
8.4.8.2	Successful Operation.....	80
8.4.8.3	Unsuccessful Operation	80
8.4.8.4	Abnormal Conditions	80
8.4.9	Mobility Settings Change	80
8.4.9.1	General	80
8.4.9.2	Successful Operation.....	81
8.4.9.3	Unsuccessful Operation	81
8.4.9.4	Abnormal Conditions	81
8.4.10	Resource Status Reporting Initiation	81
8.4.10.1	General	81
8.4.10.2	Successful Operation.....	82
8.4.10.3	Unsuccessful Operation	83
8.4.10.4	Abnormal Conditions	83
8.4.11	Resource Status Reporting	83
8.4.11.1	General	83
8.4.11.2	Successful Operation.....	84
8.4.11.3	Unsuccessful Operation	84
8.4.11.4	Abnormal Conditions	84
8.4.12	Access And Mobility Indication	84
8.4.12.1	General	84
8.4.12.2	Successful Operation.....	84
8.4.12.3	Abnormal Conditions	84
9	Elements for XnAP Communication	85
9.0	General	85
9.1	Message Functional Definition and Content	85
9.1.1	Messages for Basic Mobility Procedures	85
9.1.1.1	HANDOVER REQUEST	85
9.1.1.2	HANDOVER REQUEST ACKNOWLEDGE	88
9.1.1.3	HANDOVER PREPARATION FAILURE	89
9.1.1.4	SN STATUS TRANSFER	90
9.1.1.5	UE CONTEXT RELEASE	90
9.1.1.6	HANDOVER CANCEL	91
9.1.1.7	RAN PAGING	91
9.1.1.8	RETRIEVE UE CONTEXT REQUEST.....	92
9.1.1.9	RETRIEVE UE CONTEXT RESPONSE.....	94
9.1.1.10	RETRIEVE UE CONTEXT FAILURE.....	94
9.1.1.11	XN-U ADDRESS INDICATION	95
9.1.1.12	HANDOVER SUCCESS	96
9.1.1.13	CONDITIONAL HANDOVER CANCEL	97
9.1.1.14	EARLY STATUS TRANSFER	97
9.1.2	Messages for Dual Connectivity Procedures	99
9.1.2.1	S-NODE ADDITION REQUEST	99
9.1.2.2	S-NODE ADDITION REQUEST ACKNOWLEDGE	102
9.1.2.3	S-NODE ADDITION REQUEST REJECT.....	104
9.1.2.4	S-NODE RECONFIGURATION COMPLETE	104
9.1.2.5	S-NODE MODIFICATION REQUEST	105
9.1.2.6	S-NODE MODIFICATION REQUEST ACKNOWLEDGE	108
9.1.2.7	S-NODE MODIFICATION REQUEST REJECT	110
9.1.2.8	S-NODE MODIFICATION REQUIRED.....	111
9.1.2.9	S-NODE MODIFICATION CONFIRM.....	113
9.1.2.10	S-NODE MODIFICATION REFUSE	115
9.1.2.11	S-NODE CHANGE REQUIRED	115
9.1.2.12	S-NODE CHANGE CONFIRM	116
9.1.2.13	S-NODE CHANGE REFUSE.....	117
9.1.2.14	S-NODE RELEASE REQUEST.....	117
9.1.2.15	S-NODE RELEASE REQUEST ACKNOWLEDGE	118
9.1.2.16	S-NODE RELEASE REJECT	118

9.1.2.17	S-NODE RELEASE REQUIRED	119
9.1.2.18	S-NODE RELEASE CONFIRM	119
9.1.2.19	S-NODE COUNTER CHECK REQUEST	120
9.1.2.20	RRC TRANSFER	121
9.1.2.21	NOTIFICATION CONTROL INDICATION	123
9.1.2.22	ACTIVITY NOTIFICATION	123
9.1.2.23	E-UTRA – NR CELL RESOURCE COORDINATION REQUEST	124
9.1.2.24	E-UTRA – NR CELL RESOURCE COORDINATION RESPONSE	125
9.1.2.25	SECONDARY RAT DATA USAGE REPORT	126
9.1.2.26	TRACE START	127
9.1.2.27	DEACTIVATE TRACE	127
9.1.3	Messages for Global Procedures	128
9.1.3.1	XN SETUP REQUEST	128
9.1.3.2	XN SETUP RESPONSE	130
9.1.3.3	XN SETUP FAILURE	132
9.1.3.4	NG-RAN NODE CONFIGURATION UPDATE	132
9.1.3.5	NG-RAN NODE CONFIGURATION UPDATE ACKNOWLEDGE	134
9.1.3.6	NG-RAN NODE CONFIGURATION UPDATE FAILURE	136
9.1.3.7	CELL ACTIVATION REQUEST	136
9.1.3.8	CELL ACTIVATION RESPONSE	137
9.1.3.9	CELL ACTIVATION FAILURE	138
9.1.3.10	RESET REQUEST	138
9.1.3.11	RESET RESPONSE	138
9.1.3.12	ERROR INDICATION	139
9.1.3.13	XN REMOVAL REQUEST	140
9.1.3.14	XN REMOVAL RESPONSE	140
9.1.3.15	XN REMOVAL FAILURE	140
9.1.3.16	FAILURE INDICATION	140
9.1.3.17	HANDOVER REPORT	142
9.1.3.18	RESOURCE STATUS REQUEST	144
9.1.3.19	RESOURCE STATUS RESPONSE	147
9.1.3.20	RESOURCE STATUS FAILURE	147
9.1.3.21	RESOURCE STATUS UPDATE	147
9.1.3.22	MOBILITY CHANGE REQUEST	148
9.1.3.23	MOBILITY CHANGE ACKNOWLEDGE	148
9.1.3.24	MOBILITY CHANGE FAILURE	149
9.1.3.25	ACCESS AND MOBILITY INDICATION	149
9.2	Information Element definitions	150
9.2.0	General	150
9.2.1	Container and List IE definitions	150
9.2.1.1	PDU Session Resources To Be Setup List	150
9.2.1.2	PDU Session Resources Admitted List	152
9.2.1.3	PDU Session Resources Not Admitted List	153
9.2.1.4	QoS Flow List with Cause	153
9.2.1.4a	QoS Flow List	153
9.2.1.5	PDU Session Resource Setup Info – SN terminated	153
9.2.1.6	PDU Session Resource Setup Response Info – SN terminated	154
9.2.1.7	PDU Session Resource Setup Info – MN terminated	156
9.2.1.8	PDU Session Resource Setup Response Info – MN terminated	158
9.2.1.9	PDU Session Resource Modification Info – SN terminated	160
9.2.1.10	PDU Session Resource Modification Response Info – SN terminated	163
9.2.1.11	PDU Session Resource Modification Info – MN terminated	167
9.2.1.12	PDU Session Resource Modification Response Info – MN terminated	170
9.2.1.13	UE Context Information – Retrieve UE Context Response	172
9.2.1.14	DRBs Subject To Status Transfer List	174
9.2.1.15	DRB to QoS Flow Mapping List	176
9.2.1.16	Data Forwarding Info from target NG-RAN node	177
9.2.1.17	Data Forwarding and Offloading Info from source NG-RAN node	177
9.2.1.18	PDU Session Resource Change Required Info – SN terminated	178
9.2.1.19	PDU Session Resource Change Confirm Info – SN terminated	178
9.2.1.20	PDU Session Resource Modification Required Info – SN terminated	178
9.2.1.21	PDU Session Resource Modification Confirm Info – SN terminated	181

9.2.1.22	PDU Session Resource Modification Required Info – MN terminated.....	183
9.2.1.23	PDU Session Resource Modification Confirm Info – MN terminated.....	183
9.2.1.24	PDU Session List with data forwarding request info	184
9.2.1.25	PDU Session List with data forwarding info from the target node	184
9.2.1.26	PDU Session List with Cause.....	184
9.2.1.27	PDU Session List	185
9.2.1.28	DRB List with Cause	185
9.2.1.29	DRB List	185
9.2.1.30	PDU Session Resource Setup Complete Info – SN terminated.....	185
9.2.1.31	Secondary Data Forwarding Info from target NG-RAN node List	186
9.2.1.32	Additional UL NG-U UP TNL Information at UPF List	186
9.2.1.33	DAPS Request Information.....	187
9.2.1.34	DAPS Response Information	187
9.2.2	NG-RAN Node and Cell Configuration related IE definitions	187
9.2.2.1	Global gNB ID	187
9.2.2.2	Global ng-eNB ID	188
9.2.2.3	Global NG-RAN Node ID	188
9.2.2.4	PLMN Identity	188
9.2.2.5	TAC.....	189
9.2.2.6	RAN Area Code	189
9.2.2.7	NR CGI	189
9.2.2.8	E-UTRA CGI	189
9.2.2.9	NG-RAN Cell Identity	189
9.2.2.10	NG-RAN Cell PCI	189
9.2.2.11	Served Cell Information NR	190
9.2.2.12	Served Cell Information E-UTRA	193
9.2.2.13	Neighbour Information NR	196
9.2.2.14	Neighbour Information E-UTRA	197
9.2.2.15	Served Cells To Update NR	198
9.2.2.16	Served Cells to Update E-UTRA	198
9.2.2.17	Cell Assistance Information NR	199
9.2.2.18	SUL Information	200
9.2.2.19	NR Frequency Info	200
9.2.2.20	NR Transmission Bandwidth	201
9.2.2.21	E-UTRA ARFCN.....	202
9.2.2.22	E-UTRA Transmission Bandwidth	202
9.2.2.23	Number of Antenna Ports E-UTRA	202
9.2.2.24	E-UTRA Multiband Info List.....	202
9.2.2.25	E-UTRA PRACH Configuration	203
9.2.2.26	MBSFN Subframe Allocation E-UTRA	203
9.2.2.27	Global NG-RAN Cell Identity	203
9.2.2.28	Connectivity Support	203
9.2.2.29	Protected E-UTRA Resource Indication	204
9.2.2.30	Data Traffic Resource Indication	206
9.2.2.31	Data Traffic Resources.....	206
9.2.2.32	Reserved Subframe Pattern	207
9.2.2.33	MR-DC Resource Coordination Information	207
9.2.2.34	E-UTRA Resource Coordination Information	208
9.2.2.35	NR Resource Coordination Information	210
9.2.2.36	E-UTRA Coordination Assistance Information	212
9.2.2.37	NR Coordination Assistance Information	212
9.2.2.38	NE-DC TDM Pattern	213
9.2.2.39	Interface Instance Indication	213
9.2.2.39a	Configured TAC Indication	213
9.2.2.40	Intended TDD DL-UL Configuration NR.....	213
9.2.2.41	Cell and Capacity Assistance Information NR.....	214
9.2.2.42	Cell and Capacity Assistance Information E-UTRA.....	214
9.2.2.43	Cell Assistance Information E-UTRA	215
9.2.2.44	Maximum Cell List Size	215
9.2.2.45	Message Oversize Notification	215
9.2.2.46	Partial List Indicator.....	215
9.2.2.47	Offset of NB-IoT Channel Number to EARFCN.....	215

9.2.2.48	NB-IoT UL DL Alignment Offset	216
9.2.2.49	TNL Capacity Indicator	216
9.2.2.50	Radio Resource Status.....	216
9.2.2.51	Composite Available Capacity Group.....	217
9.2.2.52	Composite Available Capacity.....	218
9.2.2.53	Cell Capacity Class Value.....	218
9.2.2.54	Capacity Value	218
9.2.2.55	Slice Available Capacity	219
9.2.2.56	RRC Connections.....	219
9.2.2.57	Number of RRC Connections	219
9.2.2.58	Available RRC Connection Capacity Value	220
9.2.2.63	NR Carrier List.....	221
9.2.2.64	SSB Positions In Burst	221
9.2.2.65	NID	222
9.2.2.66	CAG-Identifier	222
9.2.2.67	Broadcast NID List	222
9.2.2.68	Broadcast SNPN ID List	223
9.2.2.69	Broadcast CAG-Identifier List	223
9.2.2.70	Broadcast PNI-NPN ID Information	223
9.2.2.71	NPN Broadcast Information.....	223
9.2.2.72	NPN Support.....	224
9.2.2.73	Global Cell Identity.....	224
9.2.2.74	NPRACH Configuration	224
9.2.2.75	SFN Offset	225
9.2.3	General IE definitions	226
9.2.3.1	Message Type	226
9.2.3.2	Cause.....	226
9.2.3.3	Criticality Diagnostics.....	233
9.2.3.4	Bit Rate	233
9.2.3.5	QoS Flow Level QoS Parameters.....	234
9.2.3.6	GBR QoS Flow Information	234
9.2.3.7	Allocation and Retention Priority	235
9.2.3.8	Non dynamic 5QI Descriptor	236
9.2.3.9	Dynamic 5QI Descriptor	237
9.2.3.10	QoS Flow Identifier.....	239
9.2.3.11	Packet Loss Rate	239
9.2.3.12	Packet Delay Budget.....	239
9.2.3.13	Packet Error Rate	239
9.2.3.14	Averaging Window	239
9.2.3.15	Maximum Data Burst Volume	239
9.2.3.16	NG-RAN node UE XnAP ID	240
9.2.3.17	UE Aggregate Maximum Bit Rate	240
9.2.3.18	PDU Session ID	240
9.2.3.19	PDU Session Type	240
9.2.3.20	TAI Support List	240
9.2.3.21	S-NSSAI	241
9.2.3.22	Slice Support List.....	241
9.2.3.23	Index to RAT/Frequency Selection Priority.....	242
9.2.3.24	GUAMI	242
9.2.3.25	Target Cell Global ID.....	242
9.2.3.26	AMF UE NGAP ID.....	242
9.2.3.27	SCG Configuration Query.....	242
9.2.3.28	RLC Mode.....	242
9.2.3.29	Transport Layer Address.....	243
9.2.3.30	UP Transport Layer Information.....	243
9.2.3.31	CP Transport Layer Information	243
9.2.3.32	Masked IMEISV	244
9.2.3.33	DRB ID	244
9.2.3.34	DL Forwarding.....	244
9.2.3.35	Data Forwarding Accepted.....	244
9.2.3.36	COUNT Value for PDCP SN Length 12.....	244
9.2.3.37	COUNT Value for PDCP SN Length 18.....	244

9.2.3.38	RAN Paging Area	245
9.2.3.39	RAN Area ID	245
9.2.3.40	UE Context ID	245
9.2.3.41	Assistance Data for RAN Paging	246
9.2.3.42	RAN Paging Attempt Information	246
9.2.3.43	UE RAN Paging Identity	247
9.2.3.44	Paging Priority	247
9.2.3.45	Delivery Status	247
9.2.3.46	I-RNTI.....	247
9.2.3.47	Location Reporting Information.....	248
9.2.3.48	Area of Interest Information.....	248
9.2.3.49	UE Security Capabilities	248
9.2.3.50	AS Security Information	249
9.2.3.51	S-NG-RAN node Security Key	250
9.2.3.52	Security Indication	250
9.2.3.53	Mobility Restriction List	250
9.2.3.54	Xn Benefit Value	252
9.2.3.55	Trace Activation.....	253
9.2.3.56	Time To Wait.....	253
9.2.3.57	QoS Flow Notification Control Indication Info	253
9.2.3.58	Request Reporting Reference ID.....	254
9.2.3.59	User plane traffic activity report	254
9.2.3.60	Lower Layer presence status change	254
9.2.3.61	RRC Resume Cause	255
9.2.3.62	Priority Level	255
9.2.3.63	PDCCP SN Length	255
9.2.3.64	UE History Information	255
9.2.3.65	Last Visited Cell Information.....	256
9.2.3.66	Paging DRX	256
9.2.3.67	Security Result	256
9.2.3.68	UE Context Kept Indicator.....	256
9.2.3.69	PDU Session Aggregate Maximum Bit Rate	257
9.2.3.70	LCID	257
9.2.3.71	Duplication Activation	257
9.2.3.72	RRC Config Indication	257
9.2.3.73	Maximum Integrity Protected Data Rate.....	257
9.2.3.74	PDCCP Change Indication	258
9.2.3.75	UL Configuration.....	258
9.2.3.76	UP Transport Parameters	258
9.2.3.77	Desired Activity Notification Level.....	259
9.2.3.78	Number of DRB IDs	259
9.2.3.79	QoS Flow Mapping Indication.....	259
9.2.3.80	RLC Status	259
9.2.3.81	Expected UE Behaviour	260
9.2.3.82	Expected UE Activity Behaviour	260
9.2.3.83	AMF Region Information	261
9.2.3.84	TNL Association Usage	261
9.2.3.85	Network Instance	261
9.2.3.86	PDCCP Duplication Configuration.....	262
9.2.3.87	Secondary RAT Usage Information.....	262
9.2.3.88	Volume Timed Report List	262
9.2.3.89	Maximum IP Rate	263
9.2.3.90	UL Forwarding.....	263
9.2.3.91	UE Radio Capability for Paging.....	263
9.2.3.92	Common Network Instance.....	264
9.2.3.93	Default DRB Allowed.....	264
9.2.3.94	Split Session Indicator.....	264
9.2.3.95	UL Forwarding Proposal.....	264
9.2.3.96	TNL Configuration Info	264
9.2.3.97	NG-RAN Trace ID.....	266
9.2.3.98	Non-GBR Resources Offered.....	266
9.2.3.99	Extended RAT Restriction Information	266

9.2.3.100	5GC Mobility Restriction List Container	266
9.2.3.101	Maximum Number of CHO Preparations	268
9.2.3.102	Alternative QoS Parameters Set List	268
9.2.3.103	Alternative QoS Parameters Set Index	268
9.2.3.104	Alternative QoS Parameters Set Notify Index	269
9.2.3.105	NR V2X Services Authorized	269
9.2.3.106	LTE V2X Services Authorized	269
9.2.3.107	NR UE Sidelink Aggregate Maximum Bit Rate	269
9.2.3.108	LTE UE Sidelink Aggregate Maximum Bit Rate	269
9.2.3.109	PC5 QoS Parameters	270
9.2.3.110	UE History Information from the UE	270
9.2.3.111	RLC Duplication Information	270
9.2.3.112	Redundant PDU Session Information	271
9.2.3.113	Extended Packet Delay Budget	271
9.2.3.114	TSC Traffic Characteristics	271
9.2.3.115	TSC Assistance Information	272
9.2.3.116	Periodicity	272
9.2.3.117	Burst Arrival Time	272
9.2.3.118	Redundant QoS Flow Indicator	272
9.2.3.119	NPN Mobility Information	272
9.2.3.120	Allowed PN1-NPN ID List	273
9.2.3.121	NPN Paging Assistance Information	273
9.2.3.122	Void	273
9.2.3.123	PN1-NPN Restricted Information	273
9.2.3.124	URI	274
9.2.3.125	MDT Configuration	274
9.2.3.126	MDT Configuration-NR	274
9.2.3.127	MDT Configuration-EUTRA	276
9.2.3.128	M1 Configuration	277
9.2.3.129	M4 Configuration	278
9.2.3.130	M5 Configuration	278
9.2.3.131	M6 Configuration	279
9.2.3.132	M7 Configuration	279
9.2.3.133	MDT PLMN List	279
9.2.3.134	Bluetooth Measurement Configuration	279
9.2.3.135	WLAN Measurement Configuration	280
9.2.3.136	Sensor Measurement Configuration	280
9.2.3.137	Logged Event Trigger Config	281
9.2.3.138	UE Radio Capability ID	281
9.2.3.139	Extended Slice Support List	282
9.2.3.140	Area Scope of Neighbour Cells	282
9.2.3.141	Extended UE Identity Index Value	282
9.2.3.142	Paging eDRX Information	282
9.2.3.143	UE Specific DRX	283
9.2.3.144	QoS Mapping Information	283
9.3	Message and Information Element Abstract Syntax (with ASN.1)	284
9.3.1	General	284
9.3.2	Usage of Private Message Mechanism for Non-standard Use	284
9.3.3	Elementary Procedure Definitions	284
9.3.4	PDU Definitions	295
9.3.5	Information Element definitions	340
9.3.6	Common definitions	443
9.3.7	Constant definitions	444
9.3.8	Container definitions	452
9.4	Message transfer syntax	456
9.5	Timers	456
10	Handling of unknown, unforeseen and erroneous protocol data	456
Annex A (informative): Change history		457
History		462

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ETSI TS 138 423 V16.7.0 \(2021-10\)](https://standards.iteh.ai/catalog/standards/sist/f3270e58-2045-4d58-87bc-9d5a8747b7a5/etsi-ts-138-423-v16-7-0-2021-10)

<https://standards.iteh.ai/catalog/standards/sist/f3270e58-2045-4d58-87bc-9d5a8747b7a5/etsi-ts-138-423-v16-7-0-2021-10>

1 Scope

The present document specifies the radio network layer signalling procedures of the control plane between NG-RAN nodes in NG-RAN. XnAP supports the functions of the Xn interface by signalling procedures defined in this document. XnAP is developed in accordance to the general principles stated in TS 38.401 [2] and TS 38.420 [3].

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 38.401: "NG-RAN; Architecture Description".
- [3] 3GPP TS 38.420: "NG-RAN; Xn General Aspects and Principles".
- [4] 3GPP TS 38.422: "NG-RAN; Xn Signalling Transport".
- [5] 3GPP TS 38.413: "NG-RAN; NG Application Protocol (NGAP) ".
Guidelines and principles for protocol description and error handling
- [6] 3GPP TS 25.921: "Guidelines and principles for protocol description and error handling".
- [7] 3GPP TS 23.501: "System Architecture for the 5G System".
<https://standards.iteh.ai/catalog/standards/sist/b3270e58-2045-4d58-87bc-9d5a874707a5/etsi-ts-138-423-v16-7-0-2021-10>
- [8] 3GPP TS 37.340: "Evolved Universal Terrestrial Radio Access (E-UTRA) and NR; Multi-connectivity; Stage 2".
- [9] 3GPP TS 38.300: "NR; NR and NG-RAN Overall Description; Stage 2".
- [10] 3GPP TS 38.331: "NR; Radio Resource Control (RRC) Protocol specification".
- [11] 3GPP TS 38.323: "NR; Packet Data Convergence Protocol (PDCP) specification".
- [12] 3GPP TS 36.300: "Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Universal Terrestrial Radio Access Network (E-UTRAN); Overall description; Stage 2".
- [13] 3GPP TS 23.502: "Procedures for the 5G System; Stage 2".
- [14] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC) protocol specification".
- [15] ITU-T Recommendation X.691 (2002-07): "Information technology - ASN.1 encoding rules - Specification of Packed Encoding Rules (PER) ".
- [16] ITU-T Recommendation X.680 (2002-07): "Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation".
- [17] ITU-T Recommendation X.681 (2002-07): "Information technology – Abstract Syntax Notation One (ASN.1): Information object specification".
- [18] 3GPP TS 29.281: "General Packet Radio Service (GPRS); Tunnelling Protocol User Plane (GTPv1-U)".
- [19] 3GPP TS 38.424: "NG-RAN; Xn data transport".

- [20] 3GPP TS 38.414: "NG-RAN; NG data transport".
- [21] 3GPP TS 38.412: "NG-RAN; NG Signalling Transport".
- [22] 3GPP TS 23.003: "Numbering, Addressing and Identification".
- [23] 3GPP TS 32.422: "Trace control and configuration management".
- [24] 3GPP TS 38.104: "NR; Base Station (BS) radio transmission and reception".
- [25] 3GPP TS 36.104: "Base Station (BS) radio transmission and reception".
- [26] 3GPP TS 36.211: "Evolved Universal Terrestrial Radio Access (E-UTRA); Physical Channels and Modulation".
- [27] 3GPP TS 36.101: "User Equipment (UE) radio transmission and reception".
- [28] 3GPP TS 33.501: "Security architecture and procedures for 5G System".
- [29] 3GPP TS 33.401: "3GPP System Architecture Evolution (SAE); Security architecture".
- [30] 3GPP TS 24.501: "Non-Access-Stratum (NAS) protocol for 5G System (5GS); Stage 3".
- [31] 3GPP TS 36.413: "Evolved Universal Terrestrial Radio Access Network (E-UTRAN); S1 Application Protocol (S1AP)".
- [32] 3GPP TS 25.413: "UTRAN Iu interface RANAP signalling".
- [33] 3GPP TS 38.304: "NR; User Equipment (UE) procedures in Idle mode and RRC Inactive state".
- [34] 3GPP TS 36.304: "Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) procedures in idle mode".
- [35] 3GPP TS 38.321: "NR; Medium Access Control (MAC) protocol specification".
- [36] 3GPP TS 36.321: "Evolved Universal Terrestrial Radio Access (E-UTRA); Medium Access Control (MAC) protocol specification".
- [37] IETF RFC 5905: "Network Time Protocol Version 4: Protocol and Algorithms Specification".
- [38] 3GPP TS 23.287: "Architecture enhancements for 5G System (5GS) to support Vehicle-to-Everything (V2X) services".
- [39] 3GPP TS 38.211: "NR; Physical channels and modulation".
- [40] 3GPP TS 38.213: "NR; Physical layer procedures for control".
- [41] 3GPP TS 38.473: "NG-RAN; F1 application protocol (F1AP)".
- [42] 3GPP TS 38.314: "NR; Layer 2 measurements".
- [43] 3GPP TS 37.320: "Radio measurement collection for Minimization of Drive Tests (MDT)".
- [44] 3GPP TS 36.423: "Evolved Universal Terrestrial Radio Access Network (E-UTRAN); X2 application protocol (X2AP)".