
Jedrska energija - Vrednotenje homogenosti porazdelitve gadolinija (Gd) v gadolinijevih gorivnih mešanicah in ugotavljanje vsebnosti Gd₂O₃ v gadolinijevih gorivnih peletih z merjenjem elementov urana in gadolinija (ISO 16424:2012)

Nuclear energy - Evaluation of homogeneity of Gd distribution within gadolinium fuel blends and determination of Gd₂O₃ content in gadolinium fuel pellets by measurements of uranium and gadolinium elements (ISO 16424:2012)

Kernenergie - Bewertung der Homogenität der Gd-Verteilung in Gadolinium-Brennstoffgemischen und Bestimmung des Gd₂O₃ Gehaltes in Gadolinium-Brennstofftabletten durch Messung der Uran- und Gadolinium-Bestandteile (ISO 16424:2012)

iTeh STANDARD PREVIEW
(standards.iteh.ai)
[SIST EN ISO 16424:2018](https://standards.iteh.ai/catalog/standards/sist/deace4ec-ae28-4394-ae3a-3dc172b333ec/sist-en-iso-16424-2018)
<https://standards.iteh.ai/catalog/standards/sist/deace4ec-ae28-4394-ae3a-3dc172b333ec/sist-en-iso-16424-2018>

Énergie nucléaire - Évaluation de l'homogénéité de la distribution du Gd dans les mélanges de combustibles au gadolinium et détermination de la teneur en Gd₂O₃ dans les pastilles combustibles au gadolinium par mesurage des éléments uranium et gadolinium (ISO 16424:2012)

Ta slovenski standard je istoveten z: EN ISO 16424:2017

ICS:

27.120.30	Cepljivi materiali in jedrska gorivna tehnologija	Fissile materials and nuclear fuel technology
-----------	---	---

SIST EN ISO 16424:2018

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 16424:2018](#)

<https://standards.iteh.ai/catalog/standards/sist/deace4ec-ae28-4394-ae3a-3dc172b333ec/sist-en-iso-16424-2018>

EUROPEAN STANDARD

EN ISO 16424

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2017

ICS 27.120.30

English Version

**Nuclear energy - Evaluation of homogeneity of Gd
distribution within gadolinium fuel blends and
determination of Gd₂O₃ content in gadolinium fuel pellets
by measurements of uranium and gadolinium elements
(ISO 16424:2012)**

Énergie nucléaire - Évaluation de l'homogénéité de la distribution du Gd dans les mélanges de combustibles au gadolinium et détermination de la teneur en Gd₂O₃ dans les pastilles combustibles au gadolinium par mesurage des éléments uranium et gadolinium (ISO 16424:2012)

Kernenergie - Bewertung der Homogenität der Gd-Verteilung in Gadolinium-Brennstoffgemischen und Bestimmung des Gd₂O₃-Gehaltes in Gadolinium-Brennstofftabletten durch Messung der Uran- und Gadolinium-Bestandteile (ISO 16424:2012)

iTeh STANDARD PREVIEW

This European Standard was approved by CEN on 13 September 2017.

(standards.iteh.ai)

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

<https://standards.iteh.ai/catalog/standards/sist/deace4ec-ae28-4394-ae3a-3dc172b333ec/sist-en-iso-16424-2018>

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 16424:2018
<https://standards.iteh.ai/catalog/standards/sist/deace4ec-ae28-4394-ae3a-3dc172b333ec/sist-en-iso-16424-2018>

European foreword

The text of ISO 16424:2012 has been prepared by Technical Committee ISO/TC 85 “Nuclear energy, nuclear technologies, and radiological protection” of the International Organization for Standardization (ISO) and has been taken over as EN ISO 16424:2017 by Technical Committee CEN/TC 430 “Nuclear energy, nuclear technologies, and radiological protection” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2018, and conflicting national standards shall be withdrawn at the latest by April 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW Endorsement notice (standards.iteh.ai)

The text of ISO 16424:2012 has been approved by CEN as EN ISO 16424:2017 without any modification.

[SIST EN ISO 16424:2018](https://standards.iteh.ai/catalog/standards/sist/deace4ec-ae28-4394-ae3a-3dc172b333ec/sist-en-iso-16424-2018)

<https://standards.iteh.ai/catalog/standards/sist/deace4ec-ae28-4394-ae3a-3dc172b333ec/sist-en-iso-16424-2018>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 16424:2018](https://standards.iteh.ai/catalog/standards/sist/deace4ec-ae28-4394-ae3a-3dc172b333ec/sist-en-iso-16424-2018)

<https://standards.iteh.ai/catalog/standards/sist/deace4ec-ae28-4394-ae3a-3dc172b333ec/sist-en-iso-16424-2018>

INTERNATIONAL
STANDARDISO
16424First edition
2012-12-01

**Nuclear energy — Evaluation of
homogeneity of Gd distribution
within gadolinium fuel blends and
determination of Gd₂O₃ content
in gadolinium fuel pellets by
measurements of uranium and
gadolinium elements**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

*Energie nucléaire — Évaluation de l'homogénéité de la distribution
du Gd dans les mélanges de combustibles au gadolinium et
détermination de la teneur en Gd₂O₃ dans les pastilles combustibles
au gadolinium par mesurage des éléments uranium et gadolinium*

<https://standards.iteh.ai/catalog/standards/sist/en-iso-16424-2018>
3dc172b333ec/sist-en-iso-16424-2018

Reference number
ISO 16424:2012(E)

© ISO 2012

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 16424:2018

<https://standards.iteh.ai/catalog/standards/sist/deace4ec-ae28-4394-ae3a-3dc172b333ec/sist-en-iso-16424-2018>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
1 Scope	1
2 Normative references	1
3 Principle	1
4 Apparatus	2
4.1 High dispersion direct reading ICP-AES.....	2
4.2 Analytical balance.....	2
4.3 Small stainless steel spoon.....	2
5 Reagents	2
6 Reference solutions	2
6.1 Gadolinium element reference solutions.....	2
6.2 Uranium element reference solutions.....	3
7 Sample preparation	3
7.1 Sample preparation for evaluation of Gd homogeneity in gadolinium fuel blend.....	3
7.2 Sample preparation for determining the Gd ₂ O ₃ content of Gd fuel pellets.....	3
8 Calibration and analysis of the samples	3
8.1 Calibration of Gd peak line intensity.....	3
8.2 Calibration of U peak line intensity.....	3
8.3 Evaluation of Gd homogeneity in gadolinium fuel blend.....	3
8.4 Determination of Gd ₂ O ₃ content in gadolinium fuel pellet.....	4
9 Precision	6
10 Test report	6
Annex A (informative) Calibration and Gd and U measurement uncertainties	7
Annex B (informative) Derivation of O/M and O/U ratio formulas	10
Annex C (informative) Evaluation of Gd₂O₃ measurement precision	12
Bibliography	15

ISO 16424:2012(E)**Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 16424 was prepared by Technical Committee ISO/TC 85, *Nuclear Energy, Nuclear Technologies, and Radiological Protection*, Subcommittee SC 5, *Nuclear Fuel Cycle*.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 16424:2018](https://standards.iteh.ai/catalog/standards/sist/deace4ec-ae28-4394-ae3a-3dc172b333ec/sist-en-iso-16424-2018)

<https://standards.iteh.ai/catalog/standards/sist/deace4ec-ae28-4394-ae3a-3dc172b333ec/sist-en-iso-16424-2018>

Nuclear energy — Evaluation of homogeneity of Gd distribution within gadolinium fuel blends and determination of Gd₂O₃ content in gadolinium fuel pellets by measurements of uranium and gadolinium elements

1 Scope

This International Standard is applicable to the evaluation of the homogeneity of Gd distribution within gadolinium fuel blends, and the determination of the Gd₂O₃ content in sintered fuel pellets of Gd₂O₃+UO₂ from 1 % to 10 %, by measurements of gadolinium (Gd) and uranium (U) elements using ICP-AES.

After performing measurements of Gd and U elements using ICP-AES, if statistical methodology is additionally applied, homogeneity of Gd distribution within a Gd fuel pellet lot can also be evaluated. However, this International Standard covers the statistical methodology only on a limited basis.

NOTE 1 ISO 16796 also provides a method for Gd₂O₃ content determination by atomic emission spectrometry using an inductively coupled plasma source (ICP-AES). The methodology of ISO 16796 is different from the one of this International Standard.

NOTE 2 In this International Standard, gadolinium fuel blend represents a mixture of uranium dioxide (UO₂) powder and gadolinium oxide (Gd₂O₃) powder. The physically blended and homogenized powder may additionally contain in it rather large quantities of uranium oxide (U₃O₈) powder particles and/or the M₃O₈ powder particles obtained by oxidation of Gd pellets. In this International Standard, the symbol “M” in the chemical formula “M₃O₈” and in the terminology “O/M ratio” represents metallic elements U and Gd.

SIST EN ISO 16424:2018

<https://standards.iteh.ai/catalog/standards/sist/deace4ec-ae28-4394-ae3a-3dc172b333ec/sist-en-iso-16424-2018>

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including amendments) applies.

ISO 3696:1987, *Water for analytical laboratory use — Specification and test methods*

3 Principle

If the Gd and U element contents and the oxygen to metal atomic ratio (commonly referred to as O/M ratio) in a gadolinium fuel pellet are measured or determined, the Gd₂O₃ content of that pellet can be determined by calculation based on the stoichiometry of the pellet. The stoichiometric compositions for Gd and U will depend upon pellet manufacturing specification. If the specification requires that the Gd₂O₃ content in the pellet be 6 % as mass fraction, after manufacturing, the ratio of total Gd mass to total U mass in that pellet will be close to 0,063.

The Gd and U element content values measured from a powder blend can make it possible to evaluate whether Gd distribution in the powder is sufficiently homogeneous. Moreover, the two values make it possible to estimate accurately the actual Gd₂O₃ content of the pellet after sintering. The estimated Gd₂O₃ content can be used to anticipate whether the Gd pellets to be produced will meet Gd₂O₃ content specifications or not.