

### SLOVENSKI STANDARD SIST EN ISO 20785-2:2017

01-december-2017

Dozimetrija za merjenje izpostavljenosti kozmičnemu sevanju v civilnem letalskem prometu - 2. del: Karakterizacija odziva instrumenta (ISO 20785-2:2011)

Dosimetry for exposures to cosmic radiation in civilian aircraft - Part 2: Characterization of instrument response (ISO 20785-2:2011)

### iTeh STANDARD PREVIEW

Dosimétrie de l'exposition au rayonnement cosmique dans l'aviation civile - Partie 2: Caractérisation de la réponse des instruments (ISO 20785-2:2011)

SIST EN ISO 20785-2:2017

Ta slovenski standard je istoveten za 1/sist-til slovenski slovenski standard je istoveten za 1/sist-til slovenski slove

ICS:

Merjenje sevanja Radiation measurements
 Letala in vesoljska vozila na Aircraft and space vehicles in

splošno general

SIST EN ISO 20785-2:2017 en,fr,de

**SIST EN ISO 20785-2:2017** 

# iTeh STANDARD PREVIEW (standards.iteh.ai)

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN ISO 20785-2

October 2017

ICS 49.020; 13.280

#### **English Version**

# Dosimetry for exposures to cosmic radiation in civilian aircraft - Part 2: Characterization of instrument response (ISO 20785-2:2011)

Dosimétrie de l'exposition au rayonnement cosmique dans l'aviation civile - Partie 2: Caractérisation de la réponse des instruments (ISO 20785-2:2011)

This European Standard was approved by CEN on 13 September 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

### EN ISO 20785-2:2017 (E)

Contents	Pag
Euronean foreword	

## iTeh STANDARD PREVIEW (standards.iteh.ai)

### **European foreword**

The text of ISO 20785-2:2011 has been prepared by Technical Committee ISO/TC 85 "Nuclear energy, nuclear technologies, and radiological protection" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 20785-2:2017 by Technical Committee CEN/TC 430 "Nuclear energy, nuclear technologies, and radiological protection" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2018, and conflicting national standards shall be withdrawn at the latest by April 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### iTeh STAEndorsement noticeVIEW

The text of ISO 20785-2:2011 has been approved by CEN as EN ISO 20785-2:2017 without any modification.

**SIST EN ISO 20785-2:2017** 

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 20785-2:2017

# INTERNATIONAL STANDARD

ISO 20785-2

First edition 2011-06-01

### Dosimetry for exposures to cosmic radiation in civilian aircraft —

### Part 2: Characterization of instrument response

Dosimétrie de l'exposition au rayonnement cosmique dans l'aviation

iTeh STANDARD PREVIEW
Partie 2: Caractérisation de la réponse des instruments
(standards.iteh.ai)



## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 20785-2:2017</u> https://standards.iteh.ai/catalog/standards/sist/ff55e8d5-177a-493c-805c-65a948c1c31f/sist-en-iso-20785-2-2017



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

#### **Contents** Page Foreword ......iv Introduction......v 1 Scope......1 2 3 Terms and definitions \_\_\_\_\_\_2 3.1 General terms \_\_\_\_\_\_2 Terms related to quantities and units ......7 3 2 3.3 Terms related to the atmospheric radiation field ......11 4.1 The cosmic radiation field in the atmosphere......12 General considerations for the dosimetry of the cosmic radiation field in aircraft and 4.2 requirements for the characterization of instrument response ......14 General considerations for measurements at aviation altitudes ......15 4.3 5 Calibration fields and procedures ......16 5.1 5.3 Instrument-related software .......21 Uncertainties (Standards.iteh.ai) 22 6 7 Remarks on performance tests 17 PN 150 20785-2017. Annex A (informative) Representative particle fluence energy distributions for the cosmic radiation field at flight altitudes for solar minimum and maximum conditions and for minimum and maximum vertical cut-off rigidity ......23 Annex B (informative) Radiation fields recommended for use in calibrations......25

Bibliography......32

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 20785-2 was prepared by Technical Committee ISO/TC 85, *Nuclear energy, nuclear technologies, and radiological protection*, Subcommittee SC 2, *Radiological protection*.

ISO 20785 consists of the following parts, under the general title Dosimetry for exposures to cosmic radiation in civilian aircraft: (standards.iteh.ai)

— Part 1: Conceptual basis for measurements

SIST EN ISO 20785-2:2017

— Part 2: Characterization of instrument response of standards/sist/ff55e8d5-177a-493c-805c-65a948c1c31f/sist-en-iso-20785-2-2017

A Part 3 dealing with measurements at aviation altitudes is in preparation.

#### Introduction

Aircraft crews are exposed to elevated levels of cosmic radiation of galactic and solar origin and secondary radiation produced in the atmosphere, the aircraft structure and its contents. Following recommendations of the International Commission on Radiological Protection in Publication  $60^{[1]}$ , confirmed by Publication  $103^{[2]}$ , the European Union (EU) introduced a revised Basic Safety Standards Directive<sup>[3]</sup> which included exposure to natural sources of ionizing radiation, including cosmic radiation, as occupational exposure. The Directive requires account to be taken of the exposure of aircraft crew liable to receive more than 1 mSv per year. It then identifies the following four protection measures: (i) to assess the exposure of the crew concerned; (ii) to take into account the assessed exposure when organizing working schedules with a view to reducing the doses of highly exposed crew; (iii) to inform the workers concerned of the health risks their work involves; and (iv) to apply the same special protection during pregnancy to female crew in respect of the "child to be born" as to other female workers. The EU Council Directive has already been incorporated into laws and regulations of EU member states and is being included in the aviation safety standards and procedures of the Joint Aviation Authorities and the European Air Safety Agency. Other countries, such as Canada and Japan, have issued advisories to their airline industries to manage aircraft crew exposure.

For regulatory and legislative purposes, the radiation protection quantities of interest are equivalent dose (to the foetus) and effective dose. The cosmic radiation exposure of the body is essentially uniform, and the maternal abdomen provides no effective shielding to the foetus. As a result, the magnitude of equivalent dose to the foetus can be put equal to that of the effective dose received by the mother. Doses on board aircraft are generally predictable, and events comparable to unplanned exposure in other radiological workplaces cannot normally occur (with the rare exceptions of extremely intense and energetic solar particle events). Personal dosemeters for routine use are not considered necessary. The preferred approach for the assessment of doses of aircraft crew, where necessary, is to calculate directly the effective dose per unit time, as a function of geographic location, altitude and solar cycle phase? and to combine these values with flight and staff roster information to obtain estimates of effective doses for individuals. This approach is supported by guidance from the European Commission and the ICRP in Rublication 75<sup>[4]</sup>5-2-2017

The role of calculations in this procedure is unique in routine radiation protection, and it is widely accepted that the calculated doses should be validated by measurement<sup>[5]</sup>. Effective dose is not directly measurable. The operational quantity of interest is the ambient dose equivalent,  $H^*(10)$ . In order to validate the assessed doses obtained in terms of effective dose, calculations can be made of ambient dose equivalent rates or route doses in terms of ambient dose equivalent, and values of this quantity determined by measurements traceable to national standards. The validation of calculations of ambient dose equivalent for a particular calculation method may be taken as a validation of the calculation of effective dose by the same computer code, but this step in the process might need to be confirmed. The alternative is to establish, *a priori*, that the operational quantity ambient dose equivalent is a good estimator of effective dose and equivalent dose to the foetus for the radiation fields being considered, in the same way that the use of the operational quantity personal dose equivalent is justified for the estimation of effective dose for radiation workers.

The radiation field in aircraft at altitude is complex, with many types of ionizing radiation present, with energies ranging up to many GeV. The determination of ambient dose equivalent for such a complex radiation field is difficult. In many cases, the methods used for the determination of ambient dose equivalent in aircraft are similar to those used at high-energy accelerators in research laboratories. Therefore, it is possible to recommend dosimetric methods and methods for the calibration of dosimetric devices, as well as the techniques for maintaining the traceability of dosimetric measurements to national standards. Dosimetric measurements made to evaluate ambient dose equivalent need to be performed using accurate and reliable methods that ensure the quality of readings provided to workers and regulatory authorities. The purpose of this part of ISO 20785 is to specify procedures for the determination of the responses of instruments in different reference radiation fields, as a basis for proper characterization of instruments used for the determination of ambient dose equivalent in aircraft at altitude.

Requirements for the determination and recording of the cosmic radiation exposure of aircraft crew have been introduced into the national legislation of EU member states and other countries. Harmonization of methods

used for determining ambient dose equivalent and for calibrating instruments is desirable to ensure the compatibility of measurements performed with such instruments.

This part of ISO 20785 is intended for the use of primary and secondary calibration laboratories for ionizing radiation, by radiation protection personnel employed by governmental agencies, and by industrial corporations concerned with the determination of ambient dose equivalent for aircraft crew.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

### Dosimetry for exposures to cosmic radiation in civilian aircraft —

### Part 2:

### **Characterization of instrument response**

### 1 Scope

This part of ISO 20785 specifies methods and procedures for characterizing the responses of devices used for the determination of ambient dose equivalent for the evaluation of exposure to cosmic radiation in civilian aircraft. The methods and procedures are intended to be understood as minimum requirements.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC Guide 98-1, *Uncertainty of measurement* 207 <u>Rart 1011</u>ntroduction to the expression of uncertainty in measurement <a href="https://standards.itch.ai/catalog/standards/sist/ff55e8d5-177a-493c-805c-">https://standards.itch.ai/catalog/standards/sist/ff55e8d5-177a-493c-805c-</a>

65a948c1c31f/sist-en-iso-20785-2-2017 ISO/IEC Guide 98-3, Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)

ISO 4037-1, X and gamma reference radiation for calibrating dosemeters and doserate meters and for determining their response as a function of photon energy — Part 1: Radiation characteristics and production methods

ISO 6980-1, Nuclear energy — Reference beta-particle radiation — Part 1: Methods of production

ISO 8529-1:2001, Reference neutron radiations — Part 1: Characteristics and methods of production

ISO 12789-1, Reference radiation fields — Simulated workplace neutron fields — Part 1: Characteristics and methods of production

ISO 12789-2, Reference radiation fields — Simulated workplace neutron fields — Part 2: Calibration fundamentals related to the basic quantities

ISO 20785-1, Dosimetry for exposures to cosmic radiation in civilian aircraft — Part 1: Conceptual basis for measurements

ISO 29661, Reference radiation fields for radiation protection — Definitions and fundamental concepts