

SLOVENSKI STANDARD SIST EN ISO 20785-1:2017

01-december-2017

Dozimetrija za merjenje izpostavljenosti kozmičnemu sevanju v civilnem letalskem prometu - 1. del: Konceptualna osnova za meritve (ISO 20785-1:2012)

Dosimetry for exposures to cosmic radiation in civilian aircraft - Part 1: Conceptual basis for measurements (ISO 20785-1:2012)

iTeh STANDARD PREVIEW

Dosimétrie pour l'exposition au ayonnement cosmigue à bord d'un avion civil - Partie 1: Fondement théorique des mesurages (ISO 20785-1:2012)

SIST EN ISO 20785-1:2017

Ta slovenski standard je istoveten z-bd/sist-01/20785-1:2017

<u>ICS:</u>

17.240	Merjenje sevanja	Radiation measurements
49.020	Letala in vesoljska vozila na splošno	Aircraft and space vehicles in general

SIST EN ISO 20785-1:2017

en,fr,de

SIST EN ISO 20785-1:2017

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 20785-1:2017

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 20785-1

October 2017

ICS 13.280; 49.020

English Version

Dosimetry for exposures to cosmic radiation in civilian aircraft - Part 1: Conceptual basis for measurements (ISO 20785-1:2012)

Dosimétrie pour l'exposition au rayonnement cosmique à bord d'un avion civil - Partie 1: Fondement théorique des mesurages (ISO 20785-1:2012)

This European Standard was approved by CEN on 13 September 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

iTeh STANDARD PREVIEW

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a **CEN member into its own language and** notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Roland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2017 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN ISO 20785-1:2017 E

Contents	Page
European foreword	

iTeh STANDARD PREVIEW (standards.iteh.ai)

European foreword

The text of ISO 20785-1:2012 has been prepared by Technical Committee ISO/TC 85 "Nuclear energy, nuclear technologies, and radiological protection" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 20785-1:2017 by Technical Committee CEN/TC 430 "Nuclear energy, nuclear technologies, and radiological protection" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2018, and conflicting national standards shall be withdrawn at the latest by April 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STALendorsement noticeVIEW

The text of ISO 20785-1:2012 has been approved by CEN as EN ISO 20785-1:2017 without any modification.

SIST EN ISO 20785-1:2017

iTeh STANDARD PREVIEW (standards.iteh.ai)

INTERNATIONAL STANDARD



Second edition 2012-12-15

Dosimetry for exposures to cosmic radiation in civilian aircraft —

Part 1: Conceptual basis for measurements

Dosimétrie pour l'exposition au rayonnement cosmique à bord d'un

iTeh STavion civil Partie 1: Fondement théorique des mesurages (standards.iteh.ai)

SIST EN ISO 20785-1:2017 https://standards.iteh.ai/catalog/standards/sist/62b014f4-3362-484b-a39c-3be1c54449bd/sist-en-iso-20785-1-2017



Reference number ISO 20785-1:2012(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 20785-1:2017</u> https://standards.iteh.ai/catalog/standards/sist/62b014f4-3362-484b-a39c-3be1c54449bd/sist-en-iso-20785-1-2017



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

ISO 20785-1:2012(E)

Contents

Forew	rd	iv
Introd	iction	v
1	Scope	1
2	Ferms and definitions 2.1 General 2.2 Quantities and units 2.3 Atmospheric radiation field	1
3	 General considerations General description of the cosmic radiation field in the atmosphere General calibration considerations for the dosimetry of cosmic radiation fields in aircraft Conversion coefficients 	10 11
4	Dosimetric devices 4.1 Introduction 4.2 Active devices 4.3 Passive devices	13
Annex	A (informative) Representative particle fluence rate energy distributions for the cosmic radiation field at flight altitudes for solar minimum and maximum conditions and for ninimum and maximum vertical cut officigidity [80].	

(standards.iteh.ai)

SIST EN ISO 20785-1:2017

https://standards.iteh.ai/catalog/standards/sist/62b014f4-3362-484b-a39c-3be1c54449bd/sist-en-iso-20785-1-2017

Bibliography

ISO 20785-1:2012(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 20785-1 was prepared by Technical Committee ISO/TC 85, Nuclear energy, nuclear technologies, and radiological protection, Subcommittee SC 2, Radiological protection.

This second edition cancels and replaces the first edition (ISO 20785-1:2006), which has been technically revised. iTeh STANDARD PREVIEW

ISO 20785 consists of the following parts, under the general title *Dosimetry for exposures to cosmic radiation in civilian aircraft*: radiation in civilian aircraft:

Part 1: Conceptual basis for measurements International States and American Part 1: Conceptual basis for measurements and the second states and the second

- Part 2: Characterization of instrument response Sol 100 April 2014 3362 484b a39c 356 100 20785 1 2017

Measurements at aviation altitudes is to form the subject of a future Part 3.

Introduction

Aircraft crews are exposed to elevated levels of cosmic radiation of galactic and solar origin and secondary radiation produced in the atmosphere, the aircraft structure and its contents. Following recommendations of the International Commission on Radiological Protection in Publication 60,^[1] confirmed by Publication 103,^[2] the European Union (EU) introduced a revised Basic Safety Standards Directive^[3] which included exposure to natural sources of ionizing radiation, including cosmic radiation, as occupational exposure. The Directive requires account to be taken of the exposure of aircraft crews liable to receive more than 1 mSv per year. It then identifies the following four protection measures: (i) to assess the exposure of the crew concerned; (ii) to take into account the assessed exposure when organizing working schedules with a view to reducing the doses of highly exposed crews; (iii) to inform the workers concerned of the health risks their work involves; and (iv) to apply the same special protection during pregnancy to female crews in respect of the "child to be born" as to other female workers. The EU Council Directive has already been incorporated into laws and regulations of EU Member States and is being included in the aviation safety standards and procedures of the Joint Aviation Authorities and the European Air Safety Agency. Other countries such as Canada and Japan have issued advisories to their airline industries to manage aircraft crew exposure.

For regulatory and legislative purposes, the radiation protection quantities of interest are the equivalent dose (to the foetus) and the effective dose. The cosmic radiation exposure of the body is essentially uniform and the maternal abdomen provides no effective shielding to the foetus. As a result, the magnitude of equivalent dose to the foetus can be put equal to that of the effective dose received by the mother. Doses on board aircraft are generally predictable, and events comparable to unplanned exposure in other radiological workplaces cannot normally occur (with the rare exceptions of extremely intense and energetic solar particle events). Personal dosemeters for routine use are not considered necessary. The preferred approach for the assessment of doses of aircraft crews, where necessary, is to calculate directly the effective dose per unit time, as a function of geographic location, altitude and solar cycle phase, and to fold these values with flight and staff roster information to obtain estimates of effective doses for individuals. This approach is supported by guidance from the European Commission and the ICRP in Publication 75.[4]ch avcatalog/standards/sts/62b01414-3362-484b-a39c-

3be1c54449bd/sist-en-iso-20785-1-2017

The role of calculations in this procedure is unique in routine radiation protection and it is widely accepted that the calculated doses should be validated by measurement. The effective dose is not directly measurable. The operational quantity of interest is ambient dose equivalent, $H^*(10)$. In order to validate the assessed doses obtained in terms of effective dose, calculations can be made of ambient dose equivalent rates or route doses in terms of ambient dose equivalent, and values of this quantity determined by measurements traceable to national standards. The validation of calculations of ambient dose equivalent for a particular calculation method may be taken as a validation of the calculation of the effective dose by the same computer code, but this step in the process may need to be confirmed. The alternative is to establish *a priori* that the operational quantity ambient dose equivalent is a good estimator of effective dose and equivalent dose to the foetus for the radiation fields being considered, in the same way that the use of the operational quantity personal dose equivalent is justified for the estimation of effective dose for radiation workers. Ambient dose equivalent rate as a function of geographic location, altitude and solar cycle phase is then calculated and folded with flight and staff roster information.

The radiation field in aircraft at altitude is complex, with many types of ionizing radiation present, with energies ranging up to many GeV. The determination of ambient dose equivalent for such a complex radiation field is difficult. In many cases, the methods used for the determination of ambient dose equivalent in aircraft are similar to those used at high-energy accelerators in research laboratories. Therefore, it is possible to recommend dosimetric methods and methods for the calibration of dosimetric devices, as well as the techniques for maintaining the traceability of dosimetric measurements to national standards. Dosimetric methods that ensure the quality of readings provided to workers and regulatory authorities. This part of ISO 20785 gives a conceptual basis for the characterization of the response of instruments for the determination of ambient dose equivalent in aircraft.

Requirements for the determination and recording of the cosmic radiation exposure of aircraft crews have been introduced into the national legislation of EU Member States and other countries. Harmonization of methods used for determining ambient dose equivalent and for calibrating instruments is desirable to ensure the compatibility of measurements performed with such instruments.

This part of ISO 20785 is intended for the use of primary and secondary calibration laboratories for ionizing radiation, by radiation protection personnel employed by governmental agencies, and by industrial corporations concerned with the determination of ambient dose equivalent for aircraft crews.

iTeh STANDARD PREVIEW (standards.iteh.ai)

Dosimetry for exposures to cosmic radiation in civilian aircraft —

Part 1: **Conceptual basis for measurements**

1 Scope

This part of ISO 20785 gives the conceptual basis for the determination of ambient dose equivalent for the evaluation of exposure to cosmic radiation in civilian aircraft and for the calibration of instruments used for that purpose.

2 **Terms and definitions**

For the purposes of this document, the following terms and definitions apply.

2.1 General

iTeh STANDARD PREVIEW

2.1.1

calibration (standards.iteh.ai) operation that, under specified conditions, establishes a relation between the conventional quantity, *H*₀, and the indication, G

SIST EN ISO 20785-1:2017

Note 1 to entry: A calibration may be expressed by a statement, calibration function, calibration diagram, calibration curve, or calibration table. In some cases, it may consist of an additive or multiplicative correction of the indication with associated measurement uncertainty.

Note 2 to entry: Calibration should not be confused with adjustment of a measuring system, often mistakenly called "self-calibration", or with verification of calibration.

Note 3 to entry: Often, the first step alone in the above definition is perceived as being calibration.

2.1.2 calibration coefficient

Ncoeff

quotient of the conventional quantity value to be measured and the corrected indication of the instrument

Note 1 to entry: The calibration coefficient is equivalent to the calibration factor multiplied by the instrument constant.

Note 2 to entry: The reciprocal of the calibration coefficient, N_{coeff} , is the response.

Note 3 to entry: For the calibration of some instruments, e.g. ionization chambers, the instrument constant and the calibration factor are not identified separately but are applied together as the calibration coefficient.

Note 4 to entry: It is necessary, in order to avoid confusion, to state the quantity to be measured, for example: the calibration coefficient with respect to fluence, N_{ϕ} , the calibration coefficient with respect to kerma, $N_{\rm K}$, the calibration coefficient with respect to absorbed dose, $N_{\rm D}$.