INTERNATIONAL STANDARD

ISO 19095-2

First edition 2015-08-01

Plastics — Evaluation of the adhesion interface performance in plasticmetal assemblies —

Part 2: **Test specimens**

iTeh ST Plastiques — Évaluation des performances de l'interface d'adhérence dans les assemblages plastique-métal — Stante 2: Éprouvettes pour essai



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 19095-2:2015 https://standards.iteh.ai/catalog/standards/sist/8d9f4784-a8eb-46c6-9039-1d551cb38205/iso-19095-2-2015



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Con	ntents	Page
Forev	eword	iv
Intro	oduction	v
1	Scope	1
2	Normative references	1
3	Preparation of test specimens	
4	Type of test specimens4.1 Butt welded test specimens (type A)4.2 Overlapped test specimens (type B)	2
	4.1 Butt welded test specimens (type A)	2
	4.2 Overlapped test specimens (type B)	2
	4.3 Test specimens for the peeling test (type C)	2
	4.3 Test specimens for the peeling test (type C)	3
5	Report	
Anne	nex A (normative) Overlanned test specimens for sealing properties (type	(D.2) 6

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 61, *Plastics*, Subcommittee SC 11, *Products*.

ISO 19095 consists of the following parts, under the general title *Plastics* — *Evaluation of the adhesion interface performance in plastic-metal assemblies* g/standards/sist/8d9f4784-a8eb-46c6-9039-

- 1d551cb38205/iso-19095-2-2015
- Part 1: Guidelines for the approach
- Part 2: Test specimens
- Part 3: Test methods
- Part 4: Environmental conditions for durability

Introduction

Structures of heterogeneous materials are being manufactured in the automobiles and aerospace industry sectors where higher safety margins are required.

The existing test methods are not appropriate because the evaluation of the plastic-metal interface performance is difficult as the polymer material has a relatively low mechanical strength and therefore fractures outside the joints. Therefore, it is necessary to develop a methodology for the evaluation of the plastic-metal interface performance.

A test method to evaluate accurately the adhesion interface performance or standardization of long-term evaluation under harsh environments is also necessary.

The method in ISO 19095 is intended to ensure the integrity of the interface is realized through the interface and that traceability of the value improves the data comparison.

This part of ISO 19095 defines the appropriate form of test pieces when considering plastic-metal interfaces that cannot be evaluated by the existing ISO standards.

iTeh STANDARD PREVIEW (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Plastics — Evaluation of the adhesion interface performance in plastic-metal assemblies —

Part 2:

Test specimens

SAFETY STATEMENT — Persons using this part of ISO 19095 should be familiar with normal laboratory practice, if applicable. This part of ISO 19095 does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any regulatory conditions. It is recognized that some of the materials permitted in this part of ISO 19095 might have a negative environmental impact. As technological advances lead to more acceptable alternatives for such materials, they will be eliminated to the greatest extent possible. At the end of the test, care should be taken to dispose of all waste in an appropriate manner in accordance with local regulations.

1 Scope

This part of ISO 19095 specifies the test specimens for the evaluation of the adhesion interface performance in plastic-metal assemblies.

(standards.iteh.ai)

2 Normative references

ISO 19095-2:2015

The following documents, in whole or inspart, are inormatively referenced in this document and are indispensable for its application. For lated references, 20My the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 293:2004, Plastics — Compression moulding of test specimens of thermoplastic materials

ISO 294-1:1996, Plastics — Injection moulding of test specimens of thermoplastic materials — Part 1: General principles, and moulding of multipurpose and bar test specimens

ISO 294-2:1996, Plastics — Injection moulding of test specimens of thermoplastic materials — Part 2: Small tensile bars

ISO 295:2004, Plastics — Compression moulding of test specimens of thermosetting materials

ISO 10724-1:1998, Plastics — Injection moulding of test specimens of thermosetting powder moulding compounds (PMCs) — Part 1: General principles and moulding of multipurpose test specimens

ISO 10724-2:1998, Plastics — Injection moulding of test specimens of thermosetting powder moulding compounds (PMCs) — Part 2: Small plates

ISO 17212, Structural adhesives — Guidelines for the surface preparation of metals and plastics prior to adhesive bonding

3 Preparation of test specimens


Surface preparation shall be carried out in accordance with the requirements of ISO 17212.

Otherwise, the method of carrying it out shall be recorded.

4 Type of test specimens

4.1 Butt welded test specimens (type A)

The shape and dimensions are shown in Figure 1.



Key

- 1 metal specimen
- 2 plastic specimen
- 3 interface


iTeh STANDARD PREVIEW

Figure 1 — Shape and dimensions of type A (example)

4.2 Overlapped test specimens (type B) ISO 19095-2:2013

https://standards.iteh.ai/catalog/standards/sist/8d9f4784-a8eb-46c6-9039-

The shape and dimensions are shown in Figure 238205/iso-19095-2-2015




Key

- 1 metal specimen
- 2 plastic specimen
- 3 interface

Figure 2 — Shape and dimensions of type B (example)

4.3 Test specimens for the peeling test (type C)

The shape and dimensions are shown in Figure 3.



Key

- 1 flexible metal specimen
- plastic specimen iTeh STANDARD PREVIEW
- 3 interface

(standards.iteh.ai)

4 not jointed length, 40 mm

ISO 19095-2:2015

httpsFigure 3 Hel Shape and dimensions of type (C (example)

1d551cb38205/iso-19095-2-2015

4.4 Test specimens for sealing properties (type D)

The shape and dimensions are shown in Figure 4.