



# SLOVENSKI STANDARD

DSIST EN 301 440:% - -

01-bcj Ya VYr-% - -

8 [[ ]HJbY]nVc`yUbYVfYnj fj ] bYHY\_Y\_ca i b]\_UWYfB 97 HL!`8 [[ ]HJbc`ca fYyY`n  
]bHY f]fUb]a ]gbcf]hj Ua ]fG8 Bk!`Df]`f ]hj YbY`nU hj YHYfa ]bUbYcdfYa YnU  
j nUYa bc`XYcj UbY`8 97 H#G8 B

Digital Enhanced Cordless Telecommunications (DECT); Integrated Services Digital Network (ISDN); Attachment requirements for terminal equipment for DECT/ISDN interworking profile applications

Ta slovenski standard je istoveten z: EN 301 440 V1.2.2.% - - !\$%

**ICS:**

33.070.30	Öä åæ ^Á à   za) ^ à!^: ç çā } ^Á  ^ \ [ { ~ } ä æ å ÖÖÖVD	Digital Enhanced Cordless Telecommunications (DECT)
33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)

DSIST EN 301 440:% - - en



# EN 301 440 V1.2.2 (1999-01)

---

*European Standard (Telecommunications series)*

**Digital Enhanced Cordless Telecommunications (DECT);  
Integrated Services Digital Network (ISDN);  
Attachment requirements for terminal equipment for  
DECT/ISDN interworking profile applications**

---



---

**Reference**

REN/DECT-040135 (dc000ipc.PDF)

---

**Keywords**

DECT, ISDN, radio, terminal, regulation

**ETSI**

---

**Postal address**

F-06921 Sophia Antipolis Cedex - FRANCE

---

**Office address**

650 Route des Lucioles - Sophia Antipolis  
Valbonne - FRANCE  
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16  
Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Internet**

[secretariat@etsi.fr](mailto:secretariat@etsi.fr)  
Individual copies of this ETSI deliverable  
can be downloaded from  
<http://www.etsi.org>  
If you find errors in the present document, send your  
comment to: [editor@etsi.fr](mailto:editor@etsi.fr)

---

**Copyright Notification**

---

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1999.  
All rights reserved.

# Contents

Intellectual Property Rights.....	10
Foreword .....	10
1 Scope.....	11
2 Normative references .....	12
3 Definitions and abbreviations .....	15
3.1 Definitions .....	15
3.2 Abbreviations.....	15
4 How to use the present document .....	16
5 Requirements for DECT/ISDN interworking for end system configuration .....	17
5.1 Interworking Unit (IWU) features for IAP .....	17
5.2 Network (NWK) layer features for IAP.....	18
5.3 Data Link Control (DLC) layer services for IAP.....	19
5.4 Medium Access Control (MAC) layer services for IAP .....	19
5.5 Physical (PH) layer requirements for IAP.....	19
6 Requirements for DECT/ISDN interworking for intermediate system configuration.....	20
6.1 Interworking Unit (IWU) features for IIP.....	20
6.2 Network (NWK) layer features for IIP .....	20
6.3 Data Link Control (DLC) layer services for IIP.....	21
6.4 Medium Access Control (MAC) layer services for IIP.....	21
6.5 Physical (PH) layer requirements for IIP.....	21
7 Test specification for DECT/ISDN interworking for end system configuration.....	22
7.1 Portable Part (PP) test specification for IAP.....	22
7.1.1 IWU layer.....	22
7.1.1.1 Test suite structure.....	22
7.1.1.2 Test case index .....	22
7.1.2 NWK layer .....	23
7.1.2.1 Test suite structure.....	23
7.1.2.2 Test case index .....	24
7.1.3 DLC layer.....	25
7.1.3.1 Test suite structure.....	25
7.1.3.2 Test case index .....	26
7.1.4 MAC layer.....	29
7.1.4.1 Test suite structure.....	29
7.1.4.2 Test case index .....	29
7.1.5 PH layer.....	31
7.2 Fixed Part (FP) test specification for IAP.....	31
7.2.1 IWU layer.....	31
7.2.1.1 Test suite structure.....	31
7.2.1.2 Test case index .....	32
7.2.2 NWK layer .....	37
7.2.2.1 Test suite structure.....	37
7.2.2.2 Test case index .....	38
7.2.3 DLC layer.....	39
7.2.3.1 Test suite structure.....	39
7.2.3.2 Test case index .....	39
7.2.4 MAC layer.....	42
7.2.4.1 Test suite structure.....	42
7.2.4.2 Test case index .....	43
7.2.5 PH layer.....	44
8 Test specification for DECT/ISDN interworking for intermediate system configuration.....	44
8.1 Portable Part (PP) test specification for IIP.....	44

8.1.1	IWU layer.....	44
8.1.1.1	Test suite structure.....	44
8.1.1.2	Test case index .....	45
8.1.2	NWK layer.....	46
8.1.2.1	Test suite structure.....	46
8.1.2.2	Test case index .....	47
8.1.3	DLC layer.....	49
8.1.3.1	Test suite structure.....	49
8.1.3.2	Test case index .....	50
8.1.4	MAC layer.....	53
8.1.4.1	Test suite structure.....	53
8.1.4.2	Test case index .....	53
8.1.5	PH layer.....	55
8.2	Fixed Part (FP) test specification for IIP .....	55
8.2.1	IWU layer.....	55
8.2.1.1	Test suite structure.....	55
8.2.1.2	Test case index .....	56
8.2.2	NWK layer.....	58
8.2.2.1	Test suite structure.....	58
8.2.2.2	Test case index .....	59
8.2.3	DLC layer.....	61
8.2.3.1	Test suite structure.....	61
8.2.3.2	Test case index .....	61
8.2.4	MAC layer.....	63
8.2.4.1	Test suite structure.....	63
8.2.4.2	Test case index .....	64
8.2.5	PH layer.....	66

**Annex A (normative): Requirements Tables (RT) for DECT/ISDN interworking for end system configuration .....67**

A.1	Introduction.....	67
A.2	Portable Part (PP).....	68
A.2.1	Tables for PP IWU layer.....	68
A.2.1.1	IWU features .....	68
A.2.1.2	IWU procedures .....	68
A.2.2	Tables for PP NWK layer .....	69
A.2.2.1	Entities .....	69
A.2.2.2	Features .....	69
A.2.2.2.1	CC features .....	69
A.2.2.2.2	LCE features.....	69
A.2.2.3	Procedures.....	70
A.2.2.3.1	CC procedures .....	70
A.2.2.3.2	Additional IWU CC procedures .....	70
A.2.2.3.3	SS protocols.....	70
A.2.2.3.4	LCE procedures .....	71
A.2.2.4	Messages .....	71
A.2.2.4.1	Call control messages .....	71
A.2.2.4.2	CRSS and Call Independent Supplementary Services (CISS) messages .....	72
A.2.2.4.3	Link control entity messages.....	72
A.2.3	Tables for PP DLC layer.....	73
A.2.3.1	Services .....	73
A.2.3.1.1	C-plane Services .....	73
A.2.3.1.2	U-plane Services.....	73
A.2.3.2	Procedures.....	73
A.2.3.2.1	Generic signalling procedures .....	73
A.2.3.2.2	Additional DLC procedures.....	74
A.2.3.2.3	Class A procedures .....	74
A.2.3.2.4	Broadcast procedures.....	74
A.2.3.2.5	LU1 procedures .....	74

A.2.3.2.6	LU7 procedures .....	75
A.2.3.2.7	Management procedures .....	75
A.2.3.3	Parameters .....	76
A.2.3.3.1	LU1 parameters .....	76
A.2.3.3.2	LU7 parameters .....	76
A.2.3.4	Messages .....	77
A.2.3.4.1	C-plane PDUs .....	77
A.2.4	Tables for PP MAC layer .....	77
A.2.4.1	Services .....	77
A.2.4.1.1	Connection oriented control services .....	77
A.2.4.1.2	Broadcast control services .....	78
A.2.4.1.3	Multiplexing services .....	78
A.2.4.1.4	Management services .....	79
A.2.4.2	Procedures .....	79
A.2.4.2.1	Connection set-up procedures .....	79
A.2.4.2.2	Connection data transfer procedures .....	80
A.2.4.2.3	Connection release procedures .....	80
A.2.4.2.4	Broadcast procedures .....	80
A.2.4.2.5	CSF multiplexing procedures .....	80
A.2.4.2.6	Layer management procedures .....	80
A.2.4.3	Other capabilities .....	81
A.2.4.4	Protocol parameters .....	81
A.2.4.4.1	Timer support .....	81
A.2.4.4.2	Channel selection parameters .....	81
A.2.4.4.3	Slot types supported .....	81
A.2.4.5	Messages .....	81
A.2.4.5.1	A - field header - Tail identification .....	81
A.2.4.5.2	A - field header - B-field identification .....	82
A.2.4.5.3	A - field header - "Q2" bit .....	82
A.2.4.5.4	A - field identities information ( $N_T$ ) message .....	82
A.2.4.5.5	A - field system information ( $Q_T$ ) messages .....	83
A.2.4.5.6	A - field paging tail ( $P_T$ ) messages .....	83
A.2.4.5.7	A - field MAC control ( $M_T$ ) messages .....	83
A.2.4.5.8	B - field messages supported .....	84
A.2.4.6	MAC messages format and field value .....	85
A.2.4.6.1	QT - Fixed part capability .....	85
A.2.5	Tables for PP PH layer .....	86
A.2.5.1	Services .....	86
A.2.5.2	Physical layer procedures .....	86
A.2.5.3	Protocol data units .....	87
A.2.5.4	Transmitter characteristics .....	87
A.2.5.5	Receiver characteristics .....	87
A.3	Fixed Part (FP) .....	88
A.3.1	Tables for FP IWU layer .....	88
A.3.1.1	IWU features .....	88
A.3.1.2	IWU procedures .....	88
A.3.1.3	IWU messages mapping .....	90
A.3.2	Tables for FP NWK layer .....	93
A.3.2.1	Entities .....	93
A.3.2.2	Features .....	94
A.3.2.2.1	CC features .....	94
A.3.2.2.2	LCE features .....	94
A.3.2.3	Procedures .....	94
A.3.2.3.1	CC procedures .....	94
A.3.2.3.2	Additional IWU CC procedures .....	95
A.3.2.3.3	SS protocols .....	95
A.3.2.3.4	LCE procedures .....	95
A.3.2.4	Messages .....	95
A.3.2.4.1	Call control messages .....	95
A.3.2.4.2	CRSS and CISS messages .....	96

A.3.2.4.3	Link control entity messages.....	96
A.3.3	Tables for FP DLC layer.....	97
A.3.3.1	Services .....	97
A.3.3.1.1	C-plane Services .....	97
A.3.3.1.2	U-plane Services.....	97
A.3.3.2	Procedures.....	98
A.3.3.2.1	Generic signalling procedures .....	98
A.3.3.2.2	Additional DLC procedures.....	98
A.3.3.2.3	Class A procedures .....	98
A.3.3.2.4	Broadcast procedures.....	98
A.3.3.2.5	LU1 procedures .....	98
A.3.3.2.6	LU7 procedures .....	99
A.3.3.2.7	Management procedures .....	100
A.3.3.3	Parameters .....	100
A.3.3.3.1	LU1 parameters .....	100
A.3.3.3.2	LU7 parameters .....	101
A.3.3.4	Messages .....	101
A.3.3.4.1	C-plane PDUs .....	101
A.3.4	Tables for FP MAC layer.....	101
A.3.4.1	Services .....	101
A.3.4.1.1	Connection oriented control services.....	101
A.3.4.1.2	Broadcast control services .....	102
A.3.4.1.3	Multiplexing services.....	102
A.3.4.1.4	Management services.....	103
A.3.4.2	Procedures.....	103
A.3.4.2.1	Connection set-up procedures.....	103
A.3.4.2.2	Connection data transfer procedures.....	104
A.3.4.2.3	Connection release procedures .....	104
A.3.4.2.4	Broadcast procedures.....	104
A.3.4.2.5	CSF multiplexing procedures .....	104
A.3.4.2.6	Layer management procedures .....	105
A.3.4.3	Protocol parameters.....	105
A.3.4.3.1	Timer support .....	105
A.3.4.3.2	Channel selection parameters .....	105
A.3.4.3.3	Slot types supported.....	105
A.3.4.4	Messages .....	106
A.3.4.4.1	A - field header - Tail identification .....	106
A.3.4.4.2	A - field header - B-field identification .....	106
A.3.4.4.3	A - field header - "Q2" bit .....	106
A.3.4.4.4	A - field identities information (N <sub>T</sub> ) message .....	107
A.3.4.4.5	A - field system information (Q <sub>T</sub> ) messages .....	107
A.3.4.4.6	A - field paging tail (P <sub>T</sub> ) messages.....	107
A.3.4.4.7	A - field MAC control (M <sub>T</sub> ) messages.....	107
A.3.4.4.8	B - field messages supported .....	108
A.3.4.5	MAC messages format and field value.....	109
A.3.4.5.1	QT - Fixed part capability .....	109
A.3.5	Tables for FP PH layer .....	110
A.3.5.1	Services .....	110
A.3.5.2	Physical layer procedures.....	110
A.3.5.3	Protocol data units.....	110
A.3.5.4	Transmitter characteristics .....	111
A.3.5.5	Receiver characteristics.....	111
<b>Annex B (normative):</b>	<b>Requirements Tables (RT) for DECT/ISDN interworking for intermediate system configuration .....</b>	<b>112</b>
B.1	Introduction.....	112
B.2	Portable Part (PP).....	113
B.2.1	Tables for PP IWU layer.....	113
B.2.1.1	IWU procedures .....	113