

ETSI TS 128 552 V16.12.0 (2022-01)



5G; Management and orchestration; 5G performance measurements (3GPP TS 28.552 version 16.12.0 Release 16)

[ETSI TS 128 552 V16.12.0 \(2022-01\)](https://standards.iteh.ai/catalog/standards/sist/d9036457-ad1d-4a51-99c6-6e922c445969/etsi-ts-128-552-v16-12-0-2022-01)

<https://standards.iteh.ai/catalog/standards/sist/d9036457-ad1d-4a51-99c6-6e922c445969/etsi-ts-128-552-v16-12-0-2022-01>



Reference

RTS/TSGS-0528552vGC0

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2022.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology	2
Foreword.....	14
1 Scope	15
2 References	15
3 Definitions, abbreviations and measurement family	17
3.1 Definitions	17
3.2 Abbreviations.....	17
3.3 Measurement family	17
4 Concepts and overview	18
4.1 Performance indicators	18
5 Performance measurements for 5G network functions	19
5.1 Performance measurements for gNB	19
5.1.0 Relation to RAN L2 measurement specification	19
5.1.1 Performance measurements valid for all gNB deployment scenarios	19
5.1.1.1 Packet Delay	19
5.1.1.1.1 Average delay DL air-interface.....	19
5.1.1.1.2 Distribution of delay DL air-interface.....	20
5.1.1.1.3 Average delay UL on over-the-air interface	20
5.1.1.1.4 Average RLC packet delay in the UL	21
5.1.1.1.5 Average PDCP re-ordering delay in the UL	21
5.1.1.1.6 Distribution of DL delay between NG-RAN and UE	21
5.1.1.1.7 Distribution of UL delay between NG-RAN and UE	22
5.1.1.1.8 DL packet delay between NG-RAN and PSA UPF	23
5.1.1.1.8.1 Average DL GTP packet delay between PSA UPF and NG-RAN	23
5.1.1.1.8.2 Distribution of DL GTP packet delay between PSA UPF and NG-RAN	23
5.1.1.2 Radio resource utilization	24
5.1.1.2.1 DL Total PRB Usage	24
5.1.1.2.2 UL Total PRB Usage	25
5.1.1.2.3 Distribution of DL Total PRB Usage.....	25
5.1.1.2.4 Distribution of UL total PRB usage	26
5.1.1.2.5 DL PRB used for data traffic	26
5.1.1.2.6 DL total available PRB	26
5.1.1.2.7 UL PRB used for data traffic	27
5.1.1.2.8 UL total available PRB	27
5.1.1.3 UE throughput	28
5.1.1.3.1 Average DL UE throughput in gNB	28
5.1.1.3.2 Distribution of DL UE throughput in gNB	29
5.1.1.3.3 Average UL UE throughput in gNB	30
5.1.1.3.4 Distribution of UL UE throughput in gNB	31
5.1.1.3.5 Percentage of unrestricted DL UE data volume in gNB	33
5.1.1.3.6 Percentage of unrestricted UL UE data volume in gNB	33
5.1.1.4 RRC connection number	34
5.1.1.4.1 Mean number of RRC Connections	34
5.1.1.4.2 Max number of RRC Connections	35
5.1.1.4.3 Mean number of stored inactive RRC Connections	35
5.1.1.4.4 Max number of stored inactive RRC Connections.....	35
5.1.1.5 PDU Session Management	36
5.1.1.5.1 Number of PDU Sessions requested to setup.....	36
5.1.1.5.2 Number of PDU Sessions successfully setup.....	36
5.1.1.5.3 Number of PDU Sessions failed to setup	36

5.1.1.6	Mobility Management	37
5.1.1.6.1	Inter-gNB handovers	37
5.1.1.6.1.1	Number of requested legacy handover preparations	37
5.1.1.6.1.2	Number of successful legacy handover preparations	37
5.1.1.6.1.3	Number of failed legacy handover preparations	38
5.1.1.6.1.4	Number of requested legacy handover resource allocations	38
5.1.1.6.1.5	Number of successful legacy handover resource allocations	38
5.1.1.6.1.6	Number of failed legacy handover resource allocations	39
5.1.1.6.1.7	Number of requested legacy handover executions	39
5.1.1.6.1.8	Number of successful legacy handover executions	40
5.1.1.6.1.9	Number of failed legacy handover executions	40
5.1.1.6.1.10	Mean Time of requested legacy handover executions	41
5.1.1.6.2	Intra-gNB handovers	42
5.1.1.6.2.1	Number of requested legacy handover executions	42
5.1.1.6.2.2	Number of successful legacy handover executions	42
5.1.1.6.3	Handovers between 5GS and EPS	42
5.1.1.6.3.1	Number of requested preparations for handovers from 5GS to EPS	42
5.1.1.6.3.2	Number of successful preparations for handovers from 5GS to EPS	43
5.1.1.6.3.3	Number of failed preparations for handovers from 5GS to EPS	43
5.1.1.6.3.4	Number of requested resource allocations for handovers from EPS to 5GS	43
5.1.1.6.3.5	Number of successful resource allocations for handovers from EPS to 5GS	44
5.1.1.6.3.6	Number of failed resource allocations for handovers from EPS to 5GS	44
5.1.1.6.3.7	Number of requested executions for handovers from 5GS to EPS	44
5.1.1.6.3.8	Number of successful executions for handovers from 5GS to EPS	45
5.1.1.6.3.9	Number of failed executions for handovers from 5GS to EPS	45
5.1.1.7	TB related Measurements	45
5.1.1.7.1	Total number of DL initial TBs	45
5.1.1.7.2	Initial error number of DL TBs	46
5.1.1.7.3	Total number of DL TBs	46
5.1.1.7.4	Total error number of DL TBs	47
5.1.1.7.5	Residual error number of DL TBs	47
5.1.1.7.6	Total number of UL initial TBs	47
5.1.1.7.7	Error number of UL initial TBs	48
5.1.1.7.8	Total number of UL TBs	48
5.1.1.7.9	Total error number of UL TBs	48
5.1.1.7.10	Residual error number of UL TBs	49
5.1.1.8	Void	49
5.1.1.9	Void	49
5.1.1.10	DRB related measurements	49
5.1.1.10.1	Number of DRBs attempted to setup	49
5.1.1.10.2	Number of DRBs successfully setup	50
5.1.1.10.3	Number of released active DRBs	50
5.1.1.10.4	In-session activity time for DRB	51
5.1.1.11	CQI related measurements	53
5.1.1.11.1	Wideband CQI distribution	53
5.1.1.12	MCS related Measurements	53
5.1.1.12.1	MCS Distribution in PDSCH	53
5.1.1.12.2	MCS Distribution in PUSCH	53
5.1.1.13	QoS flow related measurements	54
5.1.1.13.1	QoS flow release	54
5.1.1.13.1.2	Number of QoS flows attempted to release	55
5.1.1.13.2	QoS flow activity	55
5.1.1.13.3	QoS flow setup	56
5.1.1.13.3.1	Number of QoS flow attempted to setup	56
5.1.1.13.3.2	Number of QoS flow successfully established	57
5.1.1.13.3.3	Number of QoS flow failed to setup	57
5.1.1.13.4	QoS flow modification	59
5.1.1.13.4.1	Number of QoS flows attempted to modify	59
5.1.1.13.4.2	Number of QoS flows successfully modified	59
5.1.1.13.4.3	Number of QoS flows failed to modify	59
5.1.1.14	Void	60
5.1.1.15	RRC connection establishment related measurements	60

5.1.1.15.1	Attempted RRC connection establishments	60
5.1.1.15.2	Successful RRC connection establishments	60
5.1.1.16	UE-associated logical NG-connection related measurements	61
5.1.1.16.1	Attempted UE-associated logical NG-connection establishment from gNB to AMF	61
5.1.1.16.2	Successful UE-associated logical NG-connection establishment from gNB to AMF	61
5.1.1.17	RRC Connection Re-establishment	61
5.1.1.17.1	Number of RRC connection re-establishment attempts	61
5.1.1.17.2	Successful RRC connection re-establishment with UE context	62
5.1.1.17.3	Successful RRC connection re-establishment without UE context	62
5.1.1.18	RRC Connection Resuming	62
5.1.1.18.1	Number of RRC connection resuming attempts	62
5.1.1.18.2	Successful RRC connection resuming	63
5.1.1.18.3	Successful RRC connection resuming with fallback	63
5.1.1.18.4	RRC connection resuming followed by network release	63
5.1.1.18.5	RRC connection resuming followed by network suspension	64
5.1.1.19	Power, Energy and Environmental (PEE) measurements	64
5.1.1.19.1	Applicability of measurements	64
5.1.1.19.2	PNF Power Consumption	64
5.1.1.19.2.1	Average Power	64
5.1.1.19.2.2	Minimum Power	64
5.1.1.19.2.3	Maximum Power	65
5.1.1.19.3	PNF Energy consumption	65
5.1.1.19.4	PNF Temperature	65
5.1.1.19.4.1	Average Temperature	65
5.1.1.19.4.2	Minimum Temperature	65
5.1.1.19.4.3	Maximum Temperature	66
5.1.1.19.5	PNF Voltage	66
5.1.1.19.6	PNF Current	66
5.1.1.19.7	PNF Humidity	67
5.1.1.20	Received Random Access Preambles	67
5.1.1.20.1	Received Random Access Preambles per cell	67
5.1.1.20.2	Received Random Access Preambles per SSB	67
5.1.1.20.3	Distribution of number of RACH preambles per cell	68
5.1.1.20.4	Distribution of RACH access delay	69
5.1.1.21	Intra-NRCell SSB Beam switch Measurement	69
5.1.1.21.1	Number of requested Intra-NRCell SSB Beam switch executions	69
5.1.1.21.2	Number of successful Intra-NRCell SSB Beam switch executions	69
5.1.1.22	RSRP Measurement	70
5.1.1.22.1	SS-RSRP distribution per SSB	70
5.1.1.23	Number of Active Ues	70
5.1.1.23.1	Number of Active UEs in the DL per cell	70
5.1.1.23.2	Max number of Active UEs in the DL per cell	71
5.1.1.23.3	Number of Active UEs in the UL per cell	71
5.1.1.23.4	Max number of Active UEs in the UL per cell	72
5.1.1.24	5QI 1 QoS Flow Duration	72
5.1.1.24.1	Average Normally Released Call (5QI 1 QoS Flow) Duration	72
5.1.1.24.2	Average Abnormally Released Call (5QI 1 QoS Flow) Duration	73
5.1.1.25	Measurements related to MRO	73
5.1.1.25.1	Handover failures related to MRO for intra-system mobility	73
5.1.1.25.2	Handover failures related to MRO for inter-system mobility	74
5.1.1.25.3	Unnecessary handovers for Inter-system mobility	74
5.1.1.25.4	Handover ping-pong for inter-system mobility	75
5.1.1.26	PHR Measurement	75
5.1.1.26.1	Type 1 power headroom distribution	75
5.1.1.27	Paging Measurement	75
5.1.1.27.1	Number of CN Initiated paging records received by the gNB-CU	75
5.1.1.27.2	Number of NG-RAN Initiated paging records received by the gNB-CU	76
5.1.1.27.3	Number of paging records received by the NRCellIDU	76
5.1.1.27.4	Number of CN Initiated paging records discarded at the gNB-CU	76
5.1.1.27.5	Number of NG-RAN Initiated paging records discarded at the gNB-CU	77
5.1.1.27.6	Number of paging records discarded at the NRCellIDU	77
5.1.1.28	SSB beam related Measurement	77

5.1.1.28.1	Number of UE related the SSB beam Index (mean)	77
5.1.1.29	Transmit power utilization measurements	78
5.1.1.29.1	Maximum transmit power of NR cell	78
5.1.1.29.2	Mean transmit power of NR cell	78
5.1.2	Performance measurements valid only for non-split gNB deployment scenario	78
5.1.2.1	PDCCP Data Volume	78
5.1.2.1.1	DL PDCCP SDU Data Volume Measurements	78
5.1.2.1.2	UL PDCCP SDU Data Volume Measurements	80
5.1.3	Performance measurements valid for split gNB deployment scenario	82
5.1.3.1	Packet Loss Rate	82
5.1.3.1.1	UL PDCCP SDU Loss Rate	82
5.1.3.1.2	UL F1-U Packet Loss Rate	82
5.1.3.1.3	DL F1-U Packet Loss Rate	83
5.1.3.2	Packet Drop Rate	83
5.1.3.2.1	DL PDCCP SDU Drop rate in gNB-CU-UP	83
5.1.3.2.2	DL Packet Drop Rate in gNB-DU	84
5.1.3.3	Packet delay	84
5.1.3.3.1	Average delay DL in CU-UP	84
5.1.3.3.2	Average delay DL on F1-U	85
5.1.3.3.3	Average delay DL in gNB-DU	85
5.1.3.3.4	Distribution of delay DL in CU-UP	86
5.1.3.3.5	Distribution of delay DL on F1-U	86
5.1.3.3.6	Distribution of delay DL in gNB-DU	87
5.1.3.4	IP Latency measurements	87
5.1.3.4.1	General information	87
5.1.3.4.2	Average IP Latency DL in gNB-DU	87
5.1.3.4.3	Distribution of IP Latency DL in gNB-DU	88
5.1.3.5	UE Context Release	88
5.1.3.5.1	UE Context Release Request (gNB-DU initiated)	88
5.1.3.5.2	Number of UE Context Release Requests (gNB-CU initiated)	89
5.1.3.6	PDCCP data volume measurements	89
5.1.3.6.1	PDCCP PDU data volume Measurement	89
5.1.3.6.2	PDCCP SDU data volume Measurement	90
5.1.3.6.2.4	UL PDCCP SDU Data Volume per interface	92
5.1.3.7	Handovers measurements	93
5.1.3.7.1	Intra-gNB handovers	93
5.1.3.7.1.1	Number of requested handover preparations	93
5.1.3.7.1.2	Number of successful handover preparations	93
5.1.3.8	Distribution of Normally Released Call (5QI 1 QoS Flow) Duration	93
5.1.3.9	Distribution of Abnormally Released Call (5QI 1 QoS Flow) Duration	94
5.2	Performance measurements for AMF	94
5.2.1	Registered subscribers measurement	94
5.2.1.1	Mean number of registered subscribers	94
5.2.1.2	Maximum number of registered subscribers	95
5.2.2	Registration procedure related measurements	95
5.2.2.1	Number of initial registration requests	95
5.2.2.2	Number of successful initial registrations	95
5.2.2.3	Number of mobility registration update requests	96
5.2.2.4	Number of successful mobility registration updates	96
5.2.2.5	Number of periodic registration update requests	96
5.2.2.6	Number of successful periodic registration updates	97
5.2.2.7	Number of emergency registration requests	97
5.2.2.8	Number of successful emergency registrations	97
5.2.2.9	Mean time of Registration procedure	98
5.2.2.10	Max time of Registration procedure	98
5.2.3	Service Request procedure related measurements	99
5.2.3.1	Number of attempted network initiated service requests	99
5.2.3.2	Number of successful network initiated service requests	99
5.2.3.3	Total number of attempted service requests (including both network initiated and UE initiated)	100
5.2.3.4	Total number of successful service requests (including both network initiated and UE initiated)	100
5.2.4	Measurements related to registration via untrusted non-3GPP access	100
5.2.4.1	Number of initial registration requests via untrusted non-3GPP access	100

5.2.4.2	Number of successful initial registrations via untrusted non-3GPP access	101
5.2.4.3	Number of mobility registration update requests via untrusted non-3GPP access	101
5.2.4.4	Number of successful mobility registration updates via untrusted non-3GPP access	101
5.2.4.5	Number of periodic registration update requests via untrusted non-3GPP access.....	102
5.2.4.6	Number of successful periodic registration updates via untrusted non-3GPP access.....	102
5.2.4.7	Number of emergency registration requests via untrusted non-3GPP access.....	102
5.2.4.8	Number of successful emergency registrations via untrusted non-3GPP access	103
5.2.5	Mobility related measurements	103
5.2.5.1	Inter-AMF handovers	103
5.2.5.1.1	Number of PDU sessions requested for inter-AMF incoming handovers.....	103
5.2.5.1.2	Number of PDU sessions failed to setup for inter-AMF incoming handovers	104
5.2.5.1.3	Number of QoS flows requested for inter-AMF incoming handovers.....	104
5.2.5.1.4	Number of QoS flows failed to setup for inter-AMF incoming handovers.....	104
5.2.5.2	Measurements for 5G paging.....	105
5.2.5.2.1	Number of 5G paging procedures.....	105
5.2.5.2.2	Number of successful 5G paging procedures.....	105
5.2.5.3	Handovers from 5GS to EPS	106
5.2.5.3.1	Number of attempted handovers from 5GS to EPS via N26 interface.....	106
5.2.5.3.2	Number of successful handovers from 5GS to EPS via N26 interface	106
5.2.5.3.3	Number of failed handovers from 5GS to EPS via N26 interface	106
5.2.5.4	Handovers from EPS to 5GS	107
5.2.5.4.1	Number of attempted handovers from EPS to 5GS via N26 interface.....	107
5.2.5.4.2	Number of successful handovers from EPS to 5GS via N26 interface	107
5.2.5.4.3	Number of failed handovers from EPS to 5GS via N26 interface	107
5.2.6	Measurements related to Service Requests via Untrusted non-3GPP Access	108
5.2.6.1	Number of attempted service requests via Untrusted non-3GPP Access	108
5.2.6.2	Number of successful service requests via Untrusted non-3GPP Access.....	108
5.2.7	Measurements related to SMS over NAS.....	108
5.2.7.1	Registration of SMS over NAS	108
5.2.7.1.1	Number of registration requests for SMS over NAS via 3GPP access	108
5.2.7.1.2	Number of successful registrations allowed for SMS over NAS via 3GPP access.....	109
5.2.7.1.3	Number of registration requests for SMS over NAS via non-3GPP access	109
5.2.7.1.4	Number of successful registrations allowed for SMS over NAS via non-3GPP access	109
5.2.7.2	MO SMS over NAS.....	110
5.2.7.2.1	Number of attempted MO SMS messages over NAS via 3GPP access.....	110
5.2.7.2.2	Number of MO SMS messages successfully transported over NAS via 3GPP access	110
5.2.7.2.3	Number of attempted MO SMS messages over NAS via non-3GPP access.....	110
5.2.7.2.4	Number of MO SMS messages successfully transported over NAS via non-3GPP access	111
5.2.7.3	MT SMS over NAS	111
5.2.7.3.1	Number of attempted MT SMS messages over NAS via 3GPP access	111
5.2.7.3.2	Number of MT SMS messages successfully transported over NAS via 3GPP access.....	111
5.2.7.3.3	Number of attempted MT SMS messages over NAS via non-3GPP access.....	112
5.2.7.3.4	Number of MT SMS messages successfully transported over NAS via non-3GPP access	112
5.2.8	UE Configuration Update procedure related measurements	112
5.2.8.1	Number of UE Configuration Update.....	112
5.2.8.2	Number of successful UE Configuration Update	113
5.2.9	Measurements related to registration via trusted non-3GPP access	113
5.2.9.1	Number of initial registration requests via trusted non-3GPP access	113
5.2.9.2	Number of successful initial registrations via trusted non-3GPP access	113
5.2.9.3	Number of mobility registration update requests via trusted non-3GPP access	114
5.2.9.4	Number of successful mobility registration updates via trusted non-3GPP access	114
5.2.9.5	Number of periodic registration update requests via trusted non-3GPP access.....	114
5.2.9.6	Number of successful periodic registration updates via trusted non-3GPP access.....	115
5.2.9.7	Number of emergency registration requests via trusted non-3GPP access.....	115
5.2.9.8	Number of successful emergency registrations via trusted non-3GPP access	115
5.2.10	Measurements related to Service Requests via trusted non-3GPP Access	116
5.2.10.1	Number of attempted service requests via trusted non-3GPP Access	116
5.2.10.2	Number of successful service requests via trusted non-3GPP Access.....	116
5.2.11	Authentication procedure related measurements.....	116
5.2.11.1	Number of authentication requests	116
5.2.11.2	Number of failed authentications due to parameter error	117
5.2.11.3	Number of authentication rejection	117

5.3	Performance measurements for SMF	117
5.3.1	Session Management	117
5.3.1.1	Number of PDU sessions (Mean)	117
5.3.1.2	Number of PDU sessions (Maximum)	118
5.3.1.3	Number of PDU session creation requests	118
5.3.1.4	Number of successful PDU session creations	119
5.3.1.5	Number of failed PDU session creations	119
5.3.1.6	PDU session modifications	119
5.3.1.6.1	Number of requested PDU session modifications (UE initiated)	119
5.3.1.6.2	Number of successful PDU session modifications (UE initiated)	120
5.3.1.6.3	Number of failed PDU session modifications (UE initiated)	120
5.3.1.6.4	Number of requested PDU session modifications (SMF initiated)	120
5.3.1.6.5	Number of successful PDU session modifications (SMF initiated)	121
5.3.1.6.6	Number of failed PDU session modifications (SMF initiated)	121
5.3.1.7	PDU session releases	122
5.3.1.7.1	Number of released PDU sessions (AMF initiated)	122
5.3.1.8	Number of PDU session creation requests in HR roaming scenario	122
5.3.1.9	Number of successful PDU session creations in HR roaming scenario	123
5.3.1.10	Number of failed PDU session creations in HR roaming scenario	123
5.3.1.11	Mean time of PDU session establishment	123
5.3.1.12	Max time of PDU session establishment	124
5.3.2	QoS flow monitoring	124
5.3.2.1	QoS flow monitoring	124
5.3.2.1.1	Number of QoS flows requested to create	124
5.3.2.1.2	Number of QoS flows successfully created	125
5.3.2.1.3	Number of QoS flows failed to create	125
5.3.2.1.4	Number of QoS flows requested to modify	125
5.3.2.1.5	Number of QoS flows successfully modified	126
5.3.2.1.6	Number of QoS flows failed to modify	126
5.3.2.1.7	Mean number of QoS flows	127
5.3.2.1.8	Peak number of QoS flows	127
5.3.3	Performance measurement for N4 interface	127
5.3.3.1	Number of N4 session modifications	127
5.3.3.2	Number of failed N4 session modifications	128
5.3.3.3	Number of N4 session deletions	128
5.3.3.4	Number of failed N4 session deletions	128
5.4	Performance measurements for UPF	129
5.4.1	N3 interface related measurements	129
5.4.1.1	Number of incoming GTP data packets on the N3 interface, from (R)AN to UPF	129
5.4.1.2	Number of outgoing GTP data packets of on the N3 interface, from UPF to (R)AN	129
5.4.1.3	Number of octets of incoming GTP data packets on the N3 interface, from (R)AN to UPF	129
5.4.1.4	Number of octets of outgoing GTP data packets on the N3 interface, from UPF to (R)AN	130
5.4.1.5	Data volume of incoming GTP data packets per QoS level on the N3 interface, from (R)AN to UPF	130
5.4.1.6	Data volume of outgoing GTP data packets per QoS level on the N3 interface, from UPF to (R)AN	131
5.4.1.7	Incoming GTP Data Packet Loss	131
5.4.1.8	Outgoing GTP Data Packet Loss	131
5.4.1.9	Round-trip GTP Data Packet Delay	132
5.4.1.9.1	Average round-trip N3 delay on PSA UPF	132
5.4.1.9.2	Distribution of round-trip N3 delay on PSA UPF	132
5.4.1.9.3	Average round-trip N3 delay on I-UPF	132
5.4.1.9.4	Distribution of round-trip N3 delay on I-UPF	133
5.4.1.10	Number of incoming GTP data packets out-of-order on the N3 interface, from (R)AN to UPF	133
5.4.2	N6 related measurements	134
5.4.2.1	N6 incoming link usage	134
5.4.2.2	N6 outgoing link usage	134
5.4.3	N4 interface related measurements	134
5.4.3.1	Session establishments	134
5.4.3.1.1	Number of requested N4 session establishments	134
5.4.3.1.2	Number of failed N4 session establishments	135
5.4.3.2	N4 Session reports	135

5.4.3.2.1	Number of requested N4 session reports	135
5.4.3.2.2	Number of successful N4 session reports	135
5.4.4	N9 interface related measurements	136
5.4.4.1	Round-trip GTP Data Packet Delay on N9 interface	136
5.4.4.1.1	Average round-trip N9 delay on PSA UPF	136
5.4.4.1.2	Distribution of round-trip N9 delay on PSA UPF	136
5.4.4.1.3	Average round-trip N9 delay on I-UPF	136
5.4.4.1.4	Distribution of round-trip N9 delay on I-UPF	137
5.4.4.2	GTP Data Packets and volume on N9 interface	137
5.4.4.2.1	Number of incoming GTP data packets on the N9 interface for PSA UPF	137
5.4.4.2.2	Number of outgoing GTP data packets of on the N9 interface for PSA UPF	137
5.4.4.2.3	Number of octets of incoming GTP data packets on the N9 interface for PSA UPF	138
5.4.4.2.4	Number of octets of outgoing GTP data packets on the N9 interface for PSA UPF	138
5.4.5	GTP packets delay in UPF	139
5.4.5.1	DL GTP packets delay in UPF	139
5.4.5.1.1	Average DL GTP packets delay in PSA UPF	139
5.4.5.1.2	Distribution of DL GTP packets delay in PSA UPF	139
5.4.5.1.3	Average DL GTP packets delay in I-UPF	139
5.4.5.1.4	Distribution of DL GTP packets delay in I-UPF	140
5.4.5.2	UL GTP packets delay in UPF	140
5.4.5.2.1	Average UL GTP packets delay in PSA UPF	140
5.4.5.2.2	Distribution of UL GTP packets delay in PSA UPF	141
5.4.5.2.3	Average UL GTP packets delay in I-UPF	141
5.4.5.2.4	Distribution of UL GTP packets delay in I-UPF	141
5.4.6	Void	142
5.4.7	One way packet delay between NG-RAN and PSA UPF	142
5.4.7.1	UL packet delay between NG-RAN and PSA UPF	142
5.4.7.1.1	Average UL GTP packet delay between PSA UPF and NG-RAN	142
5.4.7.1.2	Distribution of UL GTP packet delay between PSA UPF and NG-RAN	143
5.4.8	Round-trip packet delay between PSA UPF and NG-RAN	143
5.4.8.1	Average round-trip packet delay between PSA UPF and NG-RAN	143
5.4.8.2	Distribution of round-trip packet delay between PSA UPF and NG-RAN	144
5.4.9	One way packet delay between PSA UPF and UE	145
5.4.9.1	DL packet delay between PSA UPF and UE	145
5.4.9.1.1	Average DL packet delay between PSA UPF and UE	145
5.4.9.1.2	Distribution of DL packet delay between PSA UPF and UE	146
5.4.9.2	UL packet delay between PSA UPF and UE	147
5.4.9.2.1	Average UL packet delay between PSA UPF and UE	147
5.4.9.2.2	Distribution of UL packet delay between PSA UPF and UE	147
5.4.10	QoS flow related measurements	148
5.4.10.1	Mean number of QoS flows	148
5.4.10.2	Maximum number of QoS flows	148
5.5	Performance measurements for PCF	149
5.5.1	AM policy association related measurements	149
5.5.1.1	Number of AM policy association requests	149
5.5.1.2	Number of successful AM policy associations	149
5.5.1.3	Number of AM policy association update requests	150
5.5.1.4	Number of successful AM policy association updates	150
5.5.1.5	Number of AM policy association update notify requests	150
5.5.1.6	Number of successful AM policy association update notifies	150
5.5.2	SM policy association related measurements	151
5.5.2.1	Number of SM policy association requests	151
5.5.2.2	Number of successful SM policy associations	151
5.5.2.3	Number of SM policy association update requests	151
5.5.2.4	Number of successful SM policy association updates	152
5.5.2.5	Number of SM policy association update notify requests	152
5.5.2.6	Number of successful SM policy association update notifies	152
5.5.3	UE policy association related measurements	153
5.5.3.1	Number of UE policy association requests	153
5.5.3.2	Number of successful UE policy associations	153
5.6	Performance measurements for UDM	153
5.6.1	Mean number of registered subscribers through UDM	153

5.6.2	Maximum number of registered subscribers through UDM.....	154
5.6.3	Mean number of unregistered subscribers through UDM	154
5.6.4	Maximum number of unregistered subscribers through UDM.....	154
5.7	Common performance measurements for NFs	155
5.7.1	VR usage of NF.....	155
5.7.1.1	Virtual CPU usage	155
5.7.1.1.1	Mean virtual CPU usage	155
5.7.1.2	Virtual memory usage	155
5.7.1.2.1	Mean virtual memory usage.....	155
5.7.1.3	Virtual disk usage	156
5.7.1.3.1	Mean virtual disk usage	156
5.8	Performance measurements for N3IWF	157
5.8.1	PDU Session Resource management	157
5.8.1.1	PDU Session Resource setup.....	157
5.8.1.1.1	Number of PDU Sessions requested to setup.....	157
5.8.1.1.2	Number of PDU Sessions successfully setup.....	157
5.8.1.1.3	Number of PDU Sessions failed to setup	158
5.8.1.2	PDU Session Resource modification	158
5.8.1.2.1	Number of PDU Sessions requested to modify	158
5.8.1.2.2	Number of PDU Sessions successfully modified.....	158
5.8.1.2.3	Number of PDU Sessions failed to modify.....	159
5.8.2	QoS flow management.....	159
5.8.2.1	QoS flow setup via untrusted non-3GPP access	159
5.8.2.1.1	Number of initial QoS flows attempted to setup via untrusted non-3GPP access.....	159
5.8.2.1.2	Number of initial QoS flows successfully setup via untrusted non-3GPP access	160
5.8.2.1.3	Number of initial QoS flows failed to setup via untrusted non-3GPP access	160
5.8.2.1.4	Number of additional QoS flows attempted to setup via untrusted non-3GPP access	160
5.8.2.1.5	Number of additional QoS flows successfully setup via untrusted non-3GPP access	161
5.8.2.1.6	Number of additional QoS flows failed to setup via untrusted non-3GPP access.....	161
5.8.3	QoS flow modification via untrusted non-3GPP access	162
5.8.3.1	QoS flow modification via untrusted non-3GPP access	162
5.8.3.1.1	Number of QoS flows attempted to modify via untrusted non-3GPP access	162
5.8.3.1.2	Number of QoS flows successfully modified via untrusted non-3GPP access	162
5.8.3.1.3	Number of QoS flows failed to modify via untrusted non-3GPP access	162
5.8.4	QoS flow release via untrusted non-3GPP access	163
5.8.4.1	QoS flow release via untrusted non-3GPP access	163
5.8.4.1.1	Number of QoS flows attempted to release	163
5.8.4.1.2	Number of QoS flows successfully released.....	163
5.8.4.1.3	Number of released active QoS flows.....	164
5.9	Performance measurements for NEF	164
5.9.1	Measurements related to application triggering	164
5.9.1.1	Number of application trigger requests	164
5.9.1.2	Number of application trigger requests accepted for delivery	165
5.9.1.3	Number of application trigger requests rejected for delivery	165
5.9.1.4	Number of application trigger delivery reports	165
5.9.2	Measurements related to PFD management.....	166
5.9.2.1	PFD creation	166
5.9.2.1.1	Number of PFD creation requests	166
5.9.2.1.2	Number of successful PFD creations	166
5.9.2.2	PFD update	166
5.9.2.2.1	Number of PFD update requests	166
5.9.2.2.2	Number of successful PFD updates	167
5.9.2.3	PFD deletion	167
5.9.2.3.1	Number of PFD deletion requests	167
5.9.2.3.2	Number of successful PFD deletions	167
5.9.2.4	PFD fetch.....	168
5.9.2.4.1	Number of PFD fetch requests.....	168
5.9.2.4.2	Number of successful PFD fetch	168
5.9.2.5	PFD subscription	168
5.9.2.5.1	Number of PFD subscribing requests	168
5.9.2.5.2	Number of successful PFD subscribings.....	169
5.10	Performance measurements for NRF	169

5.10.1	NF service registration related measurements.....	169
5.10.1.1	Number of NF service registration requests	169
5.10.1.2	Number of successful NF service registrations	169
5.10.1.3	Number of failed NF service registrations due to encoding error of NF profile.....	169
5.10.1.4	Number of failed NF service registrations due to NRF internal error	170
5.10.2	NF service update related measurements	170
5.10.2.1	Number of NF service update requests	170
5.10.2.2	Number of successful NF service updates.....	170
5.10.2.3	Number of failed NF service updates due to encoding error of NF profile	171
5.10.2.4	Number of failed NF service updates due to NRF internal error	171
5.10.3	NF service discovery related measurements	171
5.10.3.1	Number of NF service discovery requests.....	171
5.10.3.2	Number of successful NF service discoveries	172
5.10.3.3	Number of failed NF service discoveries due to unauthorized NF Service consumer.....	172
5.10.3.4	Number of failed NF service discoveries due to input errors	172
5.10.3.5	Number of failed NF service discoveries due to NRF internal error	173
6	Measurements related to end-to-end 5G network and network slicing.....	173
6.1	Void	173
6.2	Virtualised resource usage measurement	173

Annex A (informative): Use cases for performance measurements.....174

A.1	Monitoring of UL and DL user plane latency in NG-RAN.....	174
A.2	Monitoring of UL and DL packet loss in NG-RAN.....	174
A.3	Monitoring of DL packet drop in NG-RAN.....	174
A.4	Monitoring of UL and DL user plane delay in NG-RAN	175
A.5	Monitoring of UE Context Release Request (gNB-DU initiated).....	175
A.6	Monitoring of physical radio resource utilization	175
A.7	Monitoring of RRC connection number.....	176
A.8	Monitoring of UE Context Release	176
A.9	Monitoring of UE Throughput in NG-RAN.....	176
A.10	Monitoring of Unrestricted volume in NG-RAN	176
A.11	N3 data volume related measurements.....	176
A.12	N6 related measurements	177
A.13	Registration related measurements.....	177
A.14	PDU session establishment related measurements.....	177
A.15	Policy association related measurements	177
A.16	Monitoring of PDU session resource setup in NG-RAN	178
A.17	Monitoring of handovers	178
A.18	Monitor of BLER performance	178
A.19	Monitor of ARQ and HARQ performance.....	179
A.20	Monitoring of PDU session modifications.....	179
A.21	Monitoring of PDU session releases	179
A.22	Monitoring of N4 session management.....	179
A.23	Use case of VR measurements for NF	179
A.24	Monitoring of DRB Setup in NG-RAN	180
A.25	Monitoring of PDCP data volume measurements.....	180

A.26	Monitoring of RF performance	180
A.27	Monitoring of RF measurements.....	180
A.28	Monitor of QoS flow release.....	180
A.29	Monitor of call (/session) setup performance.....	181
A.30	Void.....	182
A.31	Monitoring of QoS flows for SMF.....	182
A.32	Monitoring of service requests.....	182
A.33	Monitoring of DL PDCP UE buffered throughput.....	182
A.34	Monitoring of RRC connection setup in NG-RAN.....	182
A.35	Monitoring of UE associated NG signalling connection setup in NG-RAN.....	183
A.36	Monitoring of PDCP data volume per interface.....	183
A.37	Monitoring of RRC connection re-establishment	183
A.38	Monitoring of RRC connection resuming.....	183
A.39	Monitoring of inter-AMF handovers.....	183
A.40	Monitoring of incoming/outgoing GTP packet loss on N3	184
A.41	Monitoring of round-trip GTP packet delay on N3.....	184
A.42	Monitoring of PDU session resource management for untrusted non-3GPP access.....	184
A.43	Monitor of DRB release	184
A.44	Monitoring of application triggering.....	185
A.45	Monitoring of SMS over NAS	185
A.46	Monitoring of round-trip GTP packet delay on N9.....	185
A.47	Monitoring of GTP packets delay in UPF.....	186
A.48	Monitoring of round-trip delay between PSA UPF and UE.....	186
A.49	Monitoring of Power, Energy and Environmental (PEE) parameters.....	186
A.50	Monitoring of UE configuration update.....	186
A.51	Monitoring of subscriber's number for UDM	186
A.52	Monitoring of QoS flow modification.....	186
A.53	Monitoring of handovers between 5GS and EPS.....	187
A.54	Monitoring of NF service registration and update	187
A.55	Monitoring of NF service discovery	187
A.56	Monitoring of PFD management.....	187
A.57	Monitoring of incoming GTP packet out-of-order on N3 interface.....	188
A.58	Monitoring of PCI to detect PCI collision or confusion.....	188
A.59	Monitoring of RACH usage	189
A.60	Monitoring of the number of active UEs in NG-RAN.....	190
A.61	Monitoring of one way delay between PSA UPF and NG-RAN	190
A.62	Monitoring of round-trip delay between PSA UPF and NG-RAN	190
A.63	Monitoring of beam switches.....	190

A.64	Monitoring of RF performance	190
A.65	Monitoring of one way delay between PSA UPF and UE	191
A.66	Monitoring of MRO performance	191
A.67	Monitoring of distribution of integrated delay in NG-RAN	191
A.68	Monitoring of GTP data packets and volume on N9 interface.....	191
A.69	Use case of UE power headroom	191
A.70	Monitor of paging performance	192
A.71	UE and traffic per SSB beam related measurements.....	192
Annex B (informative):	Change history	193
History		197

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ETSI TS 128 552 V16.12.0 (2022-01)

<https://standards.iteh.ai/catalog/standards/sist/d9036457-ad1d-4a51-99c6-6e922c445969/etsi-ts-128-552-v16-12-0-2022-01>