

SLOVENSKI STANDARD SIST EN ISO 180:2020

01-marec-2020

Nadomešča:

SIST EN ISO 180:2001

SIST EN ISO 180:2001/A1:2007 SIST EN ISO 180:2001/A2:2014

Polimerni materiali - Ugotavljanje udarne žilavosti po Izodu (ISO 180:2019)

Plastics - Determination of Izod impact strength (ISO 180:2019)

Kunststoffe - Bestimmung der Izod-Schlagzähigkeit (ISO 180:2019) (standards.iteh.ai)

Plastiques - Détermination de la résistance au choc Izod (ISO 180:2019)

https://standards.iteh.ai/catalog/standards/sist/a0c34101-51ad-4b1c-b962-

Ta slovenski standard je istoveten z: EN ISO 180:2019

ICS:

83.080.01 Polimerni materiali na

splošno

Plastics in general

SIST EN ISO 180:2020

en,fr,de

SIST EN ISO 180:2020

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 180:2020

https://standards.iteh.ai/catalog/standards/sist/a0c34101-51ad-4b1c-b962-b3a701273516/sist-en-iso-180-2020

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM **EN ISO 180**

December 2019

ICS 83.080.01

Supersedes EN ISO 180:2000

English Version

Plastics - Determination of Izod impact strength (ISO 180:2019)

Plastiques - Détermination de la résistance au choc Izod (ISO 180:2019)

Kunststoffe - Bestimmung der Izod-Schlagzähigkeit (ISO 180:2019)

This European Standard was approved by CEN on 16 November 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

https://standards.iteh.ai/catalog/standards/sist/a0c34101-51ad-4b1c-b962-b3a701273516/sist-en-iso-180-2020



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 180:2019 (E)

| Contents | Page |
|-------------------|------|
| European foreword | 3 |

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 180:2020</u>

https://standards.iteh.ai/catalog/standards/sist/a0c34101-51ad-4b1c-b962-b3a701273516/sist-en-iso-180-2020

EN ISO 180:2019 (E)

European foreword

This document (EN ISO 180:2019) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2020, and conflicting national standards shall be withdrawn at the latest by June 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 180:2000.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STÆndorsement notice IEW

The text of ISO 180:2019 has been approved by CEN as EN ISO 180:2019 without any modification.

<u>SIST EN ISO 180:2020</u> https://standards.iteh.ai/catalog/standards/sist/a0c34101-51ad-4b1c-b962-b3a701273516/sist-en-iso-180-2020 **SIST EN ISO 180:2020**

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 180:2020

https://standards.iteh.ai/catalog/standards/sist/a0c34101-51ad-4b1c-b962-b3a701273516/sist-en-iso-180-2020

SIST EN ISO 180:2020

INTERNATIONAL STANDARD

ISO 180

Fourth edition 2019-11

Plastics — Determination of Izod impact strength

Plastiques — Détermination de la résistance au choc Izod

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 180:2020

https://standards.iteh.ai/catalog/standards/sist/a0c34101-51ad-4b1c-b962-b3a701273516/sist-en-iso-180-2020



Reference number ISO 180:2019(E)

ISO 180:2019(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 180:2020

https://standards.iteh.ai/catalog/standards/sist/a0c34101-51ad-4b1c-b962-b3a701273516/sist-en-iso-180-2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

| Co | ntent | SS . | Page |
|--------------|--------------------------|--|------|
| Foreword | | | iv |
| 1 | Scop | ne | 1 |
| 2 | Normative references | | |
| 3 | Terms and definitions | | |
| 4 | Principle | | |
| 5 | Apparatus | | |
| | 5.1 | | |
| | 5.2 | Micrometers and gauges | |
| 6 | Test specimens | | 3 |
| | 6.1 | Preparation | 3 |
| | | 6.1.1 Moulding and extrusion compounds | |
| | | 6.1.2 Sheets | 6 |
| | | 6.1.3 Long-fibre-reinforced materials | |
| | | 6.1.4 Checking | |
| | 6.2 | Anisotropy | |
| | 6.3 Shape and dimensions | | |
| | 0.0 | 6.3.1 General | |
| | | 6.3.2 Moulding and extrusion compounds | |
| | | 6.3.3 Sheet materials, including long-fibre-reinforced materials | 7 |
| | 6.4 | Number of test specimens dards.iteh.ai) Conditioning | 7 |
| | 6.5 | Conditioning | 7 |
| 7 | | edure <u>SIST EN ISO 1802020</u> | |
| 8 | Calc | ulation and expression of results lards/sist/a0c34101-51ad-4b1c-b962- Unnotched specimens 701273516/sist-en-iso-180-2020 | 8 |
| | 8.1 | Unnotched specimens 701273516/sist-en-iso-180-2020 | 8 |
| | 8.2 | The state of the s | |
| | 8.3 | Statistical parameters | |
| | 8.4 | Significant figures | |
| 9 | | ision | |
| 10 | Test | report | 9 |
| Ann | ex A (in | formative) Precision statement | 11 |
| Bibliography | | | 13 |

ISO 180:2019(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 2, <u>SIST EN ISO 180:2020</u> https://standards.iteh.ai/catalog/standards/sist/a0c34101-51ad-4b1c-b962-

This fourth edition cancels and replaces the third edition (ISO 180:2000), of which it constitutes a minor revision. It also incorporates the Amendments ISO 180:2000/Amd.1:2006 and ISO 180:2000/Amd.2:2013.

The changes compared to the previous edition are as follows:

- Clause 2 has been updated;
- the following clauses have been revised:
 - Clause 5:
 - <u>Clause 6</u>;
 - <u>Clause 7</u>;
 - Clause 8;
 - Clause 9;
- a bibliography has been added.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Plastics — Determination of Izod impact strength

1 Scope

- **1.1** This document specifies a method for determining the Izod impact strength of plastics under defined conditions. A number of different types of specimen and test configurations are defined. Different test parameters are specified according to the type of material, the type of test specimen and the type of notch.
- **1.2** The method is used to investigate the behaviour of specified types of specimen under the impact conditions defined and for estimating the brittleness or toughness of specimens within the limitations inherent in the test conditions.
- **1.3** The method is suitable for use with the following range of materials:
- rigid thermoplastic moulding and extrusion materials, including filled and reinforced compounds in addition to unfilled types; rigid thermoplastics sheets;
- rigid thermosetting moulding materials, including filled and reinforced compounds; rigid thermosetting sheets, including laminates;
- fibre-reinforced thermosetting and thermoplastic composites incorporating unidirectional or non-unidirectional reinforcements such as mat, woven fabrics, woven rovings, chopped strands, combination and hybrid reinforcements, rovings and milled fibres and sheet made from preimpregnated materials (prepregs);

SIST EN ISO 180:2020

- thermotropic liquid/scry/stal/poly/mer/sg/standards/sist/a0c34101-51ad-4b1c-b962-b3a701273516/sist-en-iso-180-2020
- **1.4** The method is not normally suitable for use with rigid cellular materials and sandwich structures containing cellular material. Notched specimens are also not normally used for long-fibre-reinforced composites or thermotropic liquid-crystal polymers.
- **1.5** The method is suited to the use of specimens which can be either moulded to the chosen dimensions, machined from the central portion of a standard multipurpose test specimen (see ISO 20753) or machined from finished or semi-finished products such as mouldings, laminates and extruded or cast sheet.
- 1.6 The method specifies preferred dimensions for the test specimen. Tests which are carried out on specimens of different dimensions or with different notches, or specimens which are prepared under different conditions, may produce results which are not comparable. Other factors, such as the energy capacity of the apparatus, its impact velocity and the conditioning of the specimens can also influence the results. Consequently, when comparative data are required, these factors are to be carefully controlled and recorded.
- **1.7** The method is not intended to be used as a source of data for design calculations. Information on the typical behaviour of a material can be obtained, however, by testing at different temperatures, by varying the notch radius and/or the thickness and by testing specimens prepared under different conditions.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.