

SLOVENSKI STANDARD SIST ISO 8559-2:2017

01-maj-2017

Nadomešča: SIST ISO 3636:1996 SIST ISO 3636:1996/C1:1996 SIST ISO 3637:1996/C1:1996 SIST ISO 3637:1996/C1:1996 SIST ISO 3638:1996 SIST ISO 4415:1996 SIST ISO 4415:1996/C1:1996 SIST ISO 4416:1996 SIST ISO 4416:1996 SIST ISO 4417:1996 PREVIEW SIST ISO 4418:1996teh.ai)

SIST ISO 8559-2:2017

https://standards.iteh.ai/catalog/standards/sist/2f7c8684-b088-4146-8e6c-

Označevanje velikosti oblačil -26:delo Primarni in sekundarni kazalniki mer

Size designation of clothes - Part 2: Primary and secondary dimension indicators

Désignation des tailles de vêtements - Partie 2: Indicateurs des dimensions principales et secondaires

Ta slovenski standard je istoveten z: ISO 8559-2:2017

ICS:

61.020 Oblačila

Clothes

SIST ISO 8559-2:2017

en,fr



iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ISO 8559-2:2017</u> https://standards.iteh.ai/catalog/standards/sist/2f7c8684-b088-4146-8e6c-53655dea368e/sist-iso-8559-2-2017

SIST ISO 8559-2:2017

INTERNATIONAL STANDARD

ISO 8559-2

First edition 2017-03

Size designation of clothes —

Part 2: Primary and secondary dimension indicators

Désignation des tailles de vêtements —

iTeh STPartie 2. Indicateurs des dimensions principales et secondaires

(standards.iteh.ai)

SIST ISO 8559-2:2017 https://standards.iteh.ai/catalog/standards/sist/2f7c8684-b088-4146-8e6c-53655dea368e/sist-iso-8559-2-2017



Reference number ISO 8559-2:2017(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 8559-2:2017 https://standards.iteh.ai/catalog/standards/sist/2f7c8684-b088-4146-8e6c-53655dea368e/sist-iso-8559-2-2017



© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Page

Contents

Fore	word		iv						
		n							
1	Scop	e							
2	Norr								
3	Terms and definitions								
4	Definition of primary and secondary dimensions in garments								
5	Size 5.1 5.2 5.3	designation General Garment dimensions Garment with cups							
6	Labe 6.1 6.2 6.3 6.4	elling Method Label attachment Additional information Examples of labels							
Ann	ex A (in	formative) Examples of labels of size designation							
Bibl	iograph	iTeh STANDARD PREVIEW							

(standards.iteh.ai)

SIST ISO 8559-2:2017

https://standards.iteh.ai/catalog/standards/sist/2f7c8684-b088-4146-8e6c-53655dea368e/sist-iso-8559-2-2017

ISO 8559-2:2017(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html

The committee responsible for this document is ISO/TC 133, *Clothing sizing systems* — Size designation, size measurement methods and digital fittings. SIST ISO 8559-2:2017

This first edition cancels and replaces ISO 3636, ISO 3637, ISO 3638, ISO 4415, ISO 4416, ISO 4417 and ISO 4418, which have been technically revised ea368e/sist-iso-8559-2-2017

A list of all parts in ISO 8559 can be found on the ISO website.

Introduction

Different sizing systems in different companies mean that different size designations can fit people with identical or very similar body measurements.

This document can be used as a reference document for an international size designation system for different types of garment.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ISO 8559-2:2017</u> https://standards.iteh.ai/catalog/standards/sist/2f7c8684-b088-4146-8e6c-53655dea368e/sist-iso-8559-2-2017



iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ISO 8559-2:2017</u> https://standards.iteh.ai/catalog/standards/sist/2f7c8684-b088-4146-8e6c-53655dea368e/sist-iso-8559-2-2017

Size designation of clothes —

Part 2: **Primary and secondary dimension indicators**

1 Scope

This document specifies primary and secondary dimensions for specified types of garments to be used in combination with ISO 8559-1 (anthropometric definitions for body measurement).

The primary aim of this document is to establish a size designation system that can be used by manufacturers and retailers to indicate to consumers (in a simple, direct and meaningful manner) the body dimensions of the person that the garment is intended to fit. Provided that the size of the person's body (as indicated by the specified dimensions) has been determined in accordance with ISO 8559-1, this designation system will facilitate the choice of garments that fit. This information can be indicated by labelling, etc.

The size designation system is based on body measurements, not garment measurements. The choice of garment measurements is normally determined by the designer and the manufacturers who make appropriate allowances to accommodate the type and position of wear, style, cut and fashion elements of the garment.

(standards.iteh.ai)

SIST ISO 8559-2:2017

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8559-1, Size designation of clothes — Anthropometric definitions for body measurement

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

primary dimension

body dimension, in centimetres, that is used to designate the size of a garment for the consumer

3.2

secondary dimension

body dimension, in centimetres (or in the case of pantyhose, body mass in kilograms), that can additionally be used to designate the size of a garment for the consumer

3.3

cup size

difference between the bust girth and the underbust girth

Note 1 to entry: See ISO 8559-1:2017, 5.7.7.

4 Definition of primary and secondary dimensions in garments

Primary and secondary dimensions are defined as shown in <u>Table 1</u>. These body measurements provide the basis for the designation of clothing sizes, independently from the product itself, for garment types as diverse as jackets, skirts, underwear, corsetry (intimate apparel) and headwear.

Body measurements are listed separately for men's, women's, boys' and girls' clothing.

For infants, body height is used as the primary dimension (see ISO 8559-1) except for headwear, socks, stockings and gloves.

Heights and girths are measured in accordance with ISO 8559-1.

The primary dimension constitutes the basic size designation system.

A number of the secondary dimensions, as given in <u>Table 1</u>, may be used in such a designation system.

The following example explains how to use the table.

EXAMPLE The relevant indication of a men's jacket is designated by the chest girth, indicated on a pictogram. Waist girth and/or body height and/or back shoulder width can be given as further optional measurements.

Hand size is a code based on the hand girth in centimetres (ISO 8559-1).

Garments for:	MenTeh		STA Women RD		PR FBoys F W		Girls	
Dimensions:	PDa	SDb	PDa	SDb	PDa	SDb	PDa	SDb
1. Outer garments			(stand	lards.	ten.ai)			
Jackets	Chest girth	Height ttps://standard Waist girth	Bust gir th s.iteh.ai/catalo 53655dea	Height559-2 g/standards/si Waist girth	Height t/2f7c8684-b 559-2-2017	Chest Sirth146-8e	Height 60-	Bust girth
		Back shoulder width		Hip girth				
Suits (set of jacket and trouser together)	Chest girth and Waist girth	Height Inside leg length	Bust girth and Hip girth	Height Waist girth Inside leg length	Height	Chest girth Waist girth Hip girth	Height	Bust girth Waist girth Hip girth
Suits (set of jacket and skirt together)	Chest girth and Waist girth	Height	Bust girth and Hip girth	Height Waist girth	Height	Chest girth Waist girth Hip girth	Height	Bust girth Waist girth Hip girth

Table 1 — Primary and secondary dimensions in garments

a PD: Primary dimension.

b SD: Secondary dimension.

c Large meaning for "dress", whatever the gender (e.g. tunic).

d When one PD is chosen as PD, the second alternative PD can be selected as SD.

e Cup size: refer to the definition given in <u>3.3</u>.

 $f \qquad \mbox{Foot length is related to shoe size.}$

g Hand girth is related to hand size.

ISO 8559-2:2017(E)

Garments for:	Men		Women		Boys		Girls	
Dimensions :	PDa	SDb	PDa	SDb	PDa	SDb	PDa	SDb
Overcoats	Chest girth	Height	Bust girth	Height Waist girth Hip girth	Height	Chest girth	Height	Bust girth
Trousers/ shorts	Waist girth	Height Hip girth Inside leg length	Hip girth	Height Waist girth Inside leg length	Height	Waist girth Hip girth	Height	Waist girth Hip girth
Skirts	Waist girth	Height	Hip girth	Height Waist girth	Height	Waist girth Hip girth	Height	Waist girth Hip girth
Dresses ^c	Chest girth	Height	Bust girth	Height Hip girth Waist girth	Height	Chest girth	Height	Bust girth
Knits: cardigans, sweaters, T-shirts	Chest girth		Bust girth ndard	^{Height} PR s.iteh.:	Height E	Chest girth	Height	Bust girth
Shirts/blouses	Neck girth ^d or ^{https://stan} Chest girth ^d		Bust girth SIST ISO 85 atalog/standar dea368e/sist-	Height Neck girth Under arm length Arm length Back neck point to wrist length	Height 84-b088-4140 017	Neck girth Chest girth Under arm length Arm length Back neck point to wrist length	Height	Neck girth Bust girth Under arm length Arm length Back neck point to wrist length
Full bodies: Overalls, surf- suits, wetsuits, Bicycling gear, Full swimwear, skiwear, brace and bibs	Chest girth ^d or Waist girth ^d	Height	Bust girth	Height Waist girth Hip girth	Height	Chest girth Waist girth Hip girth	Height	Bust girth Waist girth Hip girth

Table 1 (continued)

a PD: Primary dimension.

b SD: Secondary dimension.

c Large meaning for "dress", whatever the gender (e.g. tunic).

d When one PD is chosen as PD, the second alternative PD can be selected as SD.

e Cup size: refer to the definition given in <u>3.3</u>.

f Foot length is related to shoe size.

g Hand girth is related to hand size.

ISO 8559-2:2017(E)

Garments for:	Men		Women		Boys		Girls	
Dimensions:	PDa	SDb	PDa	SDb	PDa	SDb	PDa	SDb
2. Underwear			,			,		
Undervest	Chest girth	Height	Bust girth	Height Hip girth	Height	Chest girth	Height	Bust girth
Underpants, trunk	Waist girth	Height Hip girth	Hip girth	Height Waist	Height	Waist girth	Height	Waist girth
				girth		Hip girth		Hip girth
Leggings, longjohns	Waist girth	Height	Hip girth	Height Inside leg length	Height	Waist girth	Height	Waist girth
						Hip girth		Hip girth
Nightwear	Chest girth	Height Waist girth	Bust girth	Height Waist girth	Height	Chest girth	Height	Bust girth
				Hip girth				
Swimwear (without cups)	Waist girth	Height	Bust girth	Height Hip girth	Height	Chest girth	Height	Bust girth Waist
		iTeh	STAN	DARI	PRE	Waist girth Hip girth		girth Hip girth
Swimwear (with cups)	-	_	Bust and girth and underbust girth ^e	lards.i	teh.ai)	-	Bust girth and underbust girth	
3. Corsetry (intimate apparel)		nttps://standarc		g/standards/st 368e/sist-iso-8		088-4146-8c	0C-	
Bras	Chest girth	_	Bust girth and underbust girth ^e	_	_	_	Bust girth and underbust girth	_
Corsetry upper and full body			Bust girth and underbust	Height Hip girth				
with cups)			girthe	Waist girth				
Corsetry upper and full body			Bust girth	Height Hip girth				
(without cups)				Waist girth				

 Table 1 (continued)

b SD: Secondary dimension.

Large meaning for "dress", whatever the gender (e.g. tunic). С

When one PD is chosen as PD, the second alternative PD can be selected as SD. d

е Cup size: refer to the definition given in 3.3.

f Foot length is related to shoe size.

Hand girth is related to hand size. g