# DRAFT AMENDMENT ISO 15886-3:2012/DAM 1

ISO/TC 23/SC 18

Secretariat: SII

Voting begins on: 2015-08-17

Voting terminates on:

2015-11-17

# Agricultural irrigation equipment — Sprinklers —

# Part 3:

# Characterization of distribution and test methods

## AMENDMENT 1

Matériel agricole d'irrigation — Asperseurs —

Partie 3: Caractérisation de la distribution et méthodes d'essai

AMENDEMENT 1

ICS: 65.060.35

ethodes d'essai

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.



Reference number ISO 15886-3:2012/DAM 1:2015(E) Interview of the standards of the standard of



#### COPYRIGHT PROTECTED DOCUMENT

### 

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

tents	8	Page
Forew	ord	iv
Introd	uction	iv
1	Scope	1

Helps://skandards.iteh.ail/andardstand

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to ISO 15886-3:2013 was prepared by Technical Committee ISO/TC 23, *Tractors and* 

Amendment 1 to ISO 15886-3:2013 was prepared by Technical Committee ISO/TC 23, Tractors and machinery for agriculture and forestry, Subcommittee SC 18, Prigation and drainage equipment and systems.

įν

# Introduction

Tell ST Standards tell standards tandards tandar


It of STARDARD RELIGIORATE STANDARD STA

# Agricultural irrigation equipment — Sprinklers — Part 3: Characterization of distribution and test methods

## 4 Installation of sprinklers under test

In paragraph 5, replace the sentence beginning with the words "The height of" and ending with the words "from Table 1" with the following:

"The height of the top of the sprinkler riser above the openings of the collectors shall be selected from Table 1, with a tolerance of  $\pm$  0.05 m".



#### Kev

- 1 pressure gauge
- 2 pressure tap
- D riser pipe nominal diameter

Figure 1 — Pressure tap location and construction details

Figure 1 a),  $l \ge 2,5d$  where d = 3 to 6 mm or 1/10 pipe diameter, whichever value is smaller Figure 1 b),  $l \ge 2d$ ;  $r \le d/10$ 

#### 10.3 Generating performance measurements from radial arrays

In the first paragraph, delete the last sentence beginning with the words "Wind is a factor".

Tell ST A DA Reliands tell and standards to the standards of the standards