INTERNATIONAL STANDARD

ISO 4204

Second edition 2016-10-15

Countersinks, 90°, with Morse taper shanks and detachable pilots

Outils à chanfreiner à 90°, à queue cône Morse et pilote amovible

iTeh STANDARD PREVIEW (standards.iteh.ai)



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 4204:2016 https://standards.iteh.ai/catalog/standards/sist/c39659ef-95da-4e62-b755-7f78c3ffb358/iso-4204-2016



COPYRIGHT PROTECTED DOCUMENT

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

| Con | tents | Page |
|--------|--|------|
| Forew | vord | iv |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Dimensions | 1 |
| 4 | Tolerances | 1 |
| Anne | x A (informative) Relationship between designations in this International Standard and ISO 13399 | 3 |
| Biblio | ogranhy | 4 |

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 29, Small tools, Subcommittee SC 2, Holding tools, adaptive items and interfaces.

ISO 4204:2016

This second edition cancels and replaces the first edition (ISO 4204:1977), of which it constitutes a minor revision, notably with the addition of Ahnex A. Which gives the relationship between the designations of this International Standard and the ISO 13399 series.

Countersinks, 90°, with Morse taper shanks and detachable pilots

1 Scope

This International Standard specifies the dimensions of 90° countersinks with Morse taper shanks and detachable pilots for general use.

Figure 1 is diagrammatic only and is not intended to indicate details of design.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 296, Machine tools — Self-holding tapers for tool shanks

3 Dimensions iTeh STANDARD PREVIEW

The dimensions for 90° countersinks with Morse taper shanks and detachable pilots are given in Table 1. It specifies dimensions in metric units only, these being regarded as the only recommended dimensions in the future.

ISO 4204:2016

https://standards.iteh.ai/catalog/standards/sist/c39659ef-95da-4e62-b755-


4 Tolerances

7f78c3ffb358/iso-4204-2016

The tolerances relating to the countersink, Morse taper shanks and detachable pilots are as follows:

- cutting diameter d_1 :z9;
- pilot diameter d_2 : e8;
- pilot hole diameter d_3 : H8;
- Morse taper: according to ISO 296.

ISO 4204:2016(E)



Key

1 Morse taper shank

Figure 1

Table 1

| | | | iTe | h ST | AND | ARD | PRI | | Dimen | sions in m | ıillimetres |
|-------------------------------|------|------|-------------------------|---------------------|--------------------------------|----------------------------|------------------------|----------------|----------------|----------------|-------------------------------|
| Cutting diameter d_{1} (z9) | | | i ameter (e8) | d ₃ (H8) | Set Screw d ₄ | rds.i | teh.a | l ₂ | l ₃ | l ₄ | Morse taper shank N° |
| over | to | over | to | dards iteh: | <u>ISC</u> ai/catalog/s |) 4204:201 tandards/sis | <u>6</u> t/c39659et | 195da-4e6 | 2-b755- | | 1. |
| 12,5 | 16 | 6,3 | 14 | 4 | 7f 7M3 ffb | 358/i 6 0-420 | 04- 1 (3)26 | 22 | 30 | 16 | 2 |
| 16 | 20 | 6,3 | 18 | 5 | M4 | 6 | 140 | 25 | 38 | 19 | |
| 20 | 25 | 8 | 22,4 | 6 | M5 | 7,5 | 150 | 30 | 46 | 23 | |
| 25 | 31,5 | 10 | 28 | 8 | M6 | 9,5 | 180 | 35 | 54 | 27 | 3 |
| 31.5 | 40 | 12.5 | 35.5 | 10 | M8 | 12 | 190 | 40 | 64 | 32 |] |

Annex A

(informative)

Relationship between designations in this International Standard and ISO 13399

For the relationship between the designations of this International Standard and preferred symbols according to ISO 13399, see <u>Table A.1</u>.

Table A.1 — Relationship between designations in this International Standard and ISO 13399

| Symbol in ISO 8051:1999 | Reference in ISO 8051:1999 | Property name in the ISO 13399 series | Symbol in the ISO 13399 series | Reference in the ISO 13399 series |
|-------------------------|---------------------------------|--|--------------------------------|--------------------------------------|
| d_1 | Figure 1 Table 1 | Cutting diameter | DC | 71D084653E57F |
| d_2 | Figure 1 Table 1 | Guide pilot diameter | GPD | 71ED6A7A6E6A2 |
| d_3 | Figure 1 Table 1 | Connection diameter work- piece side | DCONWS | 7272379A5F325 |
| d_5 | Figure 11 S Table 1 | Interference/curting diame- ter | EVDEINTF | 726E2FCC0EC78 |
| l_1 | Figure 1 Table 1 | Standards.Iten.: Overall length | OAL | 71D078EB7C086 |
| d ₃ H8 | Table 1 https://standards.it | Tolerande class conhection h diameter workpiece side 59 | TCDCONWS ef-95da-4e62-b755- | 727ED91B5AA66 |
| 90° | Figure 1 | 7t78c3ph358/iso-4204-2016 | SIG | 71DCCC4FEF366 |

Bibliography

- [1] ISO 4207, Counterbores with morse taper shanks and detachable pilots
- [2] ISO 4208, Detachable pilots for use with counterbores and 90 degrees countersinks Dimensions
- [3] ISO 8051:1999, Long shank taps with nominal diameters from M3 to M10 Full-diameter shank taps with recess
- [4] ISO 13399 (all parts), Cutting tool data representation and exchange

iTeh STANDARD PREVIEW (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)