



**SLOVENSKI STANDARD**  
**SIST EN IEC 62386-104:2019**

**01-oktober-2019**

---

**Digitalni naslovljivi vmesnik za razsvetljavo - 104. del: Splošne zahteve - Brezžične in nadomestne komponente žičnega sistema (IEC 62386-104:2019)**

Digital addressable lighting interface - Part 104: General requirements - Wireless and alternative wired system components (IEC 62386-104:2019)

Digital adressierbare Schnittstelle für die Beleuchtung - Teil 104: Allgemeine Anforderungen - Funk- und alternative kabelgebundene Systemkomponenten (IEC 62386-104:2019)

**(standards.iteh.ai)**

Interface adressable d'éclairage numérique - Partie 104 : Exigences générales - Composants de système à connexion alternative ou sans fil (IEC 62386-104:2019)

<https://standards.iteh.ai/catalog/standards/sist/9feb13a6-b762-426b-ba95-0806c95d9dc5/sist-en-iec-62386-104-2019>

**Ta slovenski standard je istoveten z: EN IEC 62386-104:2019**

---

**ICS:**

29.140.50	Instalacijski sistemi za razsvetljavo	Lighting installation systems
35.200	Vmesniška in povezovalna oprema	Interface and interconnection equipment

**SIST EN IEC 62386-104:2019 en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN IEC 62386-104:2019

<https://standards.iteh.ai/catalog/standards/sist/9feb13a6-b762-426b-ba95-0806c95d9dc5/sist-en-iec-62386-104-2019>

EUROPEAN STANDARD

EN IEC 62386-104

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2019

ICS 29.140.50; 29.140.99

English Version

Digital addressable lighting interface - Part 104: General requirements - Wireless and alternative wired system components  
(IEC 62386-104:2019)

Interface adressable d'éclairage numérique - Partie 104 :  
Exigences générales - Composants de système à  
connexion alternative ou sans fil  
(IEC 62386-104:2019)

Digital adressierbare Schnittstelle für die Beleuchtung - Teil  
104: Allgemeine Anforderungen - Funk- und alternative  
kabelgebundene Systemkomponenten  
(IEC 62386-104:2019)

This European Standard was approved by CENELEC on 2019-06-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

**EN IEC 62386-104:2019 (E)****European foreword**

The text of document 34/600/FDIS, future edition 1 of IEC 62386-104, prepared by SC 34C "Auxiliaries for lamps" of IEC/TC 34 "Lamps and related equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62386-104:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-03-24
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-06-24

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

**iTeh STANDARD PREVIEW**  
**Endorsement notice**  
**(standards.iteh.ai)**

The text of the International Standard IEC 62386-104:2019 was approved by CENELEC as a European Standard without any modification.

SIST EN IEC 62386-104:2019  
<https://standards.iteh.ai/catalog/standards/sist/9feb13a6-b762-426b-ba95-0806c95d9dc5/sist-en-iec-62386-104-2019>

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 62386-101	2014	Digital addressable lighting interface - Part 101: General requirements - System components	EN 62386-101	2014
+ A1	2018		+ A1	2018
IEC 62386-102	2014	Digital addressable lighting interface - Part 102: General requirements - Control gear	EN 62386-102	2014
+ A1	2018		+ A1	2018
IEC 62386-103	2014	Digital addressable lighting interface - Part 103: General requirements - Control devices	EN 62386-103	2014
+ A1	2018		+ A1	2018

[SIST EN IEC 62386-104:2019](https://standards.iteh.ai/catalog/standards/sist/9feb13a6-b762-426b-ba95-0806c95d9dc5/sist-en-iec-62386-104-2019)  
<https://standards.iteh.ai/catalog/standards/sist/9feb13a6-b762-426b-ba95-0806c95d9dc5/sist-en-iec-62386-104-2019>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN IEC 62386-104:2019](https://standards.iteh.ai/catalog/standards/sist/9feb13a6-b762-426b-ba95-0806c95d9dc5/sist-en-iec-62386-104-2019)

<https://standards.iteh.ai/catalog/standards/sist/9feb13a6-b762-426b-ba95-0806c95d9dc5/sist-en-iec-62386-104-2019>



IEC 62386-104

Edition 1.0 2019-05

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Digital addressable lighting interface –  
Part 104: General requirements – Wireless and alternative wired system  
components**

**Interface d'éclairage adressable numérique –  
Partie 104: Exigences générales – Composants de système à connexion  
alternative ou sans fil**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.140.50; 29.140.99

ISBN 978-2-8322-6959-6

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	10
2 Normative references .....	10
3 Terms and definitions .....	10
4 General .....	11
4.1 Purpose .....	11
4.2 Version number .....	12
4.3 System structure and architecture.....	12
4.4 System information flow .....	13
4.5 Command types .....	14
4.6 Telecommunication units.....	14
4.6.1 General .....	14
4.6.2 Telecommunication transmitters and receivers in telecommunication units .....	14
4.6.3 Control gear .....	15
4.6.4 Input device.....	15
4.6.5 Single master application controller.....	16
4.6.6 Multi-master application controller.....	16
4.6.7 Sharing an telecommunication interface.....	16
4.7 Power interruptions at telecommunication units.....	16
5 Electrical specification .....	17
6 Telecommunication unit power supply .....	17
7 Transmission protocol structure .....	18
7.1 General.....	18
7.1.1 Frame types .....	18
7.1.2 Transaction type .....	18
7.1.3 Source address .....	18
7.2 Control gear forward frame .....	19
7.2.1 General .....	19
7.2.2 Frame format (control gear forward frame).....	19
7.2.3 Payload (control gear forward frame).....	19
7.3 Control gear backward frame .....	19
7.3.1 General .....	19
7.3.2 Frame format (control gear backward frame) .....	20
7.3.3 Payload (control gear backward frame).....	20
7.4 Control device forward frame .....	21
7.4.1 General .....	21
7.4.2 Frame format (control device forward frame) .....	21
7.4.3 Payload (control device forward frame).....	21
7.5 Control device backward frame .....	22
7.5.1 General .....	22
7.5.2 Frame format (control device backward frame) .....	22
7.5.3 Payload (control device backward frame).....	22
7.6 32-bit forward frame.....	23
7.6.1 General .....	23



7.6.2	Frame format (32-bit forward frame) .....	23
7.6.3	Payload (32-bit forward frame).....	23
7.7	32-bit reply frame.....	24
7.7.1	General .....	24
7.7.2	Frame format (32-bit reply frame) .....	24
7.7.3	Payload (32-bit reply frame) .....	24
8	Timing .....	24
9	Method of operation.....	24
9.1	Dealing with frames and commands .....	24
9.2	Collision avoidance, collision detection and collision recovery .....	25
9.3	Transactions .....	25
9.3.1	General .....	25
9.3.2	Transactions of forward frames.....	25
9.3.3	Transactions of backward frames .....	25
9.4	Send-twice forward frames and send-twice commands .....	25
9.5	Command iteration.....	25
9.6	Usage of a shared interface .....	26
9.6.1	General .....	26
9.6.2	Backward frames .....	26
9.6.3	Forward frames .....	26
9.7	Addressing.....	26
9.8	Frame decoding and command execution.....	26
9.8.1	General .....	26
9.8.2	Decoding and execution of control gear forward frames.....	27
9.8.3	Decoding and execution of control gear backward frames.....	27
9.8.4	Decoding and execution of control device forward frames.....	27
9.8.5	Decoding of control device backward frames .....	28
9.8.6	Decoding and execution of 32-bit forward frames .....	28
9.8.7	Decoding and execution of 32-bit backward frames .....	28
9.9	System failure .....	28
10	Declaration of variables .....	28
11	Definition of commands .....	29
11.1	Additional commands for telecommunication control gear .....	29
11.2	Additional commands for telecommunication control devices .....	29
11.3	Configuration instructions .....	30
11.3.1	General .....	30
11.3.2	SET POWER ON DELAY ( <i>DTR0</i> )(telecommunication control gear only) .....	30
11.4	Queries.....	30
11.5	Special commands.....	30
11.5.1	QUERY SYSTEM ADDRESS .....	30
11.5.2	PROGRAM SYSTEM ADDRESS ( <i>data</i> ) .....	31
11.5.3	DELAY SYSTEM FAILURE ( <i>data</i> ).....	31
Annex A (informative)	Examples of telecommunication frames.....	32
A.1	Control gear forward frames.....	32
A.2	Control gear backward frames .....	33
A.3	Control device forward frames .....	34
A.4	Control device backward frames .....	35
Annex B (normative)	Underlying telecommunication protocols .....	38

B.1	General.....	38
B.2	Bluetooth® Mesh .....	38
B.2.1	Overview .....	38
B.2.2	System addresses .....	38
B.2.3	Transactions and frames .....	38
B.2.4	Hardware address .....	39
B.2.5	Receive signal strength indicator (RSSI).....	39
B.2.6	System failure.....	39
B.3	VEmesh™ .....	39
B.3.1	Overview .....	39
B.3.2	System addresses .....	39
B.3.3	Transactions and frames .....	40
B.3.4	Address allocation .....	40
B.3.5	Receive signal strength indicator (RSSI).....	40
B.3.6	System failure detection .....	40
B.4	Distributed PLC bus (DPB).....	40
B.4.1	Overview .....	40
B.4.2	System addresses .....	40
B.4.3	Transactions and frames .....	41
B.4.4	Hardware address .....	41
B.5	User datagram protocol (UDP) .....	41
B.5.1	Overview .....	41
B.5.2	UDP port number .....	41
B.5.3	Forward data packet structure .....	42
B.5.4	Backward data packet structure .....	42
B.5.5	Simple acknowledgement packet structure .....	43
B.5.6	System addresses .....	44
B.5.7	Transactions and frames .....	44
B.5.8	Hardware address .....	44
B.5.9	System failure.....	44
B.5.10	Security .....	45
Annex C (informative)	Example of address allocation.....	46
C.1	Overview.....	46
C.2	Discover all used system addresses .....	46
C.3	Allocate short addresses.....	46
Annex D (informative)	Examples of telecommunication system architectures .....	48
D.1	Single application controller .....	48
D.2	Multiple application controllers .....	48
D.3	Multiple subnets.....	49
Bibliography.....		51
Figure 1 – IEC 62386 graphical overview .....		8
Figure 2 – Telecommunication system structure example .....		13
Figure 3 – Example of communication between telecommunication units .....		14
Figure 4 – Start up timing example .....		17
Figure D.1 – Example of a telecommunication system with a single application controller and control gear .....		48
Figure D.2 – Example of an architecture with multiple application controllers .....		49

Figure D.3 – Example of an architecture with multiple subnets .....	50
Table 1 – System components .....	12
Table 2 – Transmitters and receivers in telecommunication units .....	15
Table 3 – Start-up timing .....	17
Table 4 – Power on timing .....	17
Table 5 – Telecommunication frame types .....	18
Table 6 – Control gear forward frame .....	19
Table 7 – Control gear backward frame .....	19
Table 8 – Control device forward frame .....	21
Table 9 – Control device backward frame .....	22
Table 10 – 32-bit forward frame .....	23
Table 11 – 32-bit reply frame .....	24
Table 12 – Declaration of variables .....	29
Table 13 – Additional commands for telecommunication control gear .....	29
Table 14 – Additional commands for telecommunication control devices .....	29
Table A.1 – Example of control gear forward frame .....	32
Table A.2 – Examples of control gear backward frames .....	33
Table A.3 – Example of control device forward frame .....	34
Table A.4 – Example of control device backward frame .....	35
Table A.5 – Example of control device backward frame (continued) .....	35
Table A.6 – Example of control device backward frame .....	36
Table A.7 – Example of control device backward frame (continued) .....	36
Table B.1 – UDP forward data packet .....	42
Table B.2 – UDP backward data packet .....	42
Table B.3 – ADU error codes .....	43
Table B.4 – UDP simple acknowledge packet .....	43

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**DIGITAL ADDRESSABLE LIGHTING INTERFACE –****Part 104: General requirements –  
Wireless and alternative wired system components**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC IEC62386-104 has been prepared by IEC technical committee 34: Lamps and related equipment.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
34/600/FDIS	34/611/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This Part 104 of IEC 62386 is intended to be used in conjunction with:

- Part 101, which contains general requirements for system components;
- Part 102, which contains general requirements for the relevant product type (control gear), and with the appropriate Parts 2xx (particular requirements for control gear);
- Part 103, which contains general requirements for the relevant product type (control devices), and the appropriate Parts 3xx (particular requirements for control devices).

A list of all parts in the IEC 62386 series, published under the general title: *Digital addressable lighting interface*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

(standards.iteh.ai)

[SIST EN IEC 62386-104:2019](https://standards.iteh.ai/catalog/standards/sist/9feb13a6-b762-426b-ba95-0806c95d9dc5/sist-en-iec-62386-104-2019)

<https://standards.iteh.ai/catalog/standards/sist/9feb13a6-b762-426b-ba95-0806c95d9dc5/sist-en-iec-62386-104-2019>

## INTRODUCTION


IEC 62386 contains several parts, referred to as series. The IEC 62386-1xx series includes the basic specifications. Part 101 contains general requirements for system components, Part 102 extends this information with general requirements for control gear and Part 103 extends it further with general requirements for control devices.

The IEC 62386-2xx series extends the general requirements for control gear with lamp specific extensions (mainly for backward compatibility with Edition 1 of IEC 62386) and with control gear specific features.

The IEC 62386-3xx series extends the general requirements for control devices with input device specific extensions describing the instance types as well as some common features that can be combined with multiple instance types.

This first edition of IEC 62386-104 is intended to be used in conjunction with IEC 62386-101, IEC 62386-102 and the various parts that make up the IEC 62386-2xx series for control gear, and with IEC 62386-103 and the various parts that make up the IEC 62386-3xx series of particular requirements for control devices. The division into separately published parts provides for ease of future amendments and revisions. Additional requirements will be added as and when a need for them is recognised.

The setup of the standards is graphically represented in Figure 1.



**Figure 1 – IEC 62386 graphical overview**

When this part of IEC 62386 refers to any of the clauses of the other parts of the IEC 62386-1xx series, the extent to which such a clause is applicable and the order in which the tests are to be performed are specified. The other parts also include additional requirements, as necessary.

All numbers used in this document are decimal numbers unless otherwise noted. Hexadecimal numbers are given in the format 0xVV, where VV is the value. Binary numbers are given in the format XXXXXXXXb or in the format XXXX XXXX, where X is 0 or 1; "x" in binary numbers means "don't care".

The following typographic expressions are used:

Variables: “*variableName*” or “*variableName[3:0]*”, giving only bits 3 to 0 of “*variableName*”.

Range of values: [lowest, highest]

Command: “COMMAND NAME”

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN IEC 62386-104:2019](https://standards.iteh.ai/catalog/standards/sist/9feb13a6-b762-426b-ba95-0806c95d9dc5/sist-en-iec-62386-104-2019)

<https://standards.iteh.ai/catalog/standards/sist/9feb13a6-b762-426b-ba95-0806c95d9dc5/sist-en-iec-62386-104-2019>