



SLOVENSKI STANDARD
SIST EN ISO 19901-9:2019

01-november-2019

Industrija za predelavo nafte in zemeljskega plina - Posebne zahteve za naftne ploščadi - 9. del: Celovitost storitev upravljanja (ISO 19901-9:2019)

Petroleum and natural gas industries - Specific requirements for offshore structures - Part 9: Structural integrity management (ISO 19901-9:2019)

Erdöl- und Erdgasindustrie - Spezielle Anforderungen für Offshore-Anlagen - Teil 9: Integritätsmanagement für Konstruktionen (ISO 19901-9:2019)

Industries du pétrole et du gaz naturel - Exigences spécifiques relatives aux structures en mer - Partie 9: Gestion de l'intégrité structurelle (ISO 19901-9:2019)

<https://standards.iteh.ai/catalog/standards/sist/4110b2a3-6eee-4812-8531-9ed6f539acd/sist-en-iso-19901-9:2019>

Ta slovenski standard je istoveten z: EN ISO 19901-9:2019

ICS:

75.180.10	Oprema za raziskovanje, vrtanje in odkopavanje	Exploratory, drilling and extraction equipment
-----------	--	--

SIST EN ISO 19901-9:2019

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19901-9:2019

<https://standards.iteh.ai/catalog/standards/sist/4110b2a3-6eee-4812-8531-aedafe539ecd/sist-en-iso-19901-9-2019>

EUROPEAN STANDARD

EN ISO 19901-9

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2019

ICS 75.180.10

English Version

Petroleum and natural gas industries - Specific requirements for offshore structures - Part 9: Structural integrity management (ISO 19901-9:2019)

Industries du pétrole et du gaz naturel - Exigences spécifiques relatives aux structures en mer - Partie 9: Gestion de l'intégrité structurelle (ISO 19901-9:2019)

Erdöl- und Erdgasindustrie - Spezielle Anforderungen für Offshore-Anlagen - Teil 9: Integritätsmanagement für Konstruktionen (ISO 19901-9:2019)

This European Standard was approved by CEN on 8 June 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

iTeh STANDARD PREVIEW

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 19901-9:2019](https://standards.iteh.ai/catalog/standards/sist/4110b2a3-6eee-4812-8531-aedafe539ecd/sist-en-iso-19901-9-2019)
<https://standards.iteh.ai/catalog/standards/sist/4110b2a3-6eee-4812-8531-aedafe539ecd/sist-en-iso-19901-9-2019>

European foreword

This document (EN ISO 19901-9:2019) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2020, and conflicting national standards shall be withdrawn at the latest by March 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW Endorsement notice (standards.iteh.ai)

The text of ISO 19901-9:2019 has been approved by CEN as EN ISO 19901-9:2019 without any modification.

[SIST EN ISO 19901-9:2019](https://standards.iteh.ai/catalog/standards/sist/4110b2a3-6eee-4812-8531-aedafe539ecd/sist-en-iso-19901-9-2019)

<https://standards.iteh.ai/catalog/standards/sist/4110b2a3-6eee-4812-8531-aedafe539ecd/sist-en-iso-19901-9-2019>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19901-9:2019

<https://standards.iteh.ai/catalog/standards/sist/4110b2a3-6eee-4812-8531-aedafe539ecd/sist-en-iso-19901-9-2019>

INTERNATIONAL
STANDARD

ISO
19901-9

First edition
2019-07

**Petroleum and natural gas
industries — Specific requirements
for offshore structures —**

**Part 9:
Structural integrity management**

iTeh STANDARD PREVIEW
*Industries du pétrole et du gaz naturel — Exigences spécifiques
relatives aux structures en mer —*
(standards.iteh.ai)
Partie 9: Gestion de l'intégrité structurelle

[SIST EN ISO 19901-9:2019](https://standards.iteh.ai/catalog/standards/sist/4110b2a3-6eee-4812-8531-aedafe539ecd/sist-en-iso-19901-9-2019)

<https://standards.iteh.ai/catalog/standards/sist/4110b2a3-6eee-4812-8531-aedafe539ecd/sist-en-iso-19901-9-2019>



Reference number
ISO 19901-9:2019(E)

© ISO 2019

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 19901-9:2019

<https://standards.iteh.ai/catalog/standards/sist/4110b2a3-6eee-4812-8531-aedafe539ecd/sist-en-iso-19901-9-2019>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	vi
Introduction.....	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols	4
5 Abbreviated terms	5
6 SIM fundamentals	6
6.1 General.....	6
6.2 Limit states and performance levels.....	6
6.3 Fitness-for-service assessment.....	6
6.4 Management framework.....	7
6.5 Design.....	8
6.6 Topsides.....	9
6.7 Continued service.....	9
6.8 Structural integrity interfaces.....	9
7 SIM process	9
8 SIM data	10
8.1 General.....	10
8.2 Missing data.....	11
8.3 Data management.....	11
9 SIM evaluation	12
9.1 General.....	12
9.2 Data evaluation.....	12
9.3 Hazards, hazardous events and degradation mechanisms.....	12
9.4 Critical structure (CS).....	12
9.5 Risk.....	12
9.5.1 General.....	12
9.5.2 Consequence.....	13
9.5.3 Likelihood.....	13
9.5.4 Risk presentation.....	13
9.6 Demonstrating fitness-for-service.....	13
9.7 Assessment.....	14
9.7.1 General.....	14
9.7.2 Assessment motive.....	14
9.7.3 Assessment initiators.....	15
9.8 Mitigation measures.....	15
9.8.1 General.....	15
9.8.2 Consequence reduction.....	16
9.8.3 Likelihood reduction.....	16
10 SIM strategy	16
10.1 General.....	16
10.2 Inspection strategy.....	17
10.2.1 General.....	17
10.2.2 Inspection motives.....	18
10.2.3 Inspection type.....	18
10.2.4 Inspection method.....	18
10.2.5 Inspection interval.....	18
10.2.6 Inspection scope.....	20
10.2.7 Pre-selected inspection areas.....	20

ISO 19901-9:2019(E)

10.3	Maintenance strategy.....	21
10.4	Monitoring strategy.....	21
10.4.1	General.....	21
10.4.2	Weight and centre of gravity (CoG) monitoring.....	22
10.4.3	Deck elevation monitoring.....	22
10.4.4	Natural frequency monitoring.....	22
10.4.5	Corrosion protection monitoring.....	22
10.4.6	Metocean monitoring.....	22
10.5	Evacuation strategy.....	22
10.6	Marine site investigations.....	23
11	SIM Program.....	23
11.1	General.....	23
11.2	Inspection program.....	23
11.2.1	General.....	23
11.2.2	Specifications.....	23
11.2.3	Inspection method.....	24
11.3	Maintenance program.....	25
11.4	Monitoring program.....	25
12	Assessment.....	26
12.1	General.....	26
12.2	Assessment information.....	26
12.3	Assessment method.....	26
12.3.1	General.....	26
12.3.2	Qualitative method.....	27
12.3.3	Semi-quantitative method.....	28
12.3.4	Quantitative methods.....	29
12.3.5	Fatigue analysis.....	31
12.4	Assessment model.....	31
12.4.1	General.....	31
12.4.2	Tubular members.....	31
12.4.3	Connections.....	32
12.4.4	Conductors.....	32
12.4.5	Damage.....	32
12.4.6	Repaired and strengthened elements.....	33
12.4.7	Foundation model.....	33
12.4.8	Material strength.....	34
12.5	Assessment for gravity hazard.....	34
12.5.1	General.....	34
12.5.2	Design level method (DLM).....	35
12.5.3	Ultimate strength method (USM).....	35
12.6	Assessment for metocean hazard.....	35
12.6.1	General.....	35
12.6.2	Metocean criteria.....	35
12.6.3	Crest elevation.....	35
12.6.4	Metocean action combinations — Jacket.....	36
12.6.5	Metocean action combinations — Deck.....	36
12.6.6	Directionality of metocean hazards.....	36
12.6.7	Design level method (DLM).....	37
12.6.8	Linear-elastic redundancy method.....	37
12.6.9	Ultimate strength method (USM).....	37
12.7	Assessment for seismic hazard.....	38
12.7.1	General.....	38
12.7.2	Seismic criteria.....	38
12.7.3	Seismic action combinations.....	38
12.7.4	Directionality of seismic hazards.....	39
12.7.5	Design level method (DLM).....	39
12.7.6	Ultimate strength method (USM).....	40

12.8	Assessment for collision hazard	40
12.8.1	General	40
12.8.2	Collision zone	41
12.8.3	Collision criteria	41
12.8.4	Directionality of collision hazards	41
12.8.5	Collision assessment method	41
12.9	Assessment for ice hazard	41
12.10	Assessment for explosion hazard	42
12.11	Assessment for fire hazard	42
13	Reuse	42
13.1	General	42
13.2	Fatigue in reused structures	42
13.3	Steel in reused structures	42
13.4	Inspection of reused structures	43
13.4.1	General	43
13.4.2	Initial condition assessment of structural members and connections	43
13.4.3	Extent of weld inspection	43
13.4.4	Corrosion protection systems	44
13.5	Removal and reinstallation	44
14	Decommissioning and removal	44
14.1	General	44
14.2	Decommissioning process	44
14.3	Pre-decommissioning data gathering	44
14.4	Planning and engineering	44
14.5	Well decommissioning	45
14.6	Facilities decommissioning	45
14.7	Pipeline decommissioning	45
14.8	Conductor removal	45
14.9	Structure removal	45
14.10	Site clearance	45
	Annex A (informative) Additional information and guidance	46
	Bibliography	141

ISO 19901-9:2019(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 7, *Offshore structures*.

A list of all parts in the ISO 19901 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Structural integrity management (SIM) is the implementation of engineering, inspection, maintenance, monitoring and remediation activities required to demonstrate the fitness-for-service of a structure for its intended application throughout its total service life and prevent/mitigate severe or catastrophic health, safety, environmental, or structural events. The SIM process provides a proactive approach to monitor, evaluate and assess structural condition and establish a procedure to validate the fitness-for-service of an offshore structure.

The purpose of SIM is to provide a process for demonstrating the integrity of the structure throughout its intended total service life. Approaches to dealing with SIM vary depending upon field life, the type of structure and the sophistication of regional infrastructure where the structure is located. In turn, these factors can influence the philosophical approach to the specification of SIM which can vary from one involving emphasis on the use of monitoring equipment to one with a preference for the extensive use of inspections. Additionally, design decisions on safety factors, design margins, corrosion protection, component redundancy and system reliabilities will influence the SIM strategy and program.

SIM process choices are made in the design (e.g. selection of materials, condition monitoring systems, new or proven technology, robustness of design, redundancy, and fabrication/installation methods) that will influence SIM activities during the operations phase. Implementation of a SIM process can benefit significantly from design decisions, such as providing access for inspection and maintenance.

A SIM process is used to develop an inspection scope, program and frequency that, when executed, provides information on the condition of the structure, which can be used to understand present and emerging risk from operating the topsides, and provide information for determining the ongoing strategy for mitigating that risk. A well-implemented SIM process will maintain the structure's fitness-for-service for the operational life of the platform and through the decommissioning process.

Initial SIM development begins early as part of the structure's new design or reuse, ideally during the structure's concept and select stages. Most of the initial SIM data, strategies and program philosophies will be generated during the design by the project team and ultimately handed over to the structure's operating team. Once commissioned, the effective operation of the structure is contingent on the provided SIM philosophy and design documentation from the project team. These deliverables (e.g. design documents, drawings, computer models) are most useful to the operating team when they are complete, up-to-date (i.e. reflect as commissioned installation), organized, in a usable format and readily accessible. To provide sustainable SIM, the project team and operating team work collaboratively during the project in defining the necessary SIM deliverables.

The platform operating team is responsible for validating that the design data are comprehensive and complete. In addition, the operating team is responsible for demonstrating that the SIM strategies conform to the operator's risk criteria, regional regulations and that the SIM strategies are workable based on location infrastructure and capabilities. National and regional regulations can require SIM documentation in a form suitable for verification or for review by a regulator.

ISO 19904-1^[5] is applicable to the integrity management (IM) of hull, moorings and marine systems of existing floating offshore structures. However, this document is applicable to the structural integrity management of the topsides structural components of floating facilities.

ISO 19905-1^[6] is applicable to the IM of the legs, primary hull structure, spudcans, jacking-systems and marine systems of existing mobile jack-up offshore structures and for setting the limit states. However, this document is applicable to the structural integrity management of permanently located jack-ups.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19901-9:2019

<https://standards.iteh.ai/catalog/standards/sist/4110b2a3-6eee-4812-8531-aedafe539ecd/sist-en-iso-19901-9-2019>

Petroleum and natural gas industries — Specific requirements for offshore structures —

Part 9: Structural integrity management

1 Scope

This document specifies principles for the structural integrity management (SIM) of offshore structures subjected to known or foreseeable types of actions.

This document specifies requirements and provides recommendations applicable to the following types of fixed steel offshore structures for the petroleum and natural gas industries:

- caissons, free-standing and braced;
- jackets;
- monotowers;
- towers.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

This document is applicable to topsides, including but not limited to the main decks, deck legs, topsides modules, crane pedestals, helideck, drilling derrick, skid beams, flare booms, exhaust towers, radio tower, conductor support frames, and lifeboat davits. In addition, it is applicable to compliant bottom founded structures, steel gravity structures, jack-ups, other bottom founded structures and other structures related to offshore structures (e.g. underwater oil storage tanks, bridges and connecting structures), to the extent to which its requirements are relevant.

This document contains requirements for planning and engineering of the following tasks:

- a) integrity management data requirements;
- b) in-service inspection and integrity management of both new and existing structures;
- c) assessment of existing structures;
- d) evaluation of structures for reuse at different locations;
- e) evaluation of structures for their future removal.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19900, *Petroleum and natural gas industries — General requirements for offshore structures*

ISO 19901-1, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 1: Metocean design and operating considerations*

ISO 19901-2, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 2: Seismic design procedures and criteria*