



# SLOVENSKI STANDARD SIST EN IEC 60947-3:2021

01-maj-2021

Nadomešča:

SIST EN 60947-3:2009

SIST EN 60947-3:2009/A1:2012

SIST EN 60947-3:2009/A2:2016

---

**Nizkonapetostne stikalne in krmilne naprave - 3. del: Stikala, ločilniki, ločilna stikala in stikalni aparati z varovalkami (IEC 60947-3:2020)**

Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units (IEC 60947-3:2020)

Niederspannungsschaltgeräte - Teil 3: Lastschalter, Trennschalter, Lasttrennschalter und Schalter-Sicherungs-Einheiten (IEC 60947-3:2020)

Appareillage à basse tension - Partie 3: Interrupteurs, sectionneurs, interrupteurs-sectionneurs et combinés-fusibles (IEC 60947-3:2020)

**Ta slovenski standard je istoveten z: EN IEC 60947-3:2021**

---

**ICS:**

29.130.20	Nizkonapetostne stikalne in krmilne naprave	Low voltage switchgear and controlgear
-----------	---	--

**SIST EN IEC 60947-3:2021**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN IEC 60947-3:2021

<https://standards.iteh.ai/catalog/standards/sist/5670592c-5b61-4321-bbc2-2b109136243d/sist-en-iec-60947-3-2021>

EUROPEAN STANDARD

EN IEC 60947-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2021

ICS 29.120.40; 29.130.20

Supersedes EN 60947-3:2009 and all of its amendments  
and corrigenda (if any)

English Version

Low-voltage switchgear and controlgear - Part 3: Switches,  
disconnectors, switch-disconnectors and fuse-combination units  
(IEC 60947-3:2020)

Appareillage à basse tension - Partie 3: Interrupteurs,  
sectionneurs, interrupteurs-sectionneurs et combinés-  
fusibles  
(IEC 60947-3:2020)

Niederspannungsschaltgeräte - Teil 3: Lastschalter,  
Trennschalter, Lasttrennschalter und Schalter-Sicherungs-  
Einheiten  
(IEC 60947-3:2020)

This European Standard was approved by CENELEC on 2020-05-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

[SIST EN IEC 60947-3:2021](https://standards.iteh.ai/catalog/standards/sist/5670592c-5b61-4321-bbc2-2020-000000000000)

[https://standards.iteh.ai/catalog/standards/sist/5670592c-5b61-4321-bbc2-](https://standards.iteh.ai/catalog/standards/sist/5670592c-5b61-4321-bbc2-2020-000000000000)

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

**EN IEC 60947-3:2021 (E)****European foreword**

The text of document 121A/340/FDIS, future edition 4 of IEC 60947-3, prepared by SC 121A “Low-voltage switchgear and controlgear” of IEC/TC 121 “Switchgear and controlgear and their assemblies for low voltage” was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60947-3:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2021–08-19 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2024–02-19 document have to be withdrawn

This document supersedes EN 60947-3:2009 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annexes ZZA and ZZB, which is an integral part of this document.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

**Endorsement notice**

<https://standards.iteh.ai/catalog/standards/sist/5670592c-5b61-4321-bbc2-2b109136243d/sist-en-iec-60947-3-2021>

The text of the International Standard IEC 60947-3:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60364-5-52	NOTE	Harmonized as HD 60364-5-52
IEC 60447:2004	NOTE	Harmonized as EN 60447:2004 (not modified)
IEC 60664-1:2007	NOTE	Harmonized as EN 60664-1:2007 (not modified)
IEC 60898-1:2015	NOTE	Harmonized as EN 60898-1:2019
IEC 60947-2:2016	NOTE	Harmonized as EN 60947-2:2017 (not modified)
IEC 60947-4-1:2018	NOTE	Harmonized as EN IEC 60947-4-1:2019 (not modified)

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

Publication	Year	Title	EN/HD	Year
IEC 60050-441	-	Electrotechnical Vocabulary – Switchgear, controlgear and fuses	-	-
IEC 60034-12	2016	Rotating electrical machines - Part 12: Starting performance of single-speed three-phase cage induction motors	EN 60034-12	2017
IEC 60034-30-1	2014	Rotating electrical machines - Part 30-1: Efficiency classes of line operated AC motors (IE code)	EN 60034-30-1	2014
IEC 60068-2-14	2009	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	2009
IEC 60228	2004	Conductors of insulated cables	EN 60228 +AC	2005 2005
IEC 60269	(all parts)	Low-voltage fuses	EN 60269	(series)
IEC 60417	-	Graphical symbols for use on equipment	-	-
IEC 60695-2-11	2014	Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end products (GWEPT)	EN 60695-2-11	2014
IEC 60947-1	2020	Low-voltage switchgear and controlgear - Part 1: General rules	EN IEC 60947-1	2021
IEC 60947-5-1 + CORR 1	2016 2016	Low-voltage switchgear and controlgear - Part 5-1: Control circuit devices and switching elements - Electromechanical control circuit devices	EN 60947-5-1	2017
IEC 61000-4-2	2008	Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test	EN 61000-4-2	2009
IEC 61000-4-3 +A1 +A2	2006 2007 2010	, Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test	EN 61000-4-3 +A1 +A2	2006 2008 2010

## EN IEC 60947-3:2021 (E)

Publication	Year	Title	EN/HD	Year
IEC 61000-4-4	2012	Electromagnetic compatibility (EMC) – Part 4–4: Testing and measurement techniques – Electrical fast transient/burst immunity test	EN 61000-4-4	2012
IEC 61000-4-5	2014	Electromagnetic compatibility (EMC) – Part 4–5: Testing and measurement techniques	EN 61000-4-5	2014
+A1	2017	– Surge immunity test	+A1	2017
IEC 61000-4-6	2013	Electromagnetic compatibility (EMC) – Part 4–6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields	EN 61000-4-6 +AC1	2014 2015
IEC 61238-1-1	-	Compression and mechanical connectors for power cables - Part 1–1: Test methods and requirements for compression and mechanical connectors for power cables for rated voltages up to 1 kV (Um = 1,2 kV) tested on non-insulated conductors	EN IEC 61238-1-1	2019
IEC 61545	1996	Connecting devices - Devices for the connection of aluminium conductors in clamping units of any material and copper conductors in aluminium bodied clamping units	-	-
IEC 62208	2011	Empty enclosures for low-voltage switchgear and controlgear assemblies - General requirements	EN 62208	2011
IEC 62475	2010	High-current test techniques - Definitions and requirements for test currents and measuring systems	EN 62475	2010
ISO 2859-1	1999	Sampling procedures for inspection by attributes - Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection	-	-
+A1	2011			
CISPR 11	2015	Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement	EN 55011 (modified)	2016
+A1	2016		+A1	2017
CISPR 32	2015	Electromagnetic compatibility of multimedia equipment - Emission requirements	EN 55032 +AC	2015 2016

## Annex ZZA (informative)

### Relationship between this European standard and the essential requirements of Directive 2014/30/EU [2014 OJ L96] aimed to be covered

This European standard has been prepared under the European Commission standardization request C(2016) 7641 final of 30.11.2016<sup>1</sup>, ('M/552'), as regards harmonized standards in support of Directive 2014/30/EU relating to electromagnetic compatibility, to provide one voluntary means of conforming to essential requirements of Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonization of the laws of the Member States relating to electromagnetic compatibility [2014 OJ L96].

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

**Table ZZA.1 — Correspondence between this European standard and the Essential Requirements set out in Directive 2014/30/EU [2014 OJ L96]**

Essential requirements of Directive 2014/30/EU	Clause(s) / sub-clause(s) of this EN	Remarks / Notes
Annex I. 1(a) (electromagnetic disturbances)	8.3.3, 9.4.3, D.9.4	
Annex I. 1(b) (electromagnetic immunity)	8.3.2, 9.4.2, D.9.4	

**WARNING 1:** Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

**WARNING 2:** Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

<sup>1</sup> COMMISSION IMPLEMENTING DECISION C(2016) 7641 final of 30.11.2016 on a standardisation request to the European Committee for Standardisation, to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards harmonised standards in support of Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility.

## Annex ZZB (informative)

### Relationship between this European standard and the safety objectives of Directive 2014/35/EU [2014 OJ L96] aimed to be covered

This European standard has been prepared under a Commission's standardization request relating to harmonized standards in the field of the Low Voltage Directive, M/511, to provide one voluntary means of conforming to safety objectives of Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonization of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits [2014 OJ L96].

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZZB.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding safety objectives of that Directive, and associated EFTA regulations.

**Table ZZB.1 — Correspondence between this European standard and Annex I of Directive 2014/35/EU [2014 OJ L96]**

Safety objectives of Directive 2014/35/EU	Clause(s) / sub-clause(s) of this EN	Remarks/note
1 a)	1, 2, 3, 6.2, 6.3, Annex D, Annex E	
1 b)	1, 2, 3, 6.2, 6.3, Annex C, Annex D, Annex E	
1 c)	1, 2, 3, 5, 6, 7, A.1, A.2, C.1, D.1, D.2, E.1, E.6.3	Also refer to 2 a) to 2 d) and 3 a) to 3 c) in this table
2 a)	1, 2, 3, 8.1, 8.2, 9.1, 9.3, 9.5, Annex A, Annex C, Annex D	
2 b)	1, 2, 3, 5, 8.1, 8.2.2, 9.3, Annex A, Annex C, Annex D, Annex E	
2 c)	1, 2, 3, 6, 8.1, 8.2, 8.3, 9.1, 9.2, 9.3, Annex A, Annex C, Annex D, Annex E	
2 d)	1, 2, 3, 4.3, 5, 6.2, 6.3, 8.1, 8.2, 9.1, 9.2, 9.3, 9.5, Annex A, Annex C, Annex D, Annex E	
3 a)	1, 2, 3, 5, 6, 8.2, 8.3, 9.1, 9.2, 9.3, 9.5, Annex A, Annex C, Annex D, Annex E	
3 b)	1, 2, 3, 6.2, 6.3, 7, Annex D	
3 c)	1, 2, 3, 6.3, 8.3, 9.3, Annex D, Annex E	

**WARNING 1:** Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

**WARNING 2:** Other Union legislation may be applicable to the product(s) falling within the scope of this standard.





IEC 60947-3

Edition 4.0 2020-04

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Low-voltage switchgear and controlgear –  
Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination  
units**

**Appareillage à basse tension –  
Partie 3: Interrupteurs, sectionneurs, interrupteurs-sectionneurs et combinés-  
fusibles**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.120.40; 29.130.20

ISBN 978-2-8322-8153-6

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD .....	7
INTRODUCTION .....	9
1 Scope .....	10
2 Normative references .....	11
3 Terms, definitions and index of terms .....	12
3.1 General .....	12
3.2 Alphabetical index of terms .....	12
3.3 General terms .....	13
4 Classification .....	15
4.1 According to the utilization category .....	15
4.2 According to the method of operation .....	15
4.2.1 Manually operated equipment .....	15
4.2.2 Remotely operated equipment .....	15
4.3 According to suitability for isolation .....	16
4.4 According to the degree of protection provided .....	16
4.5 Summary of symbols for equipment types .....	16
5 Characteristics .....	16
5.1 Summary of characteristics .....	16
5.2 Type of equipment .....	17
5.3 Rated and limiting values for the main circuit .....	17
5.3.1 General .....	17
5.3.2 Rated voltages .....	17
5.3.3 Currents .....	17
5.3.4 Rated frequency .....	17
5.3.5 Rated duty .....	18
5.3.6 Normal load and overload characteristics .....	18
5.3.7 Short-circuit characteristics .....	18
5.4 Utilization category .....	19
5.5 Control circuits .....	20
5.6 Auxiliary circuits .....	20
5.7 Relays and releases .....	20
5.8 Co-ordination with short-circuit protective devices (SCPD) .....	20
6 Product information .....	20
6.1 Nature of information .....	20
6.2 Marking .....	20
6.3 Instructions for installation, operation and maintenance, decommissioning and dismantling .....	22
7 Normal service, mounting and transport conditions .....	22
8 Constructional and performance requirements .....	22
8.1 Constructional requirements .....	22
8.1.1 General .....	22
8.2 Performance requirements .....	23
8.2.1 Operating conditions .....	23
8.2.2 Temperature-rise .....	24
8.2.3 Dielectric properties .....	24

8.2.4	Ability to make and break under no-load, normal load and overload conditions.....	24
8.2.5	Ability to make, break or withstand short-circuit currents .....	27
8.2.6	Void.....	27
8.2.7	Additional performance requirements for equipment suitable for isolation.....	27
8.2.8	Critical load current performance: DC equipment.....	27
8.2.9	Overload requirements for equipment incorporating fuses.....	27
8.3	Electromagnetic compatibility (EMC).....	27
8.3.1	General .....	27
8.3.2	Immunity.....	27
8.3.3	Emission.....	28
9	Tests .....	29
9.1	Kinds of test.....	29
9.1.1	General .....	29
9.1.2	Type tests.....	29
9.1.3	Routine tests .....	29
9.1.4	Sampling tests.....	30
9.1.5	Special tests.....	30
9.2	Compliance with constructional requirements.....	30
9.2.1	General .....	30
9.3	Performance .....	31
9.3.1	General .....	31
9.3.2	Test sequences .....	31
9.3.3	General test conditions.....	32
9.3.4	Test sequence I: general performance characteristics .....	35
9.3.5	Test sequence II: operational performance capability .....	39
9.3.6	Test sequence III: short-circuit performance capability.....	41
9.3.7	Test sequence IV: conditional short-circuit current.....	45
9.3.8	Test sequence V: overload performance capability .....	48
9.3.9	Test sequence VI: critical load current performance of equipment with a DC rating .....	49
9.4	Electromagnetic compatibility tests .....	51
9.4.1	General .....	51
9.4.2	Immunity.....	52
9.4.3	Emission.....	52
9.5	Special tests .....	52
9.5.1	Mechanical and electrical durability .....	52
9.5.2	Mechanical durability .....	52
9.5.3	Electrical durability .....	52
9.5.4	Damp heat, salt mist, vibration and shock.....	53
Annex A (normative)	Equipment for direct switching of a single motor.....	54
A.1	General.....	54
A.2	Rated.....	54
A.2.1	Intermittent periodic duty or intermittent duty .....	54
A.2.2	Temporary duty .....	54
A.3	Making and breaking capacities .....	54
A.4	Utilization category .....	54
A.5	Operational performance .....	57

A.6	Mechanical durability .....	58
A.7	Electrical durability .....	58
A.8	Verification of making and breaking capacities .....	58
A.9	Operational performance test .....	58
A.10	Special tests .....	58
A.10.1	General .....	58
A.10.2	Mechanical durability test .....	59
A.10.3	Electrical durability test .....	59
A.11	Critical load current performance for DC equipment .....	60
Annex B (informative)	Items subject to agreement between manufacturer and user .....	61
Annex C (normative)	Single pole operated three-pole switches .....	62
C.1	General .....	62
C.2	Tests .....	63
C.3	Test set-up and sequence .....	63
C.3.1	Making and breaking capacities (9.3.4.4) and operational performance (9.3.5.2) .....	63
C.3.2	Fuse protected short-circuit test (9.3.7.3) .....	63
C.4	Condition of equipment after tests .....	63
C.5	Instructions for use .....	63
Annex D (normative)	Switches, disconnectors, switch-disconnectors and fuse-combination units for use in photovoltaic (PV) DC applications .....	64
D.1	General .....	64
D.1.1	Background .....	64
D.1.2	Object .....	64
D.2	Normative references .....	64
D.3	Terms and definitions .....	64
D.4	Classification .....	65
D.4.1	According to the utilization category .....	65
D.5	Characteristics .....	65
D.6	Product information .....	66
D.7	Normal service, mounting and transport conditions .....	66
D.8	Constructional and performance requirements .....	66
D.9	Tests .....	70
Annex E (normative)	Additional requirements for LV switchgear intended for connection of aluminium conductors .....	76
E.1	Object .....	76
E.2	Normative references .....	76
E.3	Terms, definitions and index of terms .....	76
E.4	Classification .....	77
E.5	Characteristics .....	77
E.6	Product information .....	77
E.6.1	Nature of information .....	77
E.6.2	Marking .....	77
E.6.3	Instructions for installation, operation and maintenance, decommissioning and dismantling .....	77
E.7	Normal service, mounting and transport conditions .....	78
E.8	Constructional and performance requirements .....	78
E.9	Tests .....	78
E.9.1	General .....	78

E.9.2	Current cycling test.....	79
E.9.3	Mechanical properties of terminals .....	84
E.9.4	Test for insertability of unprepared round aluminium conductors having the maximum cross-section .....	85
Annex F (informative)	Power loss.....	88
F.1	General.....	88
F.2	Test methods .....	88
F.2.1	General .....	88
F.2.2	General case for AC switches and/or disconnectors .....	88
F.2.3	General case for AC fused combination units and fuse disconnectors.....	88
F.2.4	Switches and/or disconnectors of rated current not exceeding 400 A.....	89
F.2.5	Fused combination units and fuse disconnectors of rated current not exceeding 400 A.....	89
F.3	Test procedure.....	90
Bibliography	.....	93
Figure C.1	– Typical arrangements .....	62
Figure E.1	– General test arrangement .....	80
Figure E.2	– Mounting of terminals for the current cycling test .....	80
Figure F.1	– Example of power loss measurement according to F.2.2 .....	90
Figure F.2	– Example of power loss measurement according to F.2.3 .....	91
Figure F.3	– Example of power loss measurement according to F.2.4 .....	91
Figure F.4	– Example of power loss measurement according to F.2.5 .....	92
Table 1	– Summary of equipment definitions.....	16
Table 2	– Utilization categories .....	19
Table 3	– Product information .....	21
Table 4	– Verification of rated making and breaking capacities (see 9.3.4.4) – Conditions for making and breaking corresponding to the various utilization cycles .....	25
Table 5	– Verification of operational performance – Number of operating cycles corresponding to the rated operational current.....	26
Table 6	– Test circuit parameters for Table 5 .....	26
Table 7	– Immunity tests .....	28
Table 8	– Emission limits .....	28
Table 9	– List of type tests applicable to a given equipment.....	31
Table 10	– Overall scheme of test sequences .....	32
Table 11	– Test sequence I: general performance characteristics .....	36
Table 12	– Temperature-rise limits for terminals and accessible parts.....	39
Table 13	– Test sequence II: operational performance capability .....	40
Table 14	– Test sequence III: short-circuit performance capability .....	42
Table 15	– Test sequence IV: conditional short-circuit current – circuit-breaker protected .....	46
Table 16	– Test sequence IV: conditional short-circuit current – fuse protected .....	47
Table 17	– Test sequence V: overload performance capability .....	49
Table 18	– Number of operating cycles corresponding to the critical load current.....	51
Table 19	– Test circuit parameters for Table 18 .....	51

Table 20 – Test sequence VI: critical load current performance of equipment with a DC rating .....	51
Table A.1 – Utilization categories.....	55
Table A.2 – Rated making and breaking capacity conditions corresponding to several utilization categories .....	56
Table A.3 – Relationship between current broken $I_C$ and off-time for the verification of the rated making and breaking capacities .....	57
Table A.4 – Operational performance – Conditions for making and breaking corresponding to several utilization categories.....	57
Table A.5 – Verification of the number of on-load operating cycles – Conditions for making and breaking corresponding to several utilization categories.....	60
Table D.1 – Utilization categories .....	65
Table D.2 – Service arrangements .....	66
Table D.3 – Environmental conditions .....	66
Table D.4 – Rated impulse withstand levels for PV switches, PV disconnectors, PV switch-disconnectors or PV fuse-combination units .....	67
Table D.5 – Verification of rated making and breaking capacities (see 9.3.4.4) – Conditions for making and breaking corresponding to the DC-PV category .....	68
Table D.6 – Number of operating cycles .....	69
Table D.7 – Test circuit parameters for Table D.6 .....	69
Table D.8 – Overall scheme of test sequences .....	71
Table D.9 – Number of operating cycles corresponding to the critical load current .....	73
Table D.10 – Test circuit parameters for Table D.9 .....	73
Table E.1 – List of tests for terminal connections with aluminium cables .....	78
Table E.2 – Conductor length for current cycling test as per conductor cross-section.....	81
Table E.3 – Equalizer dimensions.....	81
Table E.4 – Starting test current for the current cycling test.....	83
Table E.5 – Example of stability factor calculation .....	84
Table E.6 – Test values for flexion and pull-out test for cables.....	85
Table E.7 – Test aluminium cable for test currents up to 800 A .....	86
Table E.8 – Test aluminium bars for test currents above 150 A and up to 3 150 A .....	87

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –****Part 3: Switches, disconnectors, switch-disconnectors  
and fuse-combination units**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60947-3 has been prepared by subcommittee 121A: Low-voltage switchgear and controlgear, of IEC technical committee 121: Switchgear and controlgear and their assemblies for low voltage.

This fourth edition cancels and replaces the third edition published in 2008, Amendment 1:2012 and Amendment 2:2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- addition of critical load current tests for DC switches (see 9.3.9);
- addition of requirements for a conditional short-circuit rating for disconnectors, switches, and switch-disconnectors protected by circuit-breakers (see 9.3.7.2);
- addition of new categories for high-efficiency motors switching (see Annex A);