

ETSI TS 122 101 V17.4.0 (2022-05)



Universal Mobile Telecommunications System (UMTS);

LTE;

Service aspects;
Service principles

(3GPP TS 22.101 version 17.4.0 Release 17)

<https://standards.iteh.ai/catalog/standards/sist/97ea3e1e-c045-4514-9428-2f552b432cc5/etsi-ts-122-101-v17-4-0-2022-05>



ReferenceRTS/TSGS-0122101vh40

KeywordsLTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2022.

All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

(standards.iteh.ai)

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	8
1 Scope	9
2 References	9
2.1 Normative references	10
2.2 Informative references.....	12
3 Definitions and abbreviations.....	13
3.1 Definitions.....	13
3.2 Abbreviations	14
4 General	15
4.1 Aims of 3GPP specifications.....	15
4.2 Standardisation of Service Capabilities.....	15
4.2.1 Provision of service capabilities in shared networks	15
4.3 Efficient Use of Network Resources	15
4.3.1 Network Traffic Patterns.....	15
4.3.2 Mass Simultaneous Registration.....	16
4.3.3 Radio Interface.....	16
4.3.4 Real-time Resource Usage.....	16
4.3.5 Selected IP Traffic Offload (SIPTO) for PS Domain only	16
4.3.5.1 Common Requirements for SIPTO in the Mobile Operator Network and SIPTO at the Local Network.....	16
4.3.5.2 Requirements for SIPTO in the Mobile Operator Network	17
4.3.6 Paging policy selection for LTE.....	18
4.4 Compatibility with Global Standards	18
4.5 Void	18
4.6 Functionality of Serving Network and Home Environment.....	18
4.7 PLMN Architecture.....	19
4.8 Interworking Between PLMN and Wireless LANs.....	19
4.9 Network Sharing	19
4.10 The Evolved Packet System	19
4.11 User Data Convergence.....	19
4.11.1 Introduction.....	19
4.11.2 Management of user data	20
4.11.3 User Data Modelling.....	20
5 Evolution	21
5.1 Support of 2G services	21
5.2 Provision and evolution of services.....	21
6 Classification of services.....	22
7 Principles for new service capabilities	23
7.1 General	23
7.2 Multimedia	23
7.2.1 Circuit Switched (CS) multimedia calls.....	23
7.2.2 IP multimedia (IM) sessions	24
7.2.3 Multimedia Messaging Service (MMS).....	24
7.2.4 Real-Time Text Conversation.....	24
7.2.5 Packet Switched Streaming Service.....	25
7.3 Service Management Requirements	25
7.4 Automatic Device Detection	25
8 Service architecture	26

9	Quality of Service (QoS).....	27
10	Emergency Calls	28
10.1	General requirements	28
10.1.1	Identification of emergency numbers	29
10.1.2	Domains priority and selection for UE attempts to emergency call.....	30
10.1.2.1	Voice and GTT only.....	30
10.1.2.2	Other media.....	30
10.1.3	Call-Back Requirements	30
10.2	Emergency calls in the CS CN Domain	30
10.3	Emergency Calls in the PS CN Domain.....	31
10.4	Emergency calls in the IM CN subsystem.....	31
10.4.1	General.....	31
10.4.2	IMS Multimedia Emergency Sessions.....	31
10.4.2.1	General	31
10.4.2.2	UE Requirements	32
10.4.2.3	Originating Network Requirements	33
10.5	Void.....	34
10.6	Location Availability for Emergency Calls.....	34
10.7	Transfer of data during emergency calls	34
10.8	Supplementary service interaction during emergency calls	35
10.9	Emergency Calls in a MUSIM UE.....	35
10.10	Emergency Services over Non-public networks.....	35
11	Numbering principles.....	36
11.1	Number portability	36
11.1.1	Requirements for CS CN domain	36
11.1.2	Requirements for PS CN domain.....	36
11.1.3	Requirements for IM CN subsystem.....	36
11.2	Evolution path	36
11.3	Void.....	37
11.4	Void.....	37
11.5	Void.....	37
11.6	Private numbering	37
11.7	Numbering schemes.....	37
11.7.1	Multiple numbering scheme.....	37
11.7.2	Single numbering scheme.....	37
11.7.3	Additional numbers.....	37
11.8	Optimal routing	37
11a	Identification Requirements	38
11a.1	Subscriber Identification	38
11a.2	Terminal Identification.....	38
11a.3	Home Environment / Serving Network Identification.....	38
11a.4	Serving Environment / Mobile Virtual Network Identification.....	38
12	Human Factors and user procedures	39
13	UICC, USIM and Terminal	40
13.1	The USIM/ISIM and User Profiles.....	40
13.1.1	The USIM	40
13.1.2	User Profiles	40
13.1.3	UICC usage in GERAN only Terminals.....	41
13.1.4	Multiple USIMs per UICC	41
13.1.5	The ISIM.....	41
13.2	The UICC	41
13.2.1	The UICC and Applications other than the USIM or ISIM	41
13.2.1a	UICC applications and IMS.....	42
13.2.2	Fast Access and Retrieval of Data from UICC	42
13.3	Terminals and Multiple UICCs	42
13.4	Multiple USIMs.....	42
14	Types of features of UEs.....	43

15	Relationship between subscription and service delivery	44
15.1	Subscription.....	44
15.2	Other concepts associated with services.....	45
15.3	Requirements concerning service delivery	45
15.3.1	Mobile Originated Voice calls.....	46
15.3.2	Mobile Terminated Voice calls.....	46
16	Charging principles	47
17	Roaming	48
17.1	Assumptions.....	48
17.2	Principle	48
17.3	Requirements.....	48
18	Handover Requirements	50
19	Network Selection	51
20	Security.....	52
21	Voice Call Continuity.....	53
21.1	General	53
21.2	Support of Supplementary Services	53
21.2.1	Line Identification Services	53
21.2.2	All Call Forwardings	53
21.2.3	Call Waiting.....	54
21.2.4	Call Hold.....	54
21.2.5	Multiparty	54
21.2.6	All Call Barrings.....	54
21.2.7	Void	54
21.2.8	Void	54
21.2.9	All other Supplementary Services	54
21.3	Quality of Service.....	54
21.4	Security	54
21.5	Emergency calls	54
21.6	Charging.....	55
21.7	VCC Activation.....	55
22	IMS Centralized Services.....	56
22.1	General	56
22.2	Service Consistency	56
22.3	Service Continuity.....	56
22.4	IMS Services	56
22.5	Roaming Support.....	56
23	CS IP interconnection requirements.....	58
23.1	Introduction	58
23.2	IP interconnect.....	58
23.3	MSC server interconnect	58
24	Service Alignment & Migration.....	59
24.1	Introduction	59
24.2	Alignment of supplementary services settings	59
25	System optimisation for communication with specific characteristics	61
25.1	Void.....	61
25.2	Numbering Resource Efficiency	61
25.3	Network provided destination for uplink data	61
25.4	PS only subscriptions	61
26	Single Sign-On (SSO) Service	62
26.1	Requirements.....	62
26.1.1	Requirements for the UE	62
26.1.2	Requirements for a 3GPP SSO Service	62
26a	User Identity.....	63

26a.1	Introduction	63
26a.2	Requirements	63
26a.2.1	User Identifiers and user authentication	63
26a.2.2	Access to services	63
26a.2.3	User Identity Profile and its User Identities	64
26a.2.4	Operator requirements	64
26a.2.5	Privacy requirements	65
27	User plane congestion management	66
27.1	Introduction	66
27.2	General	66
27.3	Prioritizing traffic	66
27.4	Reducing traffic	66
27.5	Void	67
28	RAN Sharing Enhancements	67
28.1	General	67
28.2	Specific E-UTRAN and NG-RAN Sharing requirements	67
28.2.1	Allocation of Shared E-UTRAN and NG-RAN resources	67
28.2.2	OA&M Access to the Shared E-UTRAN/NG-RAN	68
28.2.3	Generation and retrieval of usage and accounting information	68
28.2.4	MDT Collection	68
28.2.5	PWS support of Shared E-UTRAN/NG-RAN	68
28.2.6	Support for load balancing	69
28.2.7	Dynamic capacity negotiation	69
28.3	Specific GERAN & UTRAN Sharing Requirements	69
28.3.1	Allocation of Shared GERAN or UTRAN Resources	69
28.3.2	OA&M Access to the Shared GERAN or UTRAN	70
28.3.3	Generation and retrieval of usage and accounting information	70
28.3.4	MDT Collection	71
28.3.5	PWS support of Shared GERAN or UTRAN	71
28.3.6	Support for load balancing	71
28.3.7	Dynamic capacity negotiation	71
29	Service exposure with 3 rd party service providers	72
29.1	General	72
29.2	Exposed Services and capabilities	72
30	Flexible Mobile Service Steering	74
30.1	Introduction	74
30.2	General Requirements	74
31	Control of traffic from UE-based applications toward associated server	76
31.1	Description	76
31.2	Requirements	76
31.2.1	Control requirements	76
31.2.2	Requirements on awareness of third party server issue	76
32	3GPP enhancement for TV application support	76
32.1	Feature description	76
32.2	Requirements	77
32.2.1	General requirements	77
32.2.2	Requirement for transmission performance enhancement	77
32.2.3	Requirement for network flexibility	78
32.2.4	Requirement for TV application support	78
32.2.5	Requirement for RAN sharing	79
32.2.6	Requirement for wide area support	79
32.2.7	Requirement for capability exposure	79
32.2.8	Fixed reception for TV services	79
33	Usage over unlicensed access	80
33.1	Description	80
33.2	Requirements	80
34	Void	80

34.1	Void.....	80
34.2	Void.....	80
35	Restricted local operator services.....	80
35.1	Description.....	80
35.2	Requirements.....	80
Annex A (normative):	Description of optional user equipment features	82
A.1	Display of called number	82
A.2	Indication of call progress signals	82
A.3	Country/PLMN indication.....	82
A.4	Service Provider Name indication.....	82
A.4a	Core Network Operator Name indication.....	83
A.5	Keypad	83
A.6	Short message indication and acknowledgement	83
A.7	Short message overflow indication	83
A.8	International access function	84
A.9	Service Indicator (SI)	84
A.10	Dual Tone Multi Frequency (DTMF).....	84
A.11	On/Off switch.....	84
A.12	Sub-Address	84
A.13	Short Message Service Cell Broadcast.....	84
A.14	Short Message Service Cell Broadcast DRX.....	84
A.15	Support of the extended Short message cell broadcast channel	85
A.16	Network Identity and Timezone.....	85
A.17	Network's indication of alerting in the UE.....	85
A.18	Network initiated Mobile Originated (MO) connection.....	86
A.19	Abbreviated dialling.....	87
A.20	Barring of Dialed Numbers	87
A.21	DTMF control digits separator	88
A.22	Selection of directory number in messages	88
A.23	Last Numbers Dialed (LND).....	88
A.24	Service Dialling Numbers	88
A.25	Fixed number dialling	88
A.26	Message Waiting Indication.....	89
A.27	Transfer of eCall Minimum Set of Data (MSD).....	90
A.27.1	General Requirements	90
A.27.2	Requirements for the transfer of eCall MSD in a TS12 call.....	90
A.27.3	Requirements for the transfer of eCall data in an IMS emergency call.....	91
A.27.4	Interworking requirements	91
A.27.5	Domain selection.....	91
A.28	Requirements for "In Case of Emergency" (ICE) information.....	91
Annex B (informative):	Additional number use case	94
Annex C (informative):	Change history	95
History		105

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

**iTeh STANDARD
PREVIEW
(standards.iteh.ai)**

ETSI TS 122 101 V17.4.0 (2022-05)

<https://standards.iteh.ai/catalog/standards/sist/97ea3e1e-c045-4514-9428-2f552b432cc5/etsi-ts-122-101-v17-4-0-2022-05>

1 Scope

This Technical Specification (TS) describes the Service Principles for PLMNs specified by 3GPP. Principles and requirements for interworking with WLAN are covered in TS 22.234 [35].

3GPP specifications provide integrated personal communications services. The system will support different applications ranging from narrow-band to wide-band communications capability with integrated personal and terminal mobility to meet the user and service requirements of the 21st century.

3GPP specifications allow the realisation of a new generation of mobile communications technology for a world in which personal communications services should allow person-to-person calling, independent of location, the terminal used, the means of transmission (wired or wireless) and the choice of technology. Personal communication services should be based on a combination of fixed and wireless/mobile services to form a seamless end-to-end service for the user.

3GPP specifications should be in compliance with the following objectives:

- a) to provide a single integrated system in which the user can access services in an easy to use and uniform way in all environments;
- b) to allow differentiation between service offerings of various serving networks and home environments;
- c) to provide a wide range of telecommunications services including those provided by fixed networks and requiring user bit rates of up to 100 Mbit/s as well as services special to mobile communications. These services should be supported in residential, public and office environments and in areas of diverse population densities. These services are provided with a quality comparable with that provided by fixed networks such as ISDN and fixed broadband Internet access;
- d) to provide services via hand held, portable, vehicular mounted, movable and fixed terminals (including those which normally operate connected to fixed networks), in all environments (in different service environments - residential, private domestic and different radio environments) provided that the terminal has the necessary capabilities;
- e) to provide support of roaming users by enabling users to access services provided by their home environment in the same way even when roaming;
- f) to provide audio, data, video and particularly multimedia services;
- g) to provide for the flexible introduction of telecommunication services;
- h) to provide within the residential environment the capability to enable a pedestrian user to access all services normally provided by fixed networks;
- i) to provide within the office environment the capability to enable a pedestrian user to access all services normally provided by PBXs and LANs;
- j) to provide a substitute for fixed networks in areas of diverse population densities, under conditions approved by the appropriate national or regional regulatory authority.
- k) to provide support for interfaces which allow the use of terminals normally connected to fixed networks.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.

- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

2.1 Normative references

- [1] 3GPP TS 22.105 "Services and Service Capabilities"
- [2] Void
- [3] 3GPP TS 22.038: "(U)SIM Application Toolkit (USAT); Service description; Stage 1".
- [4] 3GPP TS 22.001: "Principles of Circuit telecommunication services supported by a Public Land Mobile Network (PLMN)".
- [5] 3GPP TS 22.004: "General on supplementary services"
- [6] 3GPP TS 22.030: "Man-Machine Interface (MMI) of the User Equipment (UE)"
- [7] 3GPP TS 22.066: "Support of Mobile Number Portability (MNP); Service description; Stage 1"
- [8] 3GPP TS 22.079: "Support of Optimal Routeing (SOR); Service definition; Stage 1".
- [9] 3GPP TS 22.129: "Handover Requirements between UTRAN and GERAN or other Radio Systems".
- [10] 3GPP TS 33.102: "Security Architecture".
- [11] 3GPP TS 22.011: "Service Accessibility".
- [12] 3GPP TS 22.016: "International mobile Station Equipment Identities (IMEI)".
- [13] 3GPP TS 24.008: "Mobile Radio Interface Layer 3 Specification".
- [14] 3GPP TS 22.003: "Circuit Telecommunications supported by a Public Land Mobile Network (PLMN)".
- [15] 3GPP TS 21.133: "Security Threats and Requirements".
- [16] 3GPP TS 33.120: "Security Principles".
- [17] 3GPP TS 22.042: "Network Identity and Time Zone, Service Description, Stage 1".
- [18] 3GPP TS 42.009: "Security Aspects".
- [19] 3GPP TS 31.102: "USIM Application Characteristics".
- [20] 3GPP TS 23.221 "Architectural Requirements".
- [21] 3GPP TS 22.002: "Circuit Bearer Services (BS) supported by a Public Land Mobile Network (PLMN)".
- [22] 3GPP TS 22.060: "General Packet Radio Service (GPRS); Service description; Stage 1".
- [23] 3GPP TS 29.002: "Mobile Application Part (MAP) specification".
- [24] 3GPP TR 23.972: "Circuit switched multimedia telephony".
- [25] 3GPP TS 22.140: "Multimedia Messaging Service (MMS); Stage 1".
- [26] 3GPP TS 22.226: "Global Text Telephony, Stage 1".
- [27] 3GPP TS 22.228: "Service requirements for the Internet Protocol (IP) multimedia core network subsystem (IMS); Stage 1".
- [28] RFC 3261: "SIP: Session Initiation Protocol".
- [29] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".

- [30] 3GPP TS 26.233: "Packet Switched Streaming Service (PSS); General Description".
- [31] 3GPP TS 26.234: "Packet Switched Streaming Service (PSS); Protocols and Codecs".
- [32] 3GPP TR 22.934: "Feasibility study on 3GPP system to Wireless LAN (WLAN) interworking".
- [33] RFC 2486: "The Network Access Identifier".
- [34] 3GPP TS 51.011: "Specification of the Subscriber Identity Module - Mobile Equipment (SIM-ME) interface Release 4)".
- [35] 3GPP TS 22.234: "Requirements on 3GPP system to wireless local area network (WLAN) interworking".
- [36] 3GPP TS 31.101: "UICC-terminal interface; Physical and logical characteristics".
- [37] OMA Device Management V1.2 specifications
- [38] OMA Client Provisioning V1.1 specifications
- [39] void
- [40] 3GPP TS 22.173: "IP Multimedia Core Network Subsystem (IMS) Multimedia Telephony Service and supplementary services; Stage 1".
- [41] 3GPP TS 22.082: "Call Forwarding (CF) supplementary services - Stage 1".
- [42] 3GPP TS 22.278: "Service Requirements for the Evolved Packet System (EPS)".
- [44] 3GPP TS 22.071: "Location Services (LCS); Service description; Stage 1".
- [45] 3GPP TR 22.985: "Service requirement for the 3GPP User Data Convergence (UDC), Release 9".
- [46] EN 15722:2015 "Intelligent transport systems - eSafety - eCall minimum set of data (MSD)"
- [47] 3GPP TS 23.226: "Global text telephony (GTT); Stage 2"
- [48] 3GPP TS 22.220: "Service requirements for Home Node B (HNB) and Home eNode B (HeNB) ".
ETSI TS 122 101 V17.4.0 (2022-05)
https://standards.iteh.ai/catalog/standards/sist/97e450e1-0454-4514-9428-265521b433a5/etsi-ts-122-101-v17-4-0-2022-05
- [49] ETSI TS 181 019 V2.0.0 (2007-11): "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); Business Communication Requirements".
- [50] 3GPP TS 23.335: "User Data Convergence (UDC); Technical realization and information flows; stage 2".
- [51] OpenID Foundation: "OpenID Authentication 2.0", <http://openid.net/specs/openid-authentication-2.0.html>.
- [52] 3GPP TS 22.368: "Service requirements for Machine-Type Communications (MTC); Stage 1".
- [53] OMA Presence API: "OMA-TS-REST_NetAPI_Presence-V1_0-20130212-C".
- [54] IETF RFC-5491: "GEOPRIV Presence Information Data Format Location Object (PIDF-LO) Usage Clarification, Considerations, and Recommendations".
- [55] IETF RFC-5139: "Revised Civic Location Format for Presence Information Data Format Location Object (PIDF-LO)".
- [56] 3GPP TS 23.032: "Universal Geographical Area Description (GAD)".
- [57] 3GPP TS 23.402: "Architecture enhancements for non-3GPP accesses".
- [58] Void
- [59] 3GPP TS 22.261: "Service requirements for the 5G system; Stage 1".
- [60] 3GPP TS 32.130: "Network Sharing; Concepts and requirements"

2.2 Informative references

- [43] GSMA PRD IR.34: "Inter-Service Provider IP Backbone Guidelines"
- [58] ETSI TR 103.140 V1.1.1 (2014-04): "eCall for VoIP"
- [59] Void
- [60] Code of Federal Regulations (CFR) Title 47; <https://www.fcc.gov/general/rules-regulations-title-47>
- [61] 3GPP TR 22.904: "Study on user centric identifiers and authentication".
- [62] GSMA SGP.21: "RSP Architecture".
- [63] GSMA SGP.01: "Embedded SIM Remote Provisioning Architecture".

**iTeh STANDARD
PREVIEW
(standards.iteh.ai)**

ETSI TS 122 101 V17.4.0 (2022-05)
<https://standards.iteh.ai/catalog/standards/sist/97ea3e1e-c045-4514-9428-2f552b432cc5/etsi-ts-122-101-v17-4-0-2022-05>

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in TR 21.905 [1].

3GPP SSO Authentication: Authentication performed between an SSO-capable UE and 3GPP SSO Identity Provider using Operator-controlled credentials and without requiring user involvement.

3GPP SSO Identity Provider: An entity that maintains Operator-controlled identity and credential information for a user, performs 3GPP SSO Authentication, and asserts the user's identity to a Data Application Provider.

3rd Party SSO Identity Provider: An entity that maintains identity and credential information (that is not Operator-controlled) for a user, performs authentication, and asserts the user's identity to a Data Application Provider.

Attended Data Traffic: Data traffic of which the user is aware he/she initiated, e.g. based on the screen/keypad lock being deactivated, length of time since the UE last received any input from the user, known type of application (e.g. an application monitoring a user's health – "mHealth" – which may need its data always treated as Attended Data Traffic.)

eCall: A manually or automatically initiated emergency call (TS12 or IMS emergency call), from a vehicle, supplemented with a minimum set of emergency related data (MSD).

Data Application Provider: An entity that offers data application services to users (e.g., over the public Internet). The data applications can be browser or non-browser based services.

E-UTRAN Sharing: The sharing of E-UTRAN among a number of operators.

Free-to-air (FTA) TV: A TV service characterised by no content encryption and being made available at no additional cost to the end user.

Free-to-view (FTV) TV: A TV service characterised by optional content encryption and being made available at no additional cost to the end user.

Gateway UE: a UE, which acts as a gateway providing access to and from the 3GPP network for one or more non-3GPP devices that are connected to the gateway UE.

GERAN or UTRAN Sharing: The sharing of GERAN or UTRAN among a number of operators.

Hosting E-UTRAN/NG-RAN Operator: The Operator that has operational control of a Shared E-UTRAN and/or NG-RAN. With regard to management of the Shared E-UTRAN the Hosting E-UTRAN/NG-RAN Operator is a Master Operator [60].

Hosting RAN: The Shared RAN that is owned or controlled by the Hosting RAN Operator.

Hosting RAN Operator: The Operator that has operational control of a Shared E-UTRAN, UTRAN or GERAN

IMS Centralized Services: The provision of communication services wherein services and service control are based on IMS mechanisms and enablers, and support is provided for a diversity of access networks (including CS domain and IP based, wireless and wireline), and for service continuity between access networks.

MSD: The Minimum Set of Data [46] forming the data component of an eCall sent from a vehicle to a Public Safety Answering Point or other designated emergency call centre. The MSD has a maximum size of 140 bytes and includes, for example, vehicle identity, location information and time-stamp.

NG-RAN: A radio access network connecting to the 5G core network which uses NR, E-UTRA, or both.

Participating Operator: Authorized operator that is sharing E-UTRAN, UTRAN or GERAN resources provided by a Hosting RAN Operator

RAN user plane congestion: The situation where the demand for RAN resources to transfer user data exceeds the available RAN capacity to deliver the user data for a significant period of time in the order of few seconds or longer.

(S)Gi-LAN: The network infrastructure connecting to 3GPP network over the SGi or Gi reference point that provides various IP-based services (e.g. NAT, antimalware, parental control, DDoS protection, video optimization).

Shared E-UTRAN: E-UTRAN that is shared among a number of operators.

Shared RAN: GERAN, UTRAN or E-UTRAN that is shared among a number of operators.

Shared GERAN or UTRAN: GERAN or UTRAN that is shared among a number of operators.

SSO Provider: An entity that provides SSO Service. The SSO Provider enables a user to authenticate to an IdP and thereby to have their identity asserted to a DAP. Each data application, whether provided by different DAPs or the same DAP, may have its own policy regarding authentication. In the 3GPP SSO Service, the SSO Provider is the 3GPP Operator.

SSO Service: A service in which the user of a data application is authenticated once, and as a result of that authentication is provided with seamless and transparent access to multiple data applications offered by one or more Data Application Providers.

SSO Local User Authentication: Authentication performed by the UE that establishes the presence of the registered user of the data application by requiring input which only the registered user would be able to provide.

Subscribed TV service: A TV service which is characterised by requiring a subscription (to content owner, content provider, or MNO) in order to access the service.

Unattended Data Traffic: Data traffic of which the user is unaware he/she initiated, e.g. based on the screen/keypad lock being activated, length of time since the UE last received any input from the user, known type of app (e.g. an application monitoring a user's health – "mHealth" – may need its data never treated as Unattended Data Traffic.)

User: As defined in TR 21.905 [29]: An entity, not part of the 3GPP System, which uses 3GPP System services. Example: a person using a 3GPP System mobile station as a portable telephone.

Additional examples for a user in the context of this TS: a non-3GPP device connected to the 3GPP system via a gateway, or an application running on a UE.

User Identity: information representing a user in a specific context. A user can have several user identities, e.g. a User Identity in the context of his profession, or a private User Identity for some aspects of private life.

User Identifier: a piece of information used to identify one specific User Identity in one or more systems.

User Identity Profile: A collection of information associated with the User Identities of a user.

MUSIM UE: An ME with multiple USIMs.

Further definitions are given in 3GPP TR 21.905 [29].

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

DAP	Data Application Provider
IdP	Identity Provider
IVS	In Vehicle System (eCall terminal and associated sub-systems in vehicle)
ME	Mobile Equipment
OTT	Over The Top
PC	Personal Computer
SSO	Single Sign-On