

SLOVENSKI STANDARD

SIST EN ISO 11890-2:2020

01-september-2020

Nadomešča:

SIST EN ISO 11890-2:2014

Barve in laki - Določevanje hlapnih organskih spojin (VOC) in/ali polhlapnih organskih spojin (SVOC) - 2. del: Metoda plinske kromatografije (ISO 11890-2:2020)

Paints and varnishes - Determination of volatile organic compounds(VOC) and/or semi volatile organic compounds (SVOC) content - Part 2: Gas-chromatographic method (ISO 11890-2:2020)

Beschichtungsstoffe - Bestimmung des Gehaltes an flüchtigen organischen Verbindungen (VOC-Gehalt) und des Gehaltes an halbfüchtigen organischen Verbindungen (SVOC-Gehalt) - Teil 2: Gaschromatographisches Verfahren (ISO 11890-2:2020)

<https://standards.iteh.ai/catalog/standards/sist/0baf3986-6bc6-46f1-a94e-160e964c90cf/sist-en-iso-11890-2-2020>

Peintures et vernis - Détermination de la teneur en composés organiques volatils (COV) et/ou composés organiques semi-volatils (COSV) - Partie 2: Méthode par chromatographie en phase gazeuse (ISO 11890-2:2020)

Ta slovenski standard je istoveten z: EN ISO 11890-2:2020

ICS:

71.040.50	Fizikalnokemijske analitske metode	Physicochemical methods of analysis
87.040	Barve in laki	Paints and varnishes

SIST EN ISO 11890-2:2020

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 11890-2:2020

<https://standards.iteh.ai/catalog/standards/sist/0baf3986-6bc6-46f1-a94e-160e964c90cf/sist-en-iso-11890-2-2020>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 11890-2

July 2020

ICS 87.040

English Version

Paints and varnishes - Determination of volatile organic compounds(VOC) and/or semi volatile organic compounds (SVOC) content - Part 2: Gas-chromatographic method (ISO 11890-2:2020)

Peintures et vernis - Détermination de la teneur en composés organiques volatils (COV) et/ou composés organiques semi-volatils (COSV) - Partie 2: Méthode par chromatographie en phase gazeuse (ISO 11890-2:2020)

Beschichtungsstoffe - Bestimmung des Gehaltes an flüchtigen organischen Verbindungen (VOC-Gehalt) und des Gehaltes an halbflüchtigen organischen Verbindungen (SVOC-Gehalt) - Teil 2: Gaschromatographisches Verfahren (ISO 11890-2:2020)

This European Standard was approved by CEN on 28 May 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

SIST EN ISO 11890-2:2020

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 11890-2:2020
<https://standards.iteh.ai/catalog/standards/sist/0baf3986-6bc6-46f1-a94e-160e964c90cf/sist-en-iso-11890-2-2020>

European foreword

This document (EN ISO 11890-2:2020) has been prepared by Technical Committee ISO/TC 35 "Paints and varnishes" in collaboration with Technical Committee CEN/TC 139 "Paints and varnishes" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2021, and conflicting national standards shall be withdrawn at the latest by January 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11890-2:2013.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of ISO 11890-2:2020 has been approved by CEN as EN ISO 11890-2:2020 without any modification.

<https://standards.iteh.ai/catalog/standards/sist/0baf3986-6bc6-46f1-a94e-160e964c90cf/sist-en-iso-11890-2-2020>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 11890-2:2020

<https://standards.iteh.ai/catalog/standards/sist/0baf3986-6bc6-46f1-a94e-160e964c90cf/sist-en-iso-11890-2-2020>

INTERNATIONAL
STANDARDISO
11890-2Fourth edition
2020-06

**Paints and varnishes — Determination
of volatile organic compounds(VOC)
and/or semi volatile organic
compounds (SVOC) content —****Part 2:
Gas-chromatographic method**

*Peintures et vernis — Détermination de la teneur en composés
organiques volatils (COV) et/ou composés organiques semi-volatils
(COSV) —*

SIST EN ISO 11890-2:2020

Partie 2: Méthode par chromatographie en phase gazeuse

<https://standards.iteh.ai/catalog/standards/sist/b6a2980-68cc-4611-a54c-160e964c90cf/sist-en-iso-11890-2-2020>

Reference number
ISO 11890-2:2020(E)

© ISO 2020

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 11890-2:2020

<https://standards.iteh.ai/catalog/standards/sist/0baf3986-6bc6-46f1-a94e-160e964c90cf/sist-en-iso-11890-2-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Principle	4
5 Required information	4
6 Apparatus	4
7 Reagents	7
8 Procedure	8
8.1 Sampling	8
8.2 Analysis	8
8.2.1 Sample preparation	8
8.2.2 Data acquisition for sample measurement	8
8.3 Calibration	9
8.3.1 General	9
8.3.2 Preparation of calibration solutions	9
8.3.3 Analysis of the multi-point calibration	9
8.4 Quality assurance	10
8.5 Gas chromatographic conditions	10
8.6 Density	10
8.7 Water content	10
9 Data analysis	11
9.1 Integration and identification of compounds	11
9.2 Classification of compounds	13
10 Quantitative determination of compound content	15
10.1 General	15
10.2 Quantitative determination of compound content	17
10.2.1 Quantification with respect to CSRF	17
10.2.2 Quantification with respect to surrogate standard	17
11 Calculation of VOC and SVOC content	17
11.1 General	17
11.2 Method 1 — VOC content and/or SVOC content, as a percentage by mass, of the product “ready for use”	18
11.3 Method 2 — VOC content and/or SVOC content, in grams per litre, of the product “ready for use”	18
11.4 Method 3 — VOC content and/or SVOC content, in grams per litre, of the product “ready for use” less water	19
11.5 Method 4 — VOC content and/or SVOC content, in grams per litre, of the product “ready for use” less water and less exempt compounds	19
12 Data evaluation and calculation of final results	20
13 Precision	21
13.1 General	21
13.2 Repeatability limit, r	21
13.3 Reproducibility limit, R	21
14 Test report	21
Annex A (normative) Non-exhaustive list of VOC, SVOC and NVOC compounds	22

ISO 11890-2:2020(E)

Annex B (informative) Information on thermal unstable products	28
Annex C (informative) Examples for GC method conditions	35
Annex D (informative) Results of the round robin test for the determination of precision data	37
Bibliography	39

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 11890-2:2020

<https://standards.iteh.ai/catalog/standards/sist/0baf3986-6bc6-46f1-a94e-160e964c90cf/sist-en-iso-11890-2-2020>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 35, *Paints and varnishes*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 139, *Paints and varnishes*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This fourth edition cancels and replaces the third edition (ISO 11890-2:2013), which has been technically revised.

The main changes compared to the previous edition are as follows:

- the scope has been expanded to include the determination of semi volatile organic compounds (SVOC);
- the scope has been expanded to include concentration ranges from 0,01 % to 100 %;
- the specifications for determination of semi-volatile organic compounds have been added.

A list of all parts in the ISO 11890 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO 11890-2:2020(E)**Introduction**

This document is one of a series of standards dealing with the sampling and testing of coating materials and their raw materials. It specifies a method for the determination of the volatile organic compounds (VOC) content and the semi-volatile organic compounds (SVOC) content of coating materials and their raw materials.

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST EN ISO 11890-2:2020

<https://standards.iteh.ai/catalog/standards/sist/0baf3986-6bc6-46f1-a94e-160e964c90cf/sist-en-iso-11890-2-2020>

Paints and varnishes — Determination of volatile organic compounds(VOC) and/or semi volatile organic compounds (SVOC) content —

Part 2: Gas-chromatographic method

WARNING — The use of this document can involve hazardous materials, operations and equipment. This document does not purport to address all of the safety problems associated with its use. It is the responsibility of users of this document to take appropriate measures to ensure the safety and health of personnel prior to the application of the document, and to determine the applicability of any other restrictions for this purpose.

1 Scope

This document is applicable for the determination of VOC and SVOC with an expected VOC and/or SVOC content greater than 0,01 % by mass up to 100 % by mass.

The method given in ISO 11890-1 is used when the VOC is greater than 15 % by mass. This document (method ISO 11890-2) applies when the system contains VOC and SVOC as the VOC result of ISO 11890-1 can be influenced by the SVOC. For VOC content smaller than 0,1 %, the head space method described in ISO 17895 is used as an alternative. ISO 11890-1 and ISO 17895 cannot be used for the determination of the SVOC content.

NOTE 1 Some ingredients of coating materials and their raw materials can decompose during analysis and cause artificial VOC and/or SVOC signals. When determining VOC and/or SVOC for coating materials and their raw materials, these signals are artefacts of the method and are not taken into account (examples are given in [Annex B](#)).

This method assumes that the volatile matter is either water or organic. However, other volatile inorganic compounds can be present and might need to be quantified by another suitable method and allowed for in the calculations. The method defined in this document is not applicable for determination of water content.

NOTE 2 If organic acids or bases and their corresponding salts are present in the coating material or its raw materials, the amount that is quantified by this method might not be accurate due to a change in the acid or base equilibrium.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 760, *Determination of water — Karl Fischer method (General method)*

ISO 1513, *Paints and varnishes — Examination and preparation of test samples*

ISO 2811 (all parts), *Paints and varnishes — Determination of density*

ISO 15528, *Paints, varnishes and raw materials for paints and varnishes — Sampling*

ISO 11890-2:2020(E)

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <http://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1 volatile organic compound VOC

any organic liquid and/or solid that evaporates spontaneously at the prevailing temperature and pressure of the atmosphere with which it is in contact

Note 1 to entry: As to current usage of the term VOC in the field of coating materials, see *volatile organic compounds content (VOC content)* (3.4).

Note 2 to entry: Under US government legislation, the term VOC is restricted solely to those compounds that are photochemically active in the atmosphere (see ASTM D3960). Any other compound is then defined as being an *exempt compound* (3.6).

[SOURCE: ISO 4618:2014, 2.270]

3.2 semi-volatile organic compound SVOC

organic liquid and/or solid that evaporates spontaneously but slower in comparison to VOC at the prevailing temperature and pressure of the atmosphere with which it is in contact

Note 1 to entry: As to current usage of the term SVOC in the field of coating materials, see *semi-volatile organic compounds content (SVOC content)* (3.5).

3.3 non-volatile organic compound NVOC

organic liquid and/or solid not classified as *VOC* or *SVOC*

3.4 volatile organic compounds content VOC content VOCC

mass of the *volatile organic compounds* (3.1) present in a coating material, as determined under specified conditions

Note 1 to entry: The properties and the amounts of the compounds to be taken into account will depend on the field of application of the coating material. For each field of application, the limiting values and the methods of determination or calculation are stipulated by regulations or by agreement.

Note 2 to entry: If the term VOC refers to compounds with a defined maximum boiling point, the compounds considered to be part of the VOC content are those with boiling points below and including that limit, and compounds with higher boiling points are considered to be semi-volatile or non-volatile organic compounds.

[SOURCE: ISO 4618:2014, 2.271, modified — Note 2 to entry has been added.]

3.5**semi-volatile organic compounds content****SVOC content****SVOCC**

mass of the *semi-volatile organic compounds* (3.2) present in a coating material, as determined under specified conditions

Note 1 to entry: The properties and the amounts of the compounds to be taken into account will depend on the field of application of the coating material. For each field of application, the limiting values and the methods of determination or calculation are stipulated by regulations or by agreement.

Note 2 to entry: If the term SVOC refers to compounds with a defined maximum boiling point and minimum boiling point, the compounds considered to be part of the SVOC content are those with boiling points below and including the upper and above the lower limit, and compounds with higher boiling points are considered to be non-volatile organic compounds.

3.6**exempt compound**

organic compound that does not participate in atmospheric photochemical reactions

Note 1 to entry: This expression is only relevant in some countries.

3.7**ready for use**

state of a product when it is mixed in accordance with the manufacturer's instructions in the correct proportions and thinned if required using the correct thinners so that it is ready for application by the approved method

3.8**internal standard**

compound which is not present in the sample, is completely separated from the other components in the chromatogram, is inert with respect to the sample constituents, stable in the required temperature range and of known purity and which is added to the sample to control the dilution and the injection step of the analysis

3.9**surrogate standard**

compound of known purity which is used to quantify unidentified VOCs and SVOCs

3.10**marker compound**

compound which is used to differentiate between VOC and SVOC, or SVOC and NVOC if the differentiation has to be made on the basis of *retention time* (3.11)

3.11**retention time**

t_R

time elapsed from injection of the sample component to the recording of the peak maximum

3.12**extraction solvent**

liquid used to extract the VOCs and SVOCs from the matrix under investigation

3.13**major peak**

peak that contributes significantly to either

- the VOC content, i.e. ≥ 10 % of the absolute VOC content (as DEA equivalent) and $\geq 0,1$ % by mass (as DEA equivalent), or
- the SVOC content, i.e. ≥ 10 % of the absolute SVOC content (as DEA equivalent) and $\geq 0,1$ % by mass (as DEA equivalent)