

SLOVENSKI STANDARD oSIST prEN ISO 22081:2019

01-julij-2019

Specifikacija geometrijskih veličin izdelka (GPS) - Geometrijsko toleriranje - Splošne geometrijske in dimenzijske specifikacije (ISO/DIS 22081:2019)

Geometrical product specifications (GPS) - Geometrical tolerancing - General geometrical and dimensional specifications (ISO/DIS 22081:2019)

Geometrische Produktspezifikation (GPS) - Geometrische Tolerierung - Allgemeine geometrische und Maßspezifikationen (ISO/DIS 22081:2019)

Spécification géométrique des produits (GPS) - Tolérancement géométrique - Spécifications géométriques et dimensionnelles générales (ISO/DIS 22081:2019)

Ta slovenski standard je istoveten z: prEN ISO 22081

ICS:

17.040.40 Specifika

Specifikacija geometrijskih veličin izdelka (GPS)

Geometrical Product Specification (GPS)

oSIST prEN ISO 22081:2019

en,fr,de

oSIST prEN ISO 22081:2019

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 22081:2021</u> https://standards.iteh.ai/catalog/standards/sist/9e441fc1-55ca-46af-bad3-607e61af8070/sisten-iso-22081-2021

DRAFT INTERNATIONAL STANDARD ISO/DIS 22081

ISO/TC **213** Secretariat: **BSI**

Voting begins on: Voting terminates on:

2019-05-27 2019-08-19

Geometrical product specifications (GPS) — Geometrical tolerancing — General geometrical and dimensional specifications".

Spécification géométrique des produits (GPS) — Tolérancement géométrique — Spécifications géométriques et dimensionnelles générales

ICS: 17.040.40

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 22081:2021

https://standards.iteh.ai/catalog/standards/sist/9e441fc1-55ca-46af-bad3-607e61af8070/sisten-iso-22081-2021

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.

ISO/CEN PARALLEL PROCESSING



Reference number ISO/DIS 22081:2019(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 22081:2021
https://standards.iteh.ai/catalog/standards/sist/9e441fc1-55ca-46af-bad3-607e61af8070/sist



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org Published in Switzerland

ntents	Page
eword	iv
oduction	
Scope	1
Normative references	1
Terms and definitions	1
 4.1 General 4.2 Basics rules 4.3 Application of general dimensional specifications 4.4 General geometrical specification for integral features 4.5 Requirements for datum system 4.6 Theoretical exact dimensions (TEDs) 4.7 Indication in a technical product documentation (TPD) 	
5.1 Characteristic5.2 Toleranced features for integral features	4 4
6.1 Characteristic	5
nex A (informative) Examples	8
nex B (informative) Relation to the GPS matrix model	14
liography	15
	Scope Normative references Terms and definitions Basics principles 4.1 General 4.2 Basics rules 4.3 Application of general dimensional specifications 4.4 General geometrical specification for integral features 4.5 Requirements for datum system 4.6 Theoretical exact dimensions (TEDs) 4.7 Indication in a technical product documentation (TPD) Rules for general geometrical specification 5.1 Characteristic 5.2 Toleranced features for integral features Rules for general dimensional specification 6.1 Characteristic 6.2 Toleranced features for features of size ex A (informative) Examples ex B (informative) Relation to the GPS matrix model

SIST EN ISO 22081:2021 https://standards.iteh.ai/catalog/standards/sist/9e441fc1-55ca-46af-bad3-607e61af8070/sisten-iso-22081-2021

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

https://standards.iteh.ai/catalog/standards/sist/9e441fc1-55ca-46af-bad3-607e61af8070/sist-en-iso-22081-2021

Introduction

This document is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO 14638). It influences the chain link A and B of the chain of standards on size and location.

The ISO/GPS matrix model given in ISO 14638 gives an overview of the ISO/GPS system of which this document is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to the specifications made in accordance with this document, unless otherwise indicated.

For more detailed information of the relation of this document to other standards and the GPS matrix model, see <u>Annex B</u>.

This document deals with general specifications. General specifications can be used to reduce the number of individual specification indications in technical product documentation (TPD). Many surfaces have individual requirements which are similar or identical. A single, general specification may be applied to these instead of multiple individual specifications.

All figures in this document for the 2D drawing indications have been drawn in first-angle projection with dimensions and tolerances in millimetres. It should be understood that third-angle projection and other units of measurement could have been used equally well without prejudice to the principles established.

The figures in this document represent either 2D drawing views or 3D axonometric views on 2D drawings and are intended to illustrate how a specification can be fully indicated with visible annotation. For possibilities of illustrating a specification where elements of the specification may be available through a query function or other interrogation of information on the 3D CAD model and rules for attaching specifications to 3D CAD models, see ISO 16792.

SIST EN ISO 22081:2021 https://standards.iteh.ai/catalog/standards/sist/9e441fc1-55ca-46af-bad3-607e61af8070/sist-en-iso-22081-2021 **oSIST prEN ISO 22081:2019**

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 22081:2021
https://standards.iteh.ai/catalog/standards/sist/9e441fc1-55ca-46af-bad3-607e61af8070/sist-

Geometrical product specifications (GPS) — Geometrical tolerancing — General geometrical and dimensional specifications".

1 Scope

This document gives the rules of definition and interpretation of general specifications defined according to ISO 8015 (general tolerancing) applicable on the whole workpiece.

The general specifications can be applied to integral surfaces only, i.e. integral lines are excluded.

The general geometrical and dimensional specifications defined in this document applies to the following:

- for dimensional specifications:
 - for features of size:
 - linear size (±) (according to ISO 14405-1);
 - angular size (±)(according to ISO 14405-3);
- for geometrical specifications: (Standards.iteh.ai)
 - for integral features:
 - geometrical specifications with the characteristic surface profile (△).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5459, Geometrical product specifications (GPS) — Geometrical tolerancing — Datums and datum systems

ISO 8015, Geometrical product specifications (GPS) — Fundamentals — Concepts, principles and rules

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 8015, ISO 17450-1, ISO 17450-2, ISO 22432, ISO 25378 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

general geometrical and dimensional specifications general specifications

general dimensional specification(s) and/or general geometrical specification(s)

3.2

general geometrical specifications

geometrical specification(s) indicated on the technical product definition (TPD) which is(are) not directly attached to the features of the workpiece by a leader line

3.3

general dimensional specifications

dimensional specification(s) indicated on the technical product definition (TPD) which is(are) not directly attached to the features of the workpiece by a leader line

4 Basics principles

4.1 General

When using general specifications, the specifier should be aware of the following risks:

- overlooking important functional requirements; and
- selecting unnecessary tight tolerances regarding the functional requirement.

It is the responsibility of the designer to ensure that:

- functional requirements are properly defined;
- the geometrical features influencing the functions are properly specified;
- the geometrical features are completely and unambiguously specified;
- the entire workpiece is completely specified.

General specifications indicate requirements which are applicable to all geometrical features of a workpiece, except those with individual dimensional or geometrical specifications. It is a way of minimising the number of indications on a TPD.

By default some geometries are excluded, see <u>5.2</u>.

General specifications defined in other standards, and the link to these standards, are not covered by this document.

4.2 Basics rules

There are two types of general specifications:

- general dimensional specification;
- general geometrical specification.

The general dimensional specifications apply to those features of size that are not specified by an individual indicated dimensional specification.

The general geometrical specifications apply to those geometrical features that are not specified by:

- an individual geometrical specification applied to the integral feature or to its derived feature; and/or
- an individual indicated dimensional specification.

Only the specification types defined in <u>Tables 1</u> and $\underline{2}$ shall be used to define general specifications on integral features.

General specification applies to surfaces irrespective of a surface texture specification.

Whenever a size specification or a geometrical specification is applied to an individual geometrical feature, or a portion of a geometrical feature, then the general specification shall not apply. The dimensional and geometrical requirements for that feature shall be fully specified by other means.

4.3 Application of general dimensional specifications

General dimensional specifications shall apply to a feature of size identified on the drawing or 3D CAD model by a linear or an angular size which has no individual tolerance and which is not a TED or an auxiliary dimension. This is directly indicated on the TPD with its nominal value and its dimension or indirectly indicated by a CAD attribute.

4.4 General geometrical specification for integral features

There is only one general geometrical specification that can be applied for integral features (see <u>Table 1</u>).

In order to specify general geometrical specifications, a datum system shall be specified, see 4.5.

4.5 Requirements for datum system

The datum system indicated in a general geometrical specification shall lock all the necessary degrees of freedom, according to ISO 5459.

NOTE 1 This datum system does not necessarily consist of three datums, and does not necessarily lock all six degrees of freedom.

Each of the datum features identified in the datum section of the general geometrical specification shall have individual specifications, as they will not be covered by the general specifications.

NOTE 2 The datum system is chosen to reflect the functional requirements of the workpiece.

The general specifications shall also apply to any additional datum features identified on the TPD which are not individually specified.

4.6 Theoretical exact dimensions (TEDs)

The explicit theoretical exact dimensions (TEDs) can be defined directly on the drawing or indirectly by referring to a 3D CAD model.

4.7 Indication in a technical product documentation (TPD)

The tolerance of general specifications with the number of the standard shall be indicated in or near the title block or product definition data set in this order, as follows:

— General tolerances followed by the number of the standard (ISO 22081), followed by the specification and the tolerance value (see <u>Figure 1</u>).