
Funkcijska varnost električnih/elektronskih/programirljivih elektronskih varnostnih sistemov - 6. del: Smernice za uporabo IEC 61508-2 in IEC 61508-3 (IEC 61508-6:2000)

(istoveten EN 61508-6:2001)

Functional safety of electrical/electronic/programmable electronic safety-related systems - Part 6: Guidelines on the application of IEC 61508-2 and IEC 61508-3 (IEC 61508-6:2000)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61508-6:2007](https://standards.iteh.ai/catalog/standards/sist/bf6cface-73c1-4058-a2af-f4cc1124b9cc/sist-en-61508-6-2007)

<https://standards.iteh.ai/catalog/standards/sist/bf6cface-73c1-4058-a2af-f4cc1124b9cc/sist-en-61508-6-2007>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61508-6:2007

<https://standards.iteh.ai/catalog/standards/sist/bfecface-73c1-4058-a2af-f4cc1124b9cc/sist-en-61508-6-2007>

EUROPEAN STANDARD

EN 61508-6

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2001

ICS 25.040.40

English version

**Functional safety of electrical/electronic/programmable electronic
safety-related systems**
**Part 6: Guidelines on the application
of IEC 61508-2 and IEC 61508-3**
(IEC 61508-6:2000)

Sécurité fonctionnelle des systèmes
électriques/électroniques/électroniques
programmables relatifs à la sécurité
Partie 6: Lignes directrices pour
l'application de la CEI 61508-2 et
de la CEI 61508-3
(CEI 61508-6:2000)

Funktionale Sicherheit
sicherheitsbezogener elektrischer/
elektronischer/programmierbarer
elektronischer Systeme
Teil 6: Anwendungsrichtlinie für
IEC 61508-2 und IEC 61508-3
(IEC 61508-6:2000)

<https://standards.iteh.ai/catalog/standards/sist/bfecface-73c1-4058-a2af>

This European Standard was approved by CENELEC on 2001-07-03. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of the International Standard IEC 61508-6:2000, prepared by SC 65A, System aspects, of IEC TC 65, Industrial-process measurement and control, was submitted to the Unique Acceptance Procedure and was approved by CENELEC as EN 61508-6 on 2001-07-03 without any modification.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2002-08-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2004-08-01

Annexes designated "normative" are part of the body of the standard.
Annexes designated "informative" are given for information only.
In this standard, annex ZA is normative and annexes A to E are informative.
Annex ZA has been added by CENELEC.

IEC 61508 is a basic safety publication covering the functional safety of electrical, electronic and programmable electronic safety-related systems. The scope states:

"This International Standard covers those aspects to be considered when electrical/electronic/programmable electronic systems (E/E/PESs) are used to carry out safety functions. A major objective of this standard is to facilitate the development of application sector international standards by the technical committees responsible for the application sector. This will allow all the relevant factors associated with the application, to be fully taken into account and thereby meet the specific needs of the application sector. A dual objective of this standard is to enable the development of electrical/electronic/programmable electronic (E/E/PE) safety-related systems where application sector international standards may not exist".

The CENELEC Report R0BT-004, ratified by 103 BT (March 2000) accepts that some IEC standards, which today are either published or under development, are sector implementations of IEC 61508. For example:

- IEC 61511, Functional safety - Safety instrumented systems for the process industry sector;
- IEC 62061, Safety of machinery – Functional safety of electrical, electronic and programmable electronic control systems;
- IEC 61513, Nuclear power plants – Instrumentation and control for systems important to safety – General requirements for systems.

The railways sector has also developed a set of European Standards (EN 50126; EN 50128 and prEN 50129).

NOTE EN 50126 and EN 50128 were based on earlier drafts of IEC 61508. prEN 50129 is based on the principles of the latest version of IEC 61508.

This list does not preclude other sector implementations of IEC 61508 which could be currently under development or published within IEC or CENELEC.

Endorsement notice

The text of the International Standard IEC 61508-6:2000 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61078 NOTE Harmonized as EN 61078:1993 (not modified).

IEC 61131-3 NOTE Harmonized as EN 61131-3:1993 (not modified).

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 61508-6:2007](https://standards.iteh.ai/catalog/standards/sist/bfecface-73c1-4058-a2af-f4cc1124b9cc/sist-en-61508-6-2007)

<https://standards.iteh.ai/catalog/standards/sist/bfecface-73c1-4058-a2af-f4cc1124b9cc/sist-en-61508-6-2007>

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61508-1 + corr. May	1998 1999	Functional safety of electrical/electronic/programmable electronic safety-related systems Part 1: General requirements	EN 61508-1	2001
IEC 61508-2	2000	Part 2: Requirements for electrical/electronic/programmable electronic safety-related systems	EN 61508-2	2001
IEC 61508-3 + corr. April	1998 1999	Part 3: Software requirements	EN 61508-3	2001
IEC 61508-4 + corr. April	1998 1999	Part 4: Definitions and abbreviations	EN 61508-4	2001
IEC 61508-5 + corr. April	1998 1999	Part 5: Examples of methods for the determination of safety integrity levels	EN 61508-5	2001
IEC 61508-7	2000	Part 7: Overview of techniques and measures	EN 61508-7	2001
IEC Guide 104	1997	The preparation of safety publications and the use of basic safety publications and group safety publications	-	-
ISO/IEC Guide 51	1990	Guidelines for the inclusion of safety aspects in standards	-	-

INTERNATIONAL STANDARD

IEC 61508-6

First edition
2000-04

**Functional safety of electrical/electronic/
programmable electronic safety-related systems –
Part 6:
Guidelines on the application of
IEC 61508-2 and IEC 61508-3
(standards.iteh.ai)**

[SIST EN 61508-6:2007
https://standards.iteh.ai/catalog/standards/sist/bfecface-73c1-4058-a2af-
f4cc1124b9cc/sist-en-61508-6-2007](https://standards.iteh.ai/catalog/standards/sist/bfecface-73c1-4058-a2af-f4cc1124b9cc/sist-en-61508-6-2007)

© IEC 2000 Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembe, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE **XB**

For price, see current catalogue

CONTENTS

	Page
FOREWORD	11
INTRODUCTION	15
Clause	
1 Scope	19
2 Normative references	23
3 Definitions and abbreviations	23
Annex A (informative) Application of IEC 61508-2 and of IEC 61508-3	25
A.1 General	25
A.2 Functional steps in the application of IEC 61508-2	29
A.3 Functional steps in the application of IEC 61508-3	37
Annex B (informative) Example technique for evaluating probabilities of hardware failure ...	41
B.1 General	41
B.2 Average probability of failure on demand (for low demand mode of operation)	49
B.3 Probability of failure per hour (for high demand or continuous mode of operation)	75
B.4 References	91
Annex C (informative) Calculation of diagnostic coverage and safe failure fraction: worked example	93
Annex D (informative) A methodology for quantifying the effect of hardware-related common cause failures in E/E/PE systems	101
D.1 General	101
D.2 Brief overview	101
D.3 Scope of the methodology	109
D.4 Points taken into account in the methodology	109
D.5 Using the β -factor to calculate the probability of failure in an E/E/PE safety-related system due to common cause failures	111
D.6 Using the tables to estimate β	113
D.7 Examples of the use of the methodology	121
D.8 References	123
Annex E (informative) Example applications of software safety integrity tables of IEC 61508-3	125
E.1 General	125
E.2 Example for safety integrity level 2	125
E.3 Example for safety integrity level 3	135
Bibliography	145

	Page
Figure 1 – Overall framework of IEC 61508	21
Figure A.1 – Application of IEC 61508-2	33
Figure A.2 – Application of IEC 61508-2 (continued)	35
Figure A.3 – Application of IEC 61508-3	39
Figure B.1 – Example configuration for two sensor channels	45
Figure B.2 – Subsystem structure	49
Figure B.3 – 1oo1 physical block diagram	51
Figure B.4 – 1oo1 reliability block diagram	51
Figure B.5 – 1oo2 physical block diagram	53
Figure B.6 – 1oo2 reliability block diagram	55
Figure B.7 – 2oo2 physical block diagram	55
Figure B.8 – 2oo2 reliability block diagram	55
Figure B.9 – 1oo2D physical block diagram	57
Figure B.10 – 1oo2D reliability block diagram	57
Figure B.11 – 2oo3 physical block diagram	59
Figure B.12 – 2oo3 reliability block diagram	59
Figure B.13 – Architecture of an example for low demand mode of operation	69
Figure B.14 – Architecture of an example for high demand or continuous mode of operation	87
Figure D.1 – Relationship of common cause failures to the failures of individual channels..	105
https://standards.iteh.ai/catalog/standards/sist/bfecface-73c1-4058-a2af/4cc1124b9cc/sist-en-61508-6-2007 SIST EN 61508-6:2007	
Table B.1 – Terms and their ranges used in this annex (applies to 1oo1, 1oo2, 2oo2, 1oo2D and 2oo3)	47
Table B.2 – Average probability of failure on demand for a proof test interval of six months and a mean time to restoration of 8 h	61
Table B.3 – Average probability of failure on demand for a proof-test interval of one year and mean time to restoration of 8 h	63
Table B.4 – Average probability of failure on demand for a proof-test interval of two years and a mean time to restoration of 8 h	65
Table B.5 – Average probability of failure on demand for a proof-test interval of 10 years and a mean time to restoration of 8 h	67
Table B.6 – Average probability of failure on demand for the sensor subsystem in the example for low demand mode of operation (one year proof-test interval and 8 h MTTR)	69
Table B.7 – Average probability of failure on demand for the logic subsystem in the example for low demand mode of operation (one year proof-test interval and 8 h MTTR)	71
Table B.8 – Average probability of failure on demand for the final element subsystem in the example for low demand mode of operation (one year proof-test interval and 8 h MTTR)	71

Table B.9 – Example for a non-perfect proof test.....	75
Table B.10 – Probability of failure per hour (in high demand or continuous mode of operation) for a proof-test interval of one month and a mean time to restoration of 8 h.....	79
Table B.11 – Probability of failure per hour (in high demand or continuous mode of operation) for a proof test interval of three months and a mean time to restoration of 8 h.....	81
Table B.12 – Probability of failure per hour (in high demand or continuous mode of operation) for a proof test interval of six months and a mean time to restoration of 8 h.....	83
Table B.13 – Probability of failure per hour (in high demand or continuous mode of operation) for a proof-test interval of one year and a mean time to restoration of 8 h.....	85
Table B.14 – Probability of failure per hour for the sensor subsystem in the example for high demand or continuous mode of operation (six month proof-test interval and 8 h MTTR).....	87
Table B.15 – Probability of failure per hour for the logic subsystem in the example for high demand or continuous mode of operation (six month proof-test interval and 8 h MTTR).....	89
Table B.16 – Probability of failure per hour for the final element subsystem in the example for high demand or continuous mode of operation (six month proof-test interval and 8 h MTTR).....	89
Table C.1 – Example calculations for diagnostic coverage and safe failure fraction.....	97
Table C.2 – Diagnostic coverage and effectiveness for different subsystems.....	99
Table D.1 – Scoring programmable electronics or sensors/final elements.....	115
Table D.2 – Value of Z: programmable electronics.....	119
Table D.3 – Value of Z: sensors or final elements.....	119
Table D.4 – Calculation of β or β_D	121
Table D.5 – Example values for programmable electronics.....	123
Table E.1 – Software safety requirements specification (see 7.2 of IEC 61508-3).....	127
Table E.2 – Software design and development: software architecture design (see 7.4.3 of IEC 61508-3).....	129
Table E.3 – Software design and development: support tools and programming language (see 7.4.4 of IEC 61508-3).....	129
Table E.4 – Software design and development: detailed design (see 7.4.5 and 7.4.6 of IEC 61508-3) (this includes software system design, software module design and coding).....	131
Table E.5 – Software design and development: software module testing and integration (see 7.4.7 and 7.4.8 of IEC 61508-3).....	131
Table E.6 – Programmable electronics integration (hardware and software) (see 7.5 of IEC 61508-3).....	131
Table E.7 – Software safety validation (see 7.7 of IEC 61508-3).....	133
Table E.8 – Software modification (see 7.8 of IEC 61508-3).....	133
Table E.9 – Software verification (see 7.9 of part 3).....	133
Table E.10 – Functional safety assessment (see clause 8 of IEC 61508-3).....	135

	Page
Table E.11 – Software safety requirements specification (see 7.2 of IEC 61508-3).....	137
Table E.12 – Software design and development: software architecture design (see 7.4.3 of IEC 61508-3).....	137
Table E.13 – Software design and development: support tools and programming language (see 7.4.4 of IEC 61508-3)	139
Table E.14 – Software design and development: detailed design (see 7.4.5 and 7.4.6 of IEC 61508-3) (this includes software system design, software module design and coding)	139
Table E.15 – Software design and development: software module testing and integration (see 7.4.7 and 7.4.8 of IEC 61508-3).....	141
Table E.16 – Programmable electronics integration (hardware and software) (see 7.5 of IEC 61508-3).....	141
Table E.17 – Software safety validation (see 7.7 of IEC 61508-3).....	141
Table E.18 – Modification (see 7.8 of IEC 61508-3).....	143
Table E.19 – Software verification (see 7.9 of IEC 61508-3).....	143
Table E.20 – Functional safety assessment (see clause 8 of IEC 61508-3)	143

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN 61508-6:2007](https://standards.iteh.ai/catalog/standards/sist/bfecface-73c1-4058-a2af-f4cc1124b9cc/sist-en-61508-6-2007)

<https://standards.iteh.ai/catalog/standards/sist/bfecface-73c1-4058-a2af-f4cc1124b9cc/sist-en-61508-6-2007>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FUNCTIONAL SAFETY OF ELECTRICAL/ELECTRONIC/PROGRAMMABLE
ELECTRONIC SAFETY-RELATED SYSTEMS –**
**Part 6: Guidelines on the application of IEC 61508-2
and IEC 61508-3**

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61508-6 has been prepared by subcommittee 65A: System aspects, of IEC technical committee 65: Industrial-process measurement and control.

The text of this standard is based on the following documents:

FDIS	Report on voting
65A/295/FDIS	65A/304/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

Annexes A to E are for information only.

IEC 61508 consists of the following parts, under the general title *Functional safety of electrical/electronic/programmable electronic safety-related systems*:

- Part 1: General requirements
- Part 2: Requirements for electrical/electronic/programmable electronic safety-related systems

- Part 3: Software requirements
- Part 4: Definitions and abbreviations
- Part 5: Examples of methods for the determination of safety integrity levels
- Part 6: Guidelines on the application of IEC 61508-2 and IEC 61508-3
- Part 7: Overview of techniques and measures

The committee has decided that the contents of this publication will remain unchanged until 2005. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN 61508-6:2007](https://standards.iteh.ai/catalog/standards/sist/bfecface-73c1-4058-a2af-f4cc1124b9cc/sist-en-61508-6-2007)

<https://standards.iteh.ai/catalog/standards/sist/bfecface-73c1-4058-a2af-f4cc1124b9cc/sist-en-61508-6-2007>

INTRODUCTION

Systems comprised of electrical and/or electronic components have been used for many years to perform safety functions in most application sectors. Computer-based systems (generically referred to as programmable electronic systems (PESs)) are being used in all application sectors to perform non-safety functions and, increasingly, to perform safety functions. If computer system technology is to be effectively and safely exploited, it is essential that those responsible for making decisions have sufficient guidance on the safety aspects on which to make those decisions.

This International Standard sets out a generic approach for all safety lifecycle activities for systems comprised of electrical and/or electronic and/or programmable electronic components (electrical/ electronic/programmable electronic systems (E/E/PESs)) that are used to perform safety functions. This unified approach has been adopted in order that a rational and consistent technical policy be developed for all electrically based safety-related systems. A major objective is to facilitate the development of application sector standards.

In most situations, safety is achieved by a number of protective systems which rely on many technologies (for example mechanical, hydraulic, pneumatic, electrical, electronic, programmable electronic). Any safety strategy must therefore consider not only all the elements within an individual system (for example sensors, controlling devices and actuators) but also all the safety-related systems making up the total combination of safety-related systems. Therefore, while this International Standard is concerned with electrical/ electronic/programmable electronic (E/E/PE) safety-related systems, it may also provide a framework within which safety-related systems based on other technologies may be considered.

(standards.iteh.ai)

It is recognized that there is a great variety of E/E/PES applications in a variety of application sectors and covering a wide range of complexity, hazard and risk potentials. In any particular application, the exact prescription of safety measures is dependent on many factors specific to the application. This International Standard, by being generic, will enable such a prescription to be formulated in future application sector international standards.

This International Standard

- considers all relevant overall, E/E/PES and software safety lifecycle phases (for example, from initial concept, through design, implementation, operation and maintenance to decommissioning) when E/E/PESs are used to perform safety functions;
- has been conceived with a rapidly developing technology in mind; the framework is sufficiently robust and comprehensive to cater for future developments;
- enables application sector international standards, dealing with safety-related E/E/PESs, to be developed; the development of application sector international standards, within the framework of this International Standard, should lead to a high level of consistency (for example, of underlying principles, terminology, etc.) both within application sectors and across application sectors; this will have both safety and economic benefits;
- provides a method for the development of the safety requirements specification necessary to achieve the required functional safety for E/E/PE safety-related systems;
- uses safety integrity levels for specifying the target level of safety integrity for the safety functions to be implemented by the E/E/PE safety-related systems;

- adopts a risk-based approach for the determination of the safety integrity level requirements;
- sets numerical target failure measures for E/E/PE safety-related systems which are linked to the safety integrity levels;
- sets a lower limit on the target failure measures, in a dangerous mode of failure, that can be claimed for a single E/E/PE safety-related system; for E/E/PE safety-related systems operating in
 - a low demand mode of operation, the lower limit is set at an average probability of failure of 10^{-5} to perform its design function on demand,
 - a high demand or continuous mode of operation, the lower limit is set at a probability of a dangerous failure of 10^{-9} per hour;

NOTE A single E/E/PE safety-related system does not necessarily mean a single-channel architecture.

- adopts a broad range of principles, techniques and measures to achieve functional safety for E/E/PE safety-related systems, but does not rely on the concept of fail-safe, which may be of value when the failure modes are well-defined and the level of complexity is relatively low – the concept of fail-safe was considered inappropriate because of the full range of complexity of E/E/PE safety-related systems that are within the scope of the standard.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61508-6:2007

<https://standards.iteh.ai/catalog/standards/sist/bfecface-73c1-4058-a2af-f4cc1124b9cc/sist-en-61508-6-2007>