
**Information technology — Open Systems
Interconnection — The Directory —**

**Part 7:
Selected object classes**

*Technologies de l'information — Interconnexion de systèmes ouverts
(OSI) — L'annuaire*

iTeh STANDARD PREVIEW
Partie 7: Classes d'objets sélectionnées
(standards.iteh.ai)

[ISO/IEC 9594-7:2014](https://standards.iteh.ai/catalog/standards/sist/592f75f8-5151-46a8-b330-39cf55f2c7c9/iso-iec-9594-7-2014)

<https://standards.iteh.ai/catalog/standards/sist/592f75f8-5151-46a8-b330-39cf55f2c7c9/iso-iec-9594-7-2014>

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 9594-7:2014](https://standards.iteh.ai/catalog/standards/sist/592f75f8-5151-46a8-b330-39cf55f2c7c9/iso-iec-9594-7-2014)

<https://standards.iteh.ai/catalog/standards/sist/592f75f8-5151-46a8-b330-39cf55f2c7c9/iso-iec-9594-7-2014>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 9594-7 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as Rec. ITU-T X.521 (10/2012).

This seventh edition cancels and replaces the sixth edition (ISO/IEC 9594-7:2008), which has been technically revised. It also incorporates the Technical Corrigendum ISO/IEC 9594-7:2008/Cor.1:2012.

ISO/IEC 9594 consists of the following parts, under the general title *Information technology — Open Systems Interconnection — The Directory*:

- *Part 1: Overview of concepts, models and services*
- *Part 2: Models*
- *Part 3: Abstract service definition*
- *Part 4: Procedures for distributed operation*
- *Part 5: Protocol specifications*
- *Part 6: Selected attribute types*
- *Part 7: Selected object classes*
- *Part 8: Public-key and attribute certificate frameworks*
- *Part 9: Replication*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 9594-7:2014](#)

<https://standards.iteh.ai/catalog/standards/sist/592f75f8-5151-46a8-b330-39cf55f2c7c9/iso-iec-9594-7-2014>

CONTENTS

		<i>Page</i>
1	Scope	1
2	Normative references	1
	2.1 Identical Recommendations International Standards	1
3	Definitions	2
	3.1 Communication Model definitions	2
	3.2 Directory Model definitions	2
4	Conventions	2
5	Definition of useful attribute sets	3
	5.1 Telecommunication attribute set	3
	5.2 Postal attribute set	3
	5.3 Locale attribute set	4
	5.4 Organizational attribute set	4
6	Definition of selected object classes	4
	6.1 Country	4
	6.2 Locality	4
	6.3 Organization	4
	6.4 Organizational Unit	5
	6.5 Person	5
	6.6 Organizational Person	5
	6.7 Organizational Role	5
	6.8 Group Of Names	5
	6.9 Group Of Unique Names	6
	6.10 Residential Person	6
	6.11 Application Process	6
	6.12 Application Entity	7
	6.13 DSA	7
	6.14 Device	7
	6.15 Strong Authentication User	7
	6.16 User Security Information	8
	6.17 User Password	8
	6.18 Certification Authority	8
	6.19 Certification Authority-V2	8
	6.20 DMD	8
	6.21 OID Obj1	9
	6.22 OID Obj2	9
	6.23 OID ObjC	9
	6.24 OID root	9
	6.25 OID arc	9
	6.26 URN ObjC	9
	6.27 ISO Tag Information	9
	6.28 ISO Tag Type	10
	6.29 EPC Tag Information object class	10
	6.30 EPC Tag Type Object Class	10
7	Definition of selected name forms	10
	7.1 Country name form	10
	7.2 Locality name form	11
	7.3 State Or Province name form	11
	7.4 Organization name form	11
	7.5 Organizational Unit name form	11
	7.6 Person name form	11
	7.7 Organizational Person name form	11

	<i>Page</i>
7.8 Organizational Role name form	11
7.9 Group Of Names name form	12
7.10 Residential Person name form.....	12
7.11 Application Process name form	12
7.12 Application Entity name form.....	12
7.13 DSA name form	12
7.14 Device name form.....	12
7.15 DMD name form.....	12
7.16 OIDC1 name form.....	13
7.17 OIDC2 name form.....	13
7.18 OIDC name form.....	13
7.19 URNC name form	13
7.20 OID root name form.....	13
7.21 OID arc name form	13
Annex A – Selected object classes and name forms in ASN.1	14
Annex B – Suggested name forms and Directory information tree (DIT) structures	22
B.1 Country.....	23
B.2 Organization.....	23
B.3 Locality	23
B.4 Organizational Unit.....	24
B.5 Organizational Person	24
B.6 Organizational Role	24
B.7 Group of Names	24
B.8 Residential Person.....	25
B.9 Application Entity	25
B.10 Device	25
B.11 Application Process.....	25
B.12 Alternative Structure Rule for Locality.....	26
Annex C – Amendments and corrigenda.....	27

iTech STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/592f75f8-5151-46a8-b330-39cf55f2c7c9/iso-iec-9594-7-2014>

Introduction

This Recommendation | International Standard, together with other Recommendations | International Standards, has been produced to facilitate the interconnection of information processing systems to provide directory services. A set of such systems, together with the directory information that they hold, can be viewed as an integrated whole, called the *Directory*. The information held by the Directory, collectively known as the Directory Information Base (DIB), is typically used to facilitate communication between, with or about objects such as application entities, people, terminals, and distribution lists.

The Directory plays a significant role in Open Systems Interconnection, whose aim is to allow, with a minimum of technical agreement outside of the interconnection standards themselves, the interconnection of information processing systems:

- from different manufacturers;
- under different managements;
- of different levels of complexity; and
- of different ages.

This Recommendation | International Standard defines a number of attribute sets and object classes which may be found useful across a range of applications of the Directory.

This Recommendation | International Standard provides the foundation frameworks upon which industry profiles can be defined by other standards groups and industry forums. Many of the features defined as optional in these frameworks may be mandated for use in certain environments through profiles. This seventh edition technically revises and enhances the sixth edition of this Recommendation | International Standard.

This seventh edition specifies versions 1 and 2 of the Directory protocols.

The first and second editions specified only version 1. Most of the services and protocols specified in this edition are designed to function under version 1. However some enhanced services and protocols, e.g., signed errors, will not function unless all Directory entities involved in the operation have negotiated version 2. Whichever version has been negotiated, differences between the services and between the protocols defined in the six editions, except for those specifically assigned to version 2, are accommodated using the rules of extensibility defined in Rec. ITU-T X.519 | ISO/IEC 9594-5.

<https://standards.iteh.ai/catalog/standards/sist/592f75f8-5151-46a8-b330-39cf5592e7c9/iso-iec-9594-7-2014>

Annex A, which is an integral part of this Recommendation | International Standard, provides an ASN.1 module containing all of the type and value definitions which appear in this Recommendation | International Standard.

Annex B, which is not an integral part of this Recommendation | International Standard, provides some common naming and structure rules which may or may not be used by administrative authorities.

Annex C, which is not an integral part of this Recommendation | International Standard, lists the amendments and defect reports that have been incorporated to form this edition of this Recommendation | International Standard.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 9594-7:2014](#)

<https://standards.iteh.ai/catalog/standards/sist/592f75f8-5151-46a8-b330-39cf55f2c7c9/iso-iec-9594-7-2014>

**INTERNATIONAL STANDARD
RECOMMENDATION ITU-T**

**Information technology – Open Systems Interconnection –
The Directory: Selected object classes**

SECTION 1 – GENERAL

1 Scope

This Recommendation | International Standard defines a number of object classes and name forms which may be found useful across a range of applications of the Directory. The definition of an object class involves listing a number of attribute types which are relevant to objects of that class. The definition of a name form involves naming the object class to which it applies and listing the attributes to be used in forming names for objects of that class. These definitions are used by the administrative authority which is responsible for the management of the directory information.

Any administrative authority can define its own object classes or subclasses and name forms for any purpose.

NOTE 1 – Those definitions may or may not use the notation specified in Rec. ITU-T X.501 | ISO/IEC 9594-2.

NOTE 2 – It is recommended that an object class defined in this Recommendation | International Standard, or a subclass derived from one, or a name form defined in this Recommendation | International Standard, be used in preference to the generation of a new one, whenever the semantics is appropriate for the application.

Administrative authorities may support some or all the selected object classes and name forms, and may also add additional ones.

All administrative authorities shall support the object classes which the directory uses for its own purpose (the top, alias and Directory system agent (DSA) object classes).

STANDARD PREVIEW
(standards.itech.ai)

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent editions of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- Recommendation ITU-T X.200 (1994) | ISO/IEC 7498-1:1994, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model.*
- Recommendation ITU-T X.500 (2012) | ISO/IEC 9594-1:2014, *Information technology – Open Systems Interconnection – The Directory: Overview of concepts, models and services.*
- Recommendation ITU-T X.501 (2012) | ISO/IEC 9594-2:2014, *Information technology – Open Systems Interconnection – The Directory: Models.*
- Recommendation ITU-T X.509 (2012) | ISO/IEC 9594-8:2014, *Information technology – Open Systems Interconnection – The Directory: Public-key and attribute certificate frameworks.*
- Recommendation ITU-T X.511 (2012) | ISO/IEC 9594-3:2014, *Information technology – Open Systems Interconnection – The Directory: Abstract service definition.*
- Recommendation ITU-T X.518 (2012) | ISO/IEC 9594-4:2014, *Information technology – Open Systems Interconnection – The Directory: Procedures for distributed operation.*
- Recommendation ITU-T X.519 (2012) | ISO/IEC 9594-5:2014, *Information technology – Open Systems Interconnection – The Directory: Protocol specifications.*
- Recommendation ITU-T X.520 (2012) | ISO/IEC 9594-6:2014, *Information technology – Open Systems Interconnection – The Directory: Selected attribute types.*
- Recommendation ITU-T X.525 (2012) | ISO/IEC 9594-9:2014, *Information technology – Open Systems Interconnection – The Directory: Replication.*

ISO/IEC 9594-7:2014 (E)

- Recommendation ITU-T X.668 (2008) | ISO/IEC 9834-9:2008, *Information technology – Open Systems Interconnection – Procedures for the operation of OSI Registration Authorities: Registration of object identifier arcs for applications and services using tag-based identification.*
- Recommendation ITU-T X.680 (2008) | ISO/IEC 8824-1:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation.*
- Recommendation ITU-T X.681 (2008) | ISO/IEC 8824-2:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification.*
- Recommendation ITU-T X.682 (2008) | ISO/IEC 8824-3:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification.*
- Recommendation ITU-T X.683 (2008) | ISO/IEC 8824-4:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications.*

3 Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

3.1 Communication Model definitions

The following terms are defined in Rec. ITU-T X.519 | ISO/IEC 9594-5:

- application-entity;*
- application process.*

3.2 Directory Model definitions

The following terms are defined in Rec. ITU-T X.501 | ISO/IEC 9594-2:

- attribute;*
- attribute type;*
- Directory information tree (DIT);*
- Directory system agent (DSA);*
- attribute set;*
- entry;*
- name;*
- object class;*
- subclass;*
- name form;*
- structure rule.*

4 Conventions

The term "Directory Specification" (as in "this Directory Specification") shall be taken to mean Rec. ITU-T X.521 | ISO/IEC 9594-7. The term "Directory Specifications" shall be taken to mean the ITU-T X.500-series Recommendations and all parts of ISO/IEC 9594.

This Directory Specification uses the term *first edition systems* to refer to systems conforming to the first edition of the Directory Specifications, i.e., the 1988 edition of the CCITT X.500-series Recommendations and the ISO/IEC 9594:1990 edition.

This Directory Specification uses the term *second edition systems* to refer to systems conforming to the second edition of the Directory Specifications, i.e., the 1993 edition of the ITU-T X.500-series Recommendations and the ISO/IEC 9594:1995 edition.

This Directory Specification uses the term *third edition systems* to refer to systems conforming to the third edition of the Directory Specifications, i.e., the 1997 edition of the ITU-T X.500-series Recommendations and the ISO/IEC 9594:1998 edition.

This Directory Specification uses the term *fourth edition systems* to refer to systems conforming to the fourth edition of the Directory Specifications, i.e., the 2001 editions of Recs ITU-T X.500, ITU-T X.501, ITU-T X.511, ITU-T X.518, ITU-T X.519, ITU-T X.520, ITU-T X.521, ITU-T X.525, and ITU-T X.530, the 2000 edition of Rec. ITU-T X.509, and parts 1-10 of the ISO/IEC 9594:2001 edition.

This Directory Specification uses the term *fifth edition systems* to refer to systems conforming to the fifth edition of the Directory Specifications, i.e., the 2005 edition of the ITU-T X.500-series Recommendations and the ISO/IEC 9594:2005 edition.

This Directory Specification uses the term *sixth edition systems* to refer to systems conforming to the sixth edition of the Directory Specifications, i.e., the 2008 edition of the ITU-T X.500-series Recommendations and the ISO/IEC 9594:2008 edition.

This Directory Specification uses the term *seventh edition systems* to refer to systems conforming to the seventh edition of the Directory Specifications, i.e., the 2012 edition of the ITU-T X.500-series Recommendations and the ISO/IEC 9594:2014 edition.

This Directory Specification presents ASN.1 notation in the bold Courier New typeface. When ASN.1 types and values are referenced in normal text, they are differentiated from normal text by presenting them in the bold Courier New typeface. The names of procedures, typically referenced when specifying the semantics of processing, are differentiated from normal text by displaying them in bold Times New Roman. Access control permissions are presented in italicized Times New Roman.

Object classes and name forms are defined in this Directory Specification as values of the **OBJECT-CLASS** and **NAME-FORM** information object classes defined in Rec. ITU-T X.501 | ISO/IEC 9594-2.

SECTION 2 – SELECTED OBJECT CLASSES

iTeh STANDARD PREVIEW (standards.iteh.ai)

5 Definition of useful attribute sets

5.1 Telecommunication attribute set

This set of attributes is used to define those which are commonly used for business communications.

```
TelecommunicationAttributeSet ATTRIBUTE ::=
  {facsimileTelephoneNumber |
   internationalISDNNumber |
   telephoneNumber |
  -- teletexTerminalIdentifier (Attribute type has been deleted)
  -- teletexTerminalIdentifier | Attribute type has been deleted
   telexNumber |
   preferredDeliveryMethod |
   destinationIndicator |
   registeredAddress |
   x121Address}
```

5.2 Postal attribute set

This set of attributes is used to define those which are directly associated with postal delivery.

```
PostalAttributeSet ATTRIBUTE ::=
  {physicalDeliveryOfficeName |
   postalAddress |
   postalCode |
   postOfficeBox |
   streetAddress}
```

5.3 Locale attribute set

This set of attributes is used to define those which are commonly used for search purposes to indicate the locale of an object.

```
LocaleAttributeSet ATTRIBUTE ::=
  {localityName |
   stateOrProvinceName |
   streetAddress}
```

5.4 Organizational attribute set

This set of attributes is used to define the attributes that an organization or organizational unit may typically possess.

```
OrganizationalAttributeSet ATTRIBUTE ::=
  {description |
   LocaleAttributeSet |
   PostalAttributeSet |
   TelecommunicationAttributeSet |
   businessCategory |
   seeAlso |
   searchGuide |
   userPassword}
```

6 Definition of selected object classes

6.1 Country

A *Country* object class is used to define country entries in the DIT.

```
country OBJECT-CLASS ::= {
  SUBCLASS OF {top}
  MUST CONTAIN {countryName}
  MAY CONTAIN {description |
               searchGuide}
  ID           id-oc-country }
```

(standards.itech.ai)

<http://standards.itech.ai/catalog/standards/sist/592f75f8-5151-46a8-b330-39cf55f2c7c9/iso-iec-9594-7-2014>

6.2 Locality

The *Locality* object class is used to define locality in the DIT.

```
locality OBJECT-CLASS ::= {
  SUBCLASS OF {top}
  MAY CONTAIN {description |
               searchGuide |
               LocaleAttributeSet |
               seeAlso}
  ID           id-oc-locality }
```

At least one of Locality Name or State or Province Name shall be present.

6.3 Organization

The *Organization* object class is used to define organization entries in the DIT.

```
organization OBJECT-CLASS ::= {
  SUBCLASS OF {top}
  MUST CONTAIN {organizationName}
  MAY CONTAIN {OrganizationalAttributeSet}
  ID           id-oc-organization }
```