

## **SLOVENSKI STANDARD SIST EN IEC 62435-6:2019**

01-januar-2019

Elektronske komponente - Dolgoročno skladiščenje elektronskih polprevodniških elementov - 6. del: Pakirani ali končni elementi (IEC 62435-6:2018)

Electronic components - Long-term storage of electronic semiconductor devices - Part 6: Packaged or Finished Devices (IEC 62435-6:2018)

## iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten SIST EN IEC 8,435-6:2018 https://dandards.iici.avcatalog/standards/sist/2364e7/4-abde-45/a-92b7-

08ebbd823b29/sist-en-iec-62435-6-2019

ICS:

31.080.01 Polprevodniški elementi

Semiconductor devices in

(naprave) na splošno general

SIST EN IEC 62435-6:2019

en

**SIST EN IEC 62435-6:2019** 

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 62435-6:2019

https://standards.iteh.ai/catalog/standards/sist/2364e774-abde-457a-92b7-08ebbd823b29/sist-en-iec-62435-6-2019

EUROPEAN STANDARD NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

**EN IEC 62435-6** 

October 2018

ICS 31.020

### **English Version**

Electronic components - Long-term storage of electronic semiconductor devices - Part 6: Packaged or finished devices (IEC 62435-6:2018)

Composants électroniques - Stockage de longue durée des dispositifs électroniques à semiconducteurs - Partie 6:

Dispositifs encapsulés ou finis

(IEC 62435-6:2018)

Elektronische Bauteile - Langzeitlagerung elektronischer Halbleiterbauelemente - Teil 6: Bauelemente in Gehäusen oder fertiggestellte Bauelemente (IEC 62435-6:2018)

This European Standard was approved by CENELEC on 2018-10-03. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

#### SIST EN IEC 62435-6:2019

CENELEC members are the national electrotechnical committees of Austria, Belglum, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

#### EN IEC 62435-6:2018 (E)

### **European foreword**

The text of document 47/2482/FDIS, future edition 1 of IEC 62435-6, prepared by IEC/TC 47 "Semiconductor devices" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62435-6:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2021-10-03

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

## iTeh STEndorsement notice EVIEW (standards.iteh.ai)

The text of the International Standard IEC 62435-6:2018 was approved by CENELEC as a European Standard without any modification. https://standards.iteh.ai/catalog/standards/sist/2364e774-abde-457a-92b7-

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60721-3-1	NOTE	Harmonized as EN IEC 60721-3-1
IEC 62435-1	NOTE	Harmonized as EN 62435-1
IEC 62435-2	NOTE	Harmonized as EN 62435-2
IEC 62435-31	NOTE	Harmonized as EN IEC 62435-32
IEC 62435-4	NOTE	Harmonized as EN IEC 62435-4
IEC 62435-5	NOTE	Harmonized as EN 62435-5
IEC 62435-7 <sup>3</sup>	NOTE	Harmonized as EN IEC 62435-74
IEC 62435-85	NOTE	Harmonized as EN IEC 62435-86

\_

<sup>&</sup>lt;sup>1</sup> Under preparation. Stage at the time of publication: IEC/CCDV 62435-3:2018.

<sup>&</sup>lt;sup>2</sup> Under preparation. Stage at the time of publication: prEN IEC 62435-3:2018.

<sup>&</sup>lt;sup>3</sup> Under preparation. Stage at the time of publication: IEC/CD 62435-7:2018.

<sup>&</sup>lt;sup>4</sup> Under preparation. Stage at the time of publication: prEN IEC 62435-7:2018.

<sup>&</sup>lt;sup>5</sup> Under preparation. Stage at the time of publication: IEC/CD 62435-8:2018.

<sup>&</sup>lt;sup>6</sup> Under preparation. Stage at the time of publication: prEN IEC 62435-8:2018.

EN IEC 62435-6:2018 (E)

### **Annex ZA**

(normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: <a href="https://www.cenelec.eu">www.cenelec.eu</a>.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60749-20	iTe	Semiconductor devices - Mechanical and climatic test methods - Part 20: Resistance of plastic encapsulated SMDs to the combined effect of moisture and soldering heat		-
IEC 60749-20-1	- https://star	Semiconductor devices 43 Mechanical and climatic test methods repart 20-1. Handling packing labelling and shipping of surface mount devices sensitive to the combined effect of moisture and soldering heat	157a-92b7- -	-
JEDEC J-STD-020	-	Moisture/reflow classification for nonhermetic solid state surface moundevices	·	-
JEDEC J-STD-075	-	Classification of non-IC electronic components for assembly processes	) <b>-</b>	-

**SIST EN IEC 62435-6:2019** 

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 62435-6:2019

https://standards.iteh.ai/catalog/standards/sist/2364e774-abde-457a-92b7-08ebbd823b29/sist-en-iec-62435-6-2019



IEC 62435-6

Edition 1.0 2018-08

## INTERNATIONAL **STANDARD**

### **NORME** INTERNATIONALE

Electronic components - Long-term storage of electronic semiconductor Part 6: Packaged or finished devices

SIST EN IEC 62435-6:2019

Composants électroniques - Stockage de longue durée des dispositifs électroniques à semiconducteurs 29/sist-en-iec-62435-6-2019 Partie 6: Dispositifs encapsulés ou finis

**INTERNATIONAL ELECTROTECHNICAL** COMMISSION

COMMISSION **ELECTROTECHNIQUE INTERNATIONALE** 

ICS 31.020 ISBN 978-2-8322-5979-5

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

### CONTENTS

Г	JREWC		3
IN	ITRODU	JCTION	5
1	Scop	re	7
2	Norm	native references	7
3	Term	is and definitions	7
4	Stora	age considerations	9
	4.1	Failure mechanisms	
	4.1.1		
	4.1.2		
	4.2	Materials management	
	4.3	Storage media	11
	4.4	Inventory check	11
	4.5	Inventory dry packing refreshing	12
	4.6	Inventory re-assessment	12
5	Base	line long-term storage requirements	12
	5.1	General	12
	5.1.1	Categories	12
	5.1.2	Critical aspects or A. D	12
	5.1.3		12
	5.2	Non-moisture sensitive device storages itch.ai	13
	5.2.1	3	
	5.2.2	Lot data and labelling SIST EN IEC 62435-6:2019	13
	5.3	Moisture sensitive finished device storage 08ebbd823b29/sist-en-iec-62435-6-2019 Moisture sensitivity designation	13
	5.3.1	Moisture sensitivity designation	13
	5.3.2	Dry packing for storage	13
	5.3.3	Moisture barrier bag	13
	5.3.4	Dunnage	13
	5.3.5	Humidity indicator card – HIC	14
	5.3.6		
	5.3.7	3	
	5.4	Storage environment	14
	5.5	Process (temperature) sensitivity designation	14
		(informative) Packaged or finished device storage environment tions	15
		phy	
וט	bilograf	/iiy	10
Τá	able 1 –	Example failure mechanisms in storage and stimuli to mitigate during storage	9
		Long-term environment – Sustained condition requirements	
		Considerations for management, control and documentation during storage	
		Long-term storage environment – Sustained condition considerations	

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### ELECTRONIC COMPONENTS – LONG-TERM STORAGE OF ELECTRONIC SEMICONDUCTOR DEVICES –

### Part 6: Packaged or finished devices

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinter-pretation by any end user.
   4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications
- 4) In order to promote international uniformity, IEC National Committee's undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding mational 5 of regional publication shall be clearly indicated in the latter.

  https://standards.iteh.ai/catalog/standards/sist/2364e774-abde-457a-92b7-
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62435-6 has been prepared by IEC technical committee 47: Semiconductor devices.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
47/2482/FDIS	47/2495/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 62435-6:2018 © IEC 2018

A list of all parts in the IEC 62435 series, published under the general title *Electronic components – Long-term storage of electronic semiconductor devices*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 62435-6:2019 https://standards.iteh.ai/catalog/standards/sist/2364e774-abde-457a-92b7-08ebbd823b29/sist-en-iec-62435-6-2019

– 4 –

### INTRODUCTION

This document applies to the long-term storage of electronic components.

This is a standard for long-term storage (LTS) of electronic devices drawing on the best long-term storage practices currently known. For the purposes of this standard, LTS is defined as any device storage whose duration can be more than 12 months for product scheduled for long duration storage. While intended to address the storage of unpackaged semiconductors and packaged electronic devices, nothing in this document precludes the storage of other items under the storage levels defined herein.

Although it has always existed to some extent, obsolescence of electronic components and particularly of integrated circuits, has become increasingly intense over the last few years.

Indeed, with the existing technological boom, the commercial life of a component has become very short compared with the life of industrial equipment such as that encountered in the aeronautical field, the railway industry or the energy sector.

The many solutions enabling obsolescence to be resolved are now identified. However, selecting one of these solutions should be preceded by a case-by-case technical and economic feasibility study, depending on whether storage is envisaged for field service or production, for example:

- remedial storage as soon as components are no longer marketed;
- preventive storage anticipating declaration of obsolescence.

Taking into account the expected life of some installations, sometimes covering several decades, the qualification times, and the unavailability costs, which can also be very high, the solution to be adopted to resolve obsolescence should often be rapidly implemented. This is why the solution retained in most cases consists in systematically storing components which are in the process of becoming obsolescent:

The technical risks of this solution are, a priori, fairly low. However, it requires perfect mastery of the implemented process and especially of the storage environment, although this mastery becomes critical when it comes to long-term storage.

All handling, protection, storage and test operations are recommended to be performed according to the state of the art.

The application of the approach proposed in this document in no way guarantees that the stored components are in perfect operating condition at the end of this storage. It only comprises a means of minimizing potential and probable degradation factors.

Some electronic device users have the need to store electronic devices for long periods of time. Lifetime buys are commonly made to support production runs of assemblies that well exceed the production timeframe of its individual parts. This puts the user in a situation requiring careful and adequate storage of such parts to maintain the as-received solderability and minimize any degradation effects to the part over time. Major degradation concerns are moisture, electrostatic fields, ultraviolet light, large variations in temperature, air-borne contaminants, and outgassing.

Warranties and sparing also present a challenge for the user or repair agency as some systems have been designated to be used for long periods of time, in some cases for up to 40 years or more. Some of the devices needed for repair of these systems will not be available from the original component manufacturer for the lifetime of the system or the spare assembly can be built with the original production run but then requires long-term storage. This document was developed to provide a standard for storing electronic devices for long periods