

## SLOVENSKI STANDARD oSIST prEN ISO 6185-3:2018

01-februar-2018

Napihljivi čolni - 3. del: Čolni s trupom, krajšim od 8 m, in motorjem z močjo, večjo ali enako 15 kW (ISO 6185-3:2014)

Inflatable boats - Part 3: Boats with a hull length less than 8 m with a motor rating of 15 kW and greater (ISO 6185-3:2014)

Aufblasbare Boote - Teil 3: Boote mit einer Rumpflänge unter 8 m mit einer Motorleistung von mindestens 15 kW (ISO 6185-3:2014)

Bateaux pneumatiques - Partie 3: Bateaux d'une longueur de coque inférieure à 8 m et d'une puissance moteur assignée supérieure ou égale à 15 kW (ISO 6185-3:2014)

Ta slovenski standard je istoveten z: prEN ISO 6185-3

ICS:

47.080 Čolni Small craft

oSIST prEN ISO 6185-3:2018 en,fr,de

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 6185-3:2018

### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

## DRAFT prEN ISO 6185-3

December 2017

ICS 47.080

Will supersede EN ISO 6185-3:2014

#### **English Version**

# Inflatable boats - Part 3: Boats with a hull length less than 8 m with a motor rating of 15 kW and greater (ISO 6185-3:2014)

Bateaux pneumatiques - Partie 3: Bateaux d'une longueur de coque inférieure à 8 m et d'une puissance moteur assignée supérieure ou égale à 15 kW (ISO 6185-3:2014)

Aufblasbare Boote - Teil 3: Boote mit einer Rumpflänge unter 8 m mit einer Motorleistung von mindestens 15 kW (ISO 6185-3:2014)

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/SS T01.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

**Warning**: This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

#### **Contents**

	Page
European foreword	3
Annex ZA (informative) Relationship between this European Standard and the Essential	
Requirements of Directive 2013/53/EU aimed to be covered	4

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 6185-3:2018
https://standards.iteh.ai/catalog/standards/sist/833d1b7b-397a-4fc0-9056

#### **European foreword**

The text of ISO 6185-3:2014 has been prepared by Technical Committee ISO/TC 188 "Small craft" of the International Organization for Standardization (ISO) and has been taken over as prEN ISO 6185-3:2017.

This document is currently submitted to the CEN Enquiry.

This document will supersede EN ISO 6185-3:2014.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2013/53/EU.

For relationship with EU Directive 2013/53/EU, see informative Annex ZA, which is an integral part of this document.

#### **Endorsement notice**

The text of ISO 6185-3:2014 has been approved by CEN as prEN ISO 6185-3:2017 without any modification.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 6185-3:2018</u> https://standards.iteh.ai/catalog/standards/sist/833d1b7b-397a-4fc0-9056 096be55d83d8/sist-en-iso-6185-3-2018

### **Annex ZA** (informative)

### Relationship between this European Standard and the Essential Requirements of Directive 2013/53/EU aimed to be covered

This European standard has been prepared under a Commission's standardization request M/542 C(2015) 8736 final to provide one voluntary means of conforming to Essential Requirements of Directive 2013/53/EU.

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding Essential Requirements of that Directive and associated EFTA regulations.

Table ZA.1 - Correspondence between this European Standard and Annex I of Directive 2013/53/EU

Essential Requirements of Directive 2013/53/EU	Clause(s)/sub-clause(s) of this EN	Remarks/Notes
Annex I, Part A, 1 - Watercraft design categories	3.12 except note 1 to entry	Disregard note to Clause 3.12
Annex I, Part A, 2.1 - Craft identification	g(standards.iteh	ai)
Annex I, Part A, 2.2 - Builder's plate	9 SIST EN ISO 6185-3:2018	
Annex I, Part A, 2.3 - Protection from falling overboard and means of reboarding	6.2, 7.9, 7.14, 10 <sub>tandards/sist/833</sub> , 096be55d83d8/sist-en-iso-6185-3	
Annex I, Part A, 2.4 - Visibility from the main steering position	7.10	
Annex I, Part A, 2.5 - Owner's manual	10, 11	Maintenance and repair information shall be provided in the owner's manual
Annex I, Part A, 3.1 - Structure	5, 6.1, 6.2, 6.3, 6.4, 6.5, 6.6, 6.9, 6.10, 6.15, 7.6, 7.7, 7.12, 7.13, 8	
Annex I, Part A, 3.2 - Stability and freeboard	7.3, 7.4	Design Category B, C and D only. Apply EN ISO 12217 for Category A
Annex I, Part A, 3.3 - Buoyancy and flotation	6.4, 7.4, 7.5, 7.6	
Annex I, Part A, 3.4 - Openings in hull, deck and superstructure	6.17	
Annex I, Part A, 3.5 - Flooding	6.7, 7.3, 7.4, 8.5, 8.7	
Annex I, Part A, 3.6 - Manufacturer's maximum recommended load	7.1, 7.2	
Annex I, Part A, 3.7 - Liferaft stowage	7.11	
Annex I, Part A, 3.9 - Anchoring, mooring and towing	6.9	

Annex I, Part A, 4 - Handling	7.8, 8.3, 8.6	
characteristics		
Annex I, Part A, 5.1 - Engines and	6.12, 6.14	
engine compartments		
Annex I, Part A, 5.2 - Fuel system	6.12, 6.13, 6.14	
and fuel tanks		
Annex I, Part A, 5.3 - Electrical	6.11	
system		
Annex I, Part A, 5.4 - Steering	6.8, 7.13	
system		
Annex I, Part A, 5.5 - Gas system	6.18	
Annex I, Part A, 5.6 - Fire	6.12, 6.16	
protection		
Annex I, Part A, 5.7 - Navigation	6.19	
lights		
Annex I, Part A, 5.8 - Discharge	6.7, 6.20	
prevention and installations		
facilitating the delivery		
ashore of waste		

**WARNING 1** — Presumption of conformity stays valid only as long as a reference to this European Standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

**WARNING 2** — Other Union legislation may be applicable to the product(s) falling within the scope of this standard

<u> SIST EN ISO 6185-3:2018</u>

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 6185-3:2018

## INTERNATIONAL STANDARD

ISO 6185-3

Second edition 2014-08-15

#### Inflatable boats —

#### Part 3:

Boats with a hull length less than 8 m with a motor rating of 15 kW and greater

Bateaux pneumatiques — H. V. H. V.

Partie 3: Bateaux d'une longueur de coque inférieure à 8 m et d'une puissance moteur assignée supérieure ou égale à 15 kW

#### SIST EN ISO 6185-3:2018



ISO 6185-3:2014(E)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 6185-3:2018
https://standards.iteh.ai/catalog/standards/sist/833d1b7b-397a-4fc0-9056-096be55d83d8/sist-en-iso-6185-3-2018



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Coı	ntents		Page
Fore	word		V
Intro	oduction	1	<b>v</b> i
1	Scope	2	1
2		ative references	
3		s and definitions	
4	Symb	ols	4
5		tural Materials	
	5.1	General	
	5.2 5.3	Materials making up the flexible floor and buoyancy tube	5 7
	5.3 5.4	Metal parts	
	5.5	Glass-reinforced plastics	
	5.6	Other materials	7
	5.7	Buoyant material used in foam filled buoyancy tubes	7
6	Funct	cional components	8
	6.1	Conditioning	9
	6.2	Fittings bonded to the flexible parts of the boat	9
	6.3	Manual lifting and carrying devices	9
	6.4	Valves (if applicable)	
	6.5 6.6	Rowlocks and oars	
	6.7	Transom (where applicable)Hull drainage	11
	6.8	Remote steering system (where offered as standard or optional equipment)	11
	6.9	Towing, anchoring and mooring devices 3-20.18	11
	6.10	Seating and attachment systems (where offered as a standard or optional equipment)	
	6.11	Electrical installations (where offered as standard or optional equipment))	
	6.12 6.13	Engine and engine spacesFuel systems	
	6.14	Ventilation of petrol engine and/or petrol tank compartments (where applicable)	
	6.15	Devices for lifting the boat (if applicable)	
	6.16	Fire protection (if applicable)	13
	6.17	Openings in hull, deck or superstructure	
	6.18	Gas systems	
	6.19	Navigational lights	
	6.20	Discharge prevention	
7	_	y requirements of the completed boat	
	7.1 7.2	Maximum Load Capacity Crew limit (CL)	
	7.2	Static stability	
	7.4	Buoyancy requirements	
	7.5	Compartmentation	
	7.6	Nominal pressures (inflatable buoyancy tubes)	17
	7.7	Strength of the inflatable buoyancy tube	
	7.8	Maximum motor power	
	7.9 7.10	Man overboard prevention and recovery  Field of vision from the helm position	
	7.10 7.11	Provision for (a) liferaft(s)	
	7.11	Strength of the Rigid Structure (type test only)	
	7.13	Strength of principal fitted accessories	
	7.14	Safety Sign	21
R	Perfo	rmance	21

#### ISO 6185-3:2014(E)

	8.1	General	
	8.2	Drop test (Ribs only)	21
	8.3	Drop test (Ribs only)	22
	8.4	Rowing test (where applicable, see 6.5)	2.3
	8.5	Watertightness test (not applicable to open floor, self-bailing boats)	23
	8.6	Manoeuving-speed test	
	8.7	Self-Draining (type VIII Boats only)	25
9	Build	er's plate(s)	25
10	Owne	r's manual	25
11	Stand	ard equipment	26
Annex	A (info	ormative) General arrangement of a typical Type VII boat	27
Annex	<b>B</b> (info	ormative) General arrangement of a typical Type VIII boat	28
Rihlin	granhy		30

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 6185-3:2018

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 188, Small craft.

This second edition cancels and replaces the first edition (ISO 6185-3:2001), which has been technically revised.

ISO 6185 consists of the following parts, under the general title *Inflatable boats*:

- Part 1: Boats with a maximum motor power rating of 4, 5 kW
- Part 2: Boats with a maximum motor power rating of 4, 5 kW to 15 kW inclusive
- Part 3: Boats with a hull length less than 8m and with a motor power rating of 15 kW and greater
- Part 4: Boats with a hull length of between 8 m and 24 m and with a maximum motor power rating of 15 kW and greater