

SLOVENSKI STANDARD SIST EN ISO 8666:2018

01-december-2018

Nadomešča:

SIST EN ISO 8666:2016

Mala plovila - Osnovni podatki (ISO 8666:2016)

Small craft - Principal data (ISO 8666:2016)

Kleine Wasserfahrzeuge - Hauptdaten (ISO 8666:2016)

Petits navires - Données principales (ISO 8666:2016) (standards.iten.ai)

Ta slovenski standard je istoveten z: EN IEN ISO 8666:2018

https://standards.iteh.ai/catalog/standards/sist/0419ed67-a8c4-47a3-afed-

ICS:

47.080 Čolni Small craft

SIST EN ISO 8666:2018 en,fr,de

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 8666:2018

https://standards.iteh.ai/catalog/standards/sist/0419ed67-a8c4-47a3-afed-7fd3d9c75eea/sist-en-iso-8666-2018

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 8666

October 2018

ICS 47.080

Supersedes EN ISO 8666:2016

English Version

Small craft - Principal data (ISO 8666:2016)

Petits navires - Données principales (ISO 8666:2016)

Kleine Wasserfahrzeuge - Hauptdaten (ISO 8666:2016)

This European Standard was approved by CEN on 16 April 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

SIST EN ISO 8666:2018

https://standards.iteh.ai/catalog/standards/sist/0419ed67-a8c4-47a3-afed-7fd3d9c75eea/sist-en-iso-8666-2018



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 8666:2018 (E)

Contents	Page
European foreword	3
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of Directive 2013/53/FH aimed to be covered	4

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 8666:2018 https://standards.iteh.ai/catalog/standards/sist/0419ed67-a8c4-47a3-afed-7fd3d9c75eea/sist-en-iso-8666-2018

EN ISO 8666:2018 (E)

European foreword

The text of ISO 8666:2016 has been prepared by Technical Committee ISO/TC 188 "Small craft" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 8666:2018.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2019, and conflicting national standards shall be withdrawn at the latest by April 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 8666:2016.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2013/53/EU.

For relationship with EU Directive 2013/53/EU, see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

SIST EN ISO 8666:2018

https://standards.iteh.ai/Endorsement | notice: 4-47a3-afed-

7fd3d9c75eea/sist-en-iso-8666-2018

The text of ISO 8666:2016 has been approved by CEN as EN ISO 8666:2018 without any modification.

Annex ZA

(informative)

Relationship between this European Standard and the Essential Requirements of Directive 2013/53/EU aimed to be covered

This European standard has been prepared under a Commission's standardization request M/542 C(2015) 8736 final to provide one voluntary means of conforming to Essential Requirements of Directive 2013/53/EU.

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding Essential Requirements of that Directive and associated EFTA regulations.

Table ZA.1 — Correspondence between this European Standard and Article 3 and Annex I of Directive 2013/53/EU

Essential Denochasses in C	Cl (-) / 1	D
Essential Requirements of Directive 2013/53/EU	Clause(s)/sub- clause(s) of this EN	Remarks/Notes
Article 3(10) – Definitions - 'Hull length'	4.2.1, 4.2.3, 7.3 (standar <u>SIST EN I</u>	- 'Hull length' means the length of hull measured in accordance with the harmonised standard. This standard establishes the methodology for measuring the length of hull L _H .
Annex I, Part A, 2 GENERAL REQUIREMENTS		dards/sist/0419ed67-a8c4-47a3-afed- st-en-iso-8666-2018
Annex I, Part A, 2.2 (d) – Watercraft builder's plate	5.6	The Standard establishes the definition for "maximum load $m_{\rm ML}$ ". This is to be understood as the "manufacturer's recommended maximum load" in accordance with EN ISO 14946.
Annex I, Part A, 3 INTEGRITY AND STRUCTURAL REQUIREMENTS		
Annex I, Part A, 3.1 - Structure	2, 3, 4, 5, 6, 7	This Standard establishes definitions for main dimensions and related data, mass specifications and loading conditions that are required for determining hull construction and scantlings derived from EN ISO 12215.
Annex I, Part A, 3.2 - Stability and freeboard	2, 3, 4, 5, 6, 7	This Standard establishes definitions for main dimensions and related data, mass specifications and loading conditions that are required for evaluating the stability and buoyancy of intact (i.e. undamaged) boats in accordance with EN ISO 12217 in order to

		assign a design category appropriate to the design and maximum load.
Annex I, Part A, 3.3 – Buoyancy and floatation	2, 3, 4, 5, 6, 7	This Standard establishes definitions for main dimensions and related data, mass specifications and loading conditions that are required for evaluating the flotation characteristics of boats susceptible to swamping and the requirements for inverted buoyancy in accordance with EN ISO 12217.
Annex I, Part A, 3.4 - Flooding	4.2.3, 4.3.2, 4.4.3.3	In respect of dimensions for calculating the cockpit volume coefficient in accordance with EN ISO 12216.
Annex I, Part A, 3.6 - Manufacturer's maximum recommended load	5.6 TANDARD	The Standard establishes the definition for "maximum load $m_{\rm ML}$ ". This is to be understood as the "manufacturer's recommended maximum load" in accordance with EN ISO 14946. PREVIEW
Annex I, Part A, 5 INSTALLATION REQUIREMENTS	standards.it	teh.ai)
Annex I, Part A, 5.4.2 Steering systems -Emergency arrangements for sailing recreational craft and single-propulsion engine non-sailing recreational craft		The Standard establishes definitions for a sailing craft" and a "non-sailing craft". These definitions shall be used wherever required for the application of the essential requirements set out in Annex I of Directive 2013/53/EU.

WARNING 1 — Presumption of conformity stays valid only as long as a reference to this European Standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

WARNING 2 — Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 8666:2018

https://standards.iteh.ai/catalog/standards/sist/0419ed67-a8c4-47a3-afed-7fd3d9c75eea/sist-en-iso-8666-2018

INTERNATIONAL STANDARD

ISO 8666

Second edition 2016-07-01

Small craft — Principal data

Petits navires — Données principales

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 8666:2018 https://standards.iteh.ai/catalog/standards/sist/0419ed67-a8c4-47a3-afed-7fd3d9c75eea/sist-en-iso-8666-2018



Reference number ISO 8666:2016(E)

ISO 8666:2016(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 8666:2018 https://standards.iteh.ai/catalog/standards/sist/0419ed67-a8c4-47a3-afed-7fd3d9c75eea/sist-en-iso-8666-2018



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Co	ntent	CS Control of the con	Page
For	eword		v
1	Scop	e	1
2	Torn	ns and definitions	1
3	-	bols, designations and units	
4		surements	
	4.1	General	
	4.2	Longitudinal	
		4.2.1 General	
		4.2.2 Maximum length, L_{max}	
		4.2.3 Length of the hull, $L_{ m H}$ 4.2.4 Waterline length, $L_{ m WI}$	
	4.3	Athwartship	
	т.5	4.3.1 General	
		4.3.2 Maximum beam, $\boldsymbol{B}_{\text{max}}$	
		4.3.3 Beam of hull, $B_{\rm H}$	
		4.3.4 Beam, waterline, $\boldsymbol{B}_{\text{WL}}$	
		4.3.5 Maximum beam, waterline, B_{WLmax}	
		4.3.6 Beam between hull centers, B _{CB}	8
	4.4	Vertical	
		4.4.1 Maximum depth, $m{D}_{ m max}$	9
		4.4.2 Midship depth, $D_{LWL/2}$	9
		4.4.3 Freeboard, Francisco de la contraction de	10
		4.4.4 Draught, T	10
		4.4.5 Draught, air, H_a	10
		4.4.5 Draught, air, H_a 4.4.6 Headroom SIST EN ISO 8666-2018 Other data standards itch ai/catalog/standards/sist/0419ed67-a8c4-47a3-afed- 4.5.1 Deadrise angle, β 75eea/sist-en-iso-8666-2018	11
	4.5	Other data and a 7td3d9a75eea/sist-en-isn-8666-2018	11
		4.5.1 Deadrise angle, β	11
		4.5.2 Reference sail area, A_S	
		4.5.3 Standard sail area, A's	
		4.5.4 Windage area, A_{lv} 4.5.5 Volume of the craft, V	
		· ·	
5		ses	
	5.1	Mass, net shipping, $m{m}_{ ext{N}}$	13
	5.2	Mass, gross shipping, m_{G}	
	5.3	Mass, light craft, m_{LC}	
		5.3.1 Items of equipment included in m_{LC}	
	г 4	5.3.2 Items of equipment and other items not included in m_{LC}	
	5.4	Performance test mass, m _P	15
	5.5	Mass of the craft when towed on a trailer, $m_{\rm T}$ 5.5.1 General	
		5.5.2 Items of equipment included in $m_{\rm T}$	
		5.5.3 Items of equipment not included in $m_{\rm T}$	
		5.5.4 Exclusions, inclusions	
	5.6	Maximum load, $m_{\rm ML}$	
6		ling conditions	
	6.1 6.2	Test conditionReady-for-use condition	
	6.3	Fully loaded ready-for-use condition	
	6.4	Empty craft condition	
	6.5	Light craft condition	
	6.6	Minimum operating condition	
	6.7	Loaded arrival condition	
	J.,		

ISO 8666:2016(E)

	6.8	Maximum load condition	21
7	Tolera	ances	21
		Published data	21
	7.2	Preliminary specification	22
	7.3	Reference lengths	22
Biblio	graphy	7	23

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 8666:2018

https://standards.iteh.ai/catalog/standards/sist/0419ed67-a8c4-47a3-afed-7fd3d9c75eea/sist-en-iso-8666-2018