
**Machinery for forestry — Operator
protective structures — Laboratory
tests and performance requirements**

AMENDMENT 1

*Machines forestières — Structures de protection de l'opérateur —
Essais de laboratoire et exigences de performance*

AMENDEMENT 1

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 8084:2003/Amd 1:2015

<https://standards.iteh.ai/catalog/standards/sist/4c41b707-a978-4e77-8b08-d2d2d88bbc1d/iso-8084-2003-amd-1-2015>



Reference number
ISO 8084:2003/Amd.1:2015(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 8084:2003/Amd.1:2015

<https://standards.iteh.ai/catalog/standards/sist/4c41b707-a978-4e77-8b08-d2d2d88bbc1d/iso-8084-2003-amd-1-2015>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 15, *Machinery for forestry*.

[ISO 8084:2003/Amd 1:2015](https://standards.iteh.ai/catalog/standards/sist/4c41b707-a978-4e77-8b08-d2d2d88bbc1d/iso-8084-2003-amd-1-2015)

<https://standards.iteh.ai/catalog/standards/sist/4c41b707-a978-4e77-8b08-d2d2d88bbc1d/iso-8084-2003-amd-1-2015>

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

ISO 8084:2003/Amd 1:2015

<https://standards.iteh.ai/catalog/standards/sist/4c41b707-a978-4e77-8b08-d2d2d88bbc1d/iso-8084-2003-amd-1-2015>

Machinery for forestry — Operator protective structures — Laboratory tests and performance requirements

AMENDMENT 1

p. 3, 4.3.3

Replace the existing text by the following.

Perform five loadings on the opening at the following locations:

- a) the centre;
- b) mid-way along the longest side;
- c) mid-way along the shortest side;
- d) at the sharpest corner;
- e) at the dullest corner.

When testing the sides, the loading shall be 50 mm from the edge.

The order of the testing shall be a, b, c, d, and then e.

If a loading test point overlaps the 90 mm hemisphere of a previous test point, the subsequent test point may be omitted.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 8084:2003/Amd 1:2015

<https://standards.iteh.ai/catalog/standards/sist/4c41b707-a978-4e77-8b08-d2d2d88bbc1d/iso-8084-2003-amd-1-2015>