
**Identification cards — Integrated
circuit cards —**

**Part 15:
Cryptographic information application**

Cartes d'identification — Cartes à circuit intégré à contacts —

Partie 15: Application des informations cryptographiques

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

ISO/IEC 7816-15:2016

<https://standards.iteh.ai/catalog/standards/sist/37cc3cea-99df-45e1-bfa3-9f8060b8b88b/iso-iec-7816-15-2016>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC 7816-15:2016

<https://standards.iteh.ai/catalog/standards/sist/37cc3cea-99df-45e1-bfa3-9f8060b8b88b/iso-iec-7816-15-2016>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction.....	vi
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Symbols and abbreviated terms	5
4.1 Symbols.....	5
4.2 Abbreviated terms	5
5 Conventions	7
6 Cryptographic information objects	7
6.1 General	7
6.2 CIO classes	7
6.3 Attributes.....	8
6.4 Access restrictions	8
7 CIO files	8
7.1 Overview.....	8
7.2 IC card requirements.....	8
7.3 Card file structure.....	9
7.4 EF.DIR	9
7.5 Contents of DF.CIA.....	11
7.5.1 Overview.....	11
7.5.2 CIAInfo EF	11
7.5.3 EF.OD.....	12
7.5.4 CIO directory files.....	12
7.5.5 DF.CIA selection	13
8 Information syntax in ASN.1	14
8.1 Guidelines and encoding conventions	14
8.2 Basic ASN.1 defined types	14
8.2.1 Identifier.....	14
8.2.2 Reference	14
8.2.3 Label	14
8.2.4 CredentialIdentifier	14
8.2.5 ReferencedValue and Path	15
8.2.6 ObjectValue	16
8.2.7 PathOrObjects	17
8.2.8 CommonObjectAttributes.....	17
8.2.9 CommonKeyAttributes	21
8.2.10 CommonPrivateKeyAttributes	22
8.2.11 CommonPublicKeyAttributes.....	23
8.2.12 CommonSecretKeyAttributes	23
8.2.13 GenericKeyAttributes.....	24
8.2.14 KeyInfo.....	24
8.2.15 CommonCertificateAttributes	24
8.2.16 GenericCertificateAttributes	25
8.2.17 CommonDataContainerObjectAttributes	25
8.2.18 CommonAuthenticationObjectAttributes	25
8.2.19 CIO type	26
8.3 CIOChoice type.....	26

8.4	Private key information objects	27
8.4.1	PrivateKeyChoice	27
8.4.2	Private RSA key attributes	27
8.4.3	Private elliptic curve key attributes	27
8.4.4	Private Diffie-Hellman key attributes	28
8.4.5	Private DSA key attributes	28
8.4.6	Private KEA key attributes	28
8.4.7	Generic private key information objects	28
8.5	Public key information objects	29
8.5.1	PublicKeyChoice	29
8.5.2	Public RSA key attributes	29
8.5.3	Public elliptic curve key attributes	29
8.5.4	Public Diffie-Hellman key attributes	30
8.5.5	Public DSA key attributes	30
8.5.6	Public KEA key attributes	30
8.5.7	Generic public key information objects	31
8.6	Secret key information objects	31
8.6.1	SecretKeyChoice	31
8.6.2	Algorithm independent key attributes	31
8.6.3	GenericSecretKey type	31
8.7	Certificate information objects	31
8.7.1	CertificateChoice	31
8.7.2	X.509 certificate attributes	32
8.7.3	X.509 attribute certificate attributes	32
8.7.4	SPKI certificate attributes	32
8.7.5	PGP (Pretty Good Privacy) certificate attributes	33
8.7.6	WTLS certificate attributes	33
8.7.7	ANSI X9.68 domain certificate attributes	33
8.7.8	Card verifiable certificate attributes	33
8.7.9	Generic certificate attributes	34
8.8	Data container information objects	34
8.8.1	DataContainerObjectChoice	34
8.8.2	Opaque data container object attributes	34
8.8.3	ISO/IEC 7816 data object attributes	34
8.8.4	Data container information objects identified by OBJECT IDENTIFIERS	34
8.9	Authentication information objects	35
8.9.1	AuthenticationObjectChoice	35
8.9.2	Password attributes	35
8.9.3	Biometric reference data attributes	38
8.9.4	Authentication objects for external and internal authentication	40
8.10	Cryptographic information file, EF.CIAInfo	40
Annex A (normative) ASN.1 module		43
Annex B (informative) CIA example for cards with digital signature and authentication functionality		59
B.1	General	59
B.2	CIOs	59
B.3	Access control	60
Annex C (informative) Example topologies		62
Annex D (informative) Examples of CIO values and their encodings		67
D.1	General	67
D.2	EF.OD	67
D.2.1	ASN.1 value notation	67
D.2.2	ASN.1 description, tags, lengths and values	68
D.2.3	Hexadecimal DER-encoding	68
D.3	EF.CIAInfo	68
D.3.1	ASN.1 value notation	68
D.3.2	ASN.1 description, tags, lengths and values	69
D.3.3	Hexadecimal DER-encoding	69

D.4	EF.PrKD	69
D.4.1	ASN.1 value notation.....	69
D.4.2	ASN.1 description, tags, lengths and values.....	70
D.4.3	Hexadecimal DER-encoding.....	71
D.5	EF. CD.....	72
D.5.1	ASN.1 value notation.....	72
D.5.2	ASN.1 description, tags, lengths and values.....	73
D.5.3	Hexadecimal DER-encoding.....	73
D.6	EF.AOD	74
D.6.1	ASN.1 value notation.....	74
D.6.2	ASN.1 description, tags, lengths and values.....	74
D.6.3	Hexadecimal DER-encoding.....	76
D.7	EF.DCOD.....	76
D.7.1	ASN.1 value notation.....	76
D.7.2	ASN.1 description, tags, lengths and values.....	77
D.7.3	Hexadecimal DER-encoding of DCOD.....	77
D.8	Application template (within the EF.DIR).....	78
D.8.1	ASN.1 value notation.....	78
D.8.2	ASN.1 description, tags, lengths and values in ApplicationTemplate.....	78
D.8.3	Hexadecimal DER-encoding of ApplicationTemplate.....	78
D.9	GeneralizedTime encoding guidelines.....	78
Annex E	(informative) Examples of the use of the cryptographic information application	80
E.1	General	80
E.2	Encoding of a private key	80
E.2.1	Cryptographic information application example description	80
E.2.2	ASN.1 encoding of an RSA private key.....	80
E.2.3	Code encoding and decoding from the ASN.1	81
E.2.4	BER encoding	84
E.3	Encoding of a protected data container.....	86
E.3.1	Cryptographic information application example description	86
E.3.2	ASN.1 encoding of the protected data container object	86
E.3.3	Code from the ASN.1 for encoding and decoding BER	87
E.3.4	BER encoding	95
E.4	Encoding of a certificate.....	95
E.4.1	Cryptographic information application example description	95
E.4.2	ASN.1 Encoding of an X.509 certificate	95
E.4.3	Code from the ASN.1 for encoding and decoding BER	97
E.4.4	BER encoding	103
E.5	Encoding of the ESIGN cryptographic information application	107
E.5.1	Cryptographic information application example description	107
E.5.2	ASN.1 encoding of the IAS cryptographic information application	107
E.5.3	Code from the ASN.1 for encoding a decoding BER.....	115
E.5.4	BER encoding.....	115
Bibliography	117

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](http://standards.iteh.ai/catalog/standards/sist/37cc3cea-99df-45e1-bfa3-988601807715/iso-iec-7816-15-2016)

The committee responsible for this document is ISO/IEC JTC 1, *Information technology*, Subcommittee SC 17, *Cards and personal identification*.

This second edition cancels and replaces the first edition (ISO/IEC 7816-15:2004), which has been technically revised. It also incorporates the Amendments ISO/IEC 7816-15:2004/Amd. 1:2007 and ISO/IEC 7816-15:2004/Amd. 2:2008 and the Technical Corrigendum ISO/IEC 7816-15:2004/Cor. 1:2004.

ISO/IEC 7816 consists of the following parts, under the general title *Identification cards — Integrated circuit cards*:

- *Part 1: Cards with contacts — Physical characteristics*
- *Part 2: Cards with contacts — Dimensions and location of the contacts*
- *Part 3: Cards with contacts — Electrical interface and transmission protocols*
- *Part 4: Organization, security and commands for interchange*
- *Part 5: Registration of application providers*
- *Part 6: Interindustry data elements for interchange*
- *Part 7: Interindustry commands for Structured Card Query Language (SCQL)*
- *Part 8: Commands and mechanisms for security operations*
- *Part 9: Commands for card management*

- *Part 10: Electronic signals and answer to reset for synchronous cards*
- *Part 11: Personal verification through biometric methods*
- *Part 12: Cards with contacts — USB electrical interface and operating procedures*
- *Part 13: Commands for application management in a multi-application environment*
- *Part 15: Cryptographic information application*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 7816-15:2016](https://standards.iteh.ai/catalog/standards/sist/37cc3cea-99df-45e1-bfa3-9f8060b8b88b/iso-iec-7816-15-2016)

<https://standards.iteh.ai/catalog/standards/sist/37cc3cea-99df-45e1-bfa3-9f8060b8b88b/iso-iec-7816-15-2016>

Introduction

Integrated circuit cards with cryptographic functions can be used for secure identification of users of information systems, as well as for other core security services such as non-repudiation with digital signatures and distribution of enciphering keys for confidentiality. The objective of this part of ISO/IEC 7816 is to provide a framework for such services based on available International Standards. A main goal has been to provide a solution that may be used in large-scale systems with several issuers of compatible cards, providing for international interchange. It is flexible enough to allow for many different environments while still preserving the requirements for interoperability.

A number of data structures have been provided to manage private keys and key fragments to support a public key certificate infrastructure and flexible management of user and entity authentication.

This part of ISO/IEC 7816 is based on PKCS #15 v1.1 (see Reference [9]). The relationship between these documents is as follows:

- a common core is identical in both documents;
- those components of PKCS #15 which do not relate to IC cards have been removed.

This part of ISO/IEC 7816 includes enhancements to meet specific IC card requirements.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 7816-15:2016](https://standards.iteh.ai/catalog/standards/sist/37cc3cea-99df-45e1-bfa3-9f8060b8b88b/iso-iec-7816-15-2016)

<https://standards.iteh.ai/catalog/standards/sist/37cc3cea-99df-45e1-bfa3-9f8060b8b88b/iso-iec-7816-15-2016>

Identification cards — Integrated circuit cards — Part 15: Cryptographic information application

1 Scope

This part of ISO/IEC 7816 specifies an application in a card. This application contains information on cryptographic functionality. This part of ISO/IEC 7816 defines a common syntax and format for the cryptographic information and mechanisms to share this information whenever appropriate.

The objectives of this part of ISO/IEC 7816 are to

- facilitate interoperability among components running on various platforms (platform neutral),
- enable applications in the outside world to take advantage of products and components from multiple manufacturers (vendor neutral),
- enable the use of advances in technology without rewriting application-level software (application neutral), and
- maintain consistency with existing, related standards while expanding upon them only where necessary and practical.

It supports the following capabilities:

- storage of multiple instances of cryptographic information in a card;
- use of the cryptographic information;
- retrieval of the cryptographic information, a key factor for this is the notion of “Directory Files”, which provides a layer of indirection between objects on the card and the actual format of these objects;
- cross-referencing of the cryptographic information with DOs defined in other parts of ISO/IEC 7816 when appropriate;
- different authentication mechanisms;
- multiple cryptographic algorithms (the suitability of these is outside the scope of this part of ISO/IEC 7816).

This part of ISO/IEC 7816 does not cover the internal implementation within the card and/or the outside world. It is not mandatory for implementations complying with this International Standard to support all options described.

In case of discrepancies between ASN.1 definitions in the body of the text and the module in Annex A, Annex A takes precedence.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 9564-1, *Final services — Personal Identification Number (PIN) management and security — Part 1: Basic principles and requirements for PINs in card-based system*

ISO/IEC 7816 (all parts), *Identification cards — Integrated circuit cards with contacts*

ISO/IEC 8824-1, *Information technology — Abstract Syntax Notation One (ASN.1): Specification of basic notation*

ISO/IEC 8824-2, *Information technology — Abstract Syntax Notation One (ASN.1): Information object specification*

ISO/IEC 8824-3, *Information technology — Abstract Syntax Notation One (ASN.1): Constraint specification*

ISO/IEC 8824-4, *Information technology — Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications*

ISO/IEC 8825-1, *Information technology — ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)*

ISO/IEC 9594-8, *Information technology — Open Systems Interconnection — The Directory — Part 8: Public-key and attribute certificate frameworks*

ANSI X9.62, *Public Key Cryptography for the Financial Services Industry: The Elliptic Curve Digital Signature Algorithm (ECDSA)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

absolute path

path that starts with the file identifier '3F00'

3.2

application

data structures, data elements and program modules needed for performing a specific functionality

[SOURCE: ISO/IEC 7816-4:2013, 3.3, modified]

3.3

application identifier

data element that identifies an application in a card

Note 1 to entry: Adapted from ISO/IEC 7816-4.

3.4

application provider

entity providing the components required for performing an application in the card

[SOURCE: ISO/IEC 7816-4:2013, 3.7, modified]

3.5**authentication information object**

cryptographic information object that provides information about authentication related data

EXAMPLE A password.

3.6**authentication object directory file**

elementary file containing authentication information objects

3.7**binary coded decimal**

number representation where a number is expressed as a sequence of decimal digits and each decimal digit is encoded as a four bit binary number

3.8**cardholder**

person to whom the card was issued

3.9**card issuer**

organization or entity that issues cards

3.10**certificate directory file**

elementary file containing certificate information objects

3.11**certificate information object**

cryptographic information object that provides information about a certificate

3.12**command**

message that initiates an action and solicits a response from the card

3.13**cryptographic information application**

application in a card that contains information on cryptographic information objects, other security data elements and their intended use

3.14**cryptographic information object**

structured information contained in a CIA, which describes a cryptographic data element

EXAMPLE A public key or a certificate.

3.15**data container information object**

cryptographic information object that provides information about a data container

EXAMPLE A file.

3.16**data container object directory file**

elementary file containing data container information objects

3.17**dedicated file**

structure containing file control information, and, optionally, memory available for allocation

[SOURCE: ISO/IEC 7816-4:2013, 3.19]

3.18
Directory
DIR file

optional elementary file containing a list of applications supported by the card and optional related data elements

[SOURCE: ISO/IEC 7816-4:2013, 3.22, modified]

3.19
elementary file

set of data units or records or data objects sharing the same file identifier and the same security attribute(s)

[SOURCE: ISO/IEC 7816-4:2013, 3.23, modified]

3.20
file identifier

data element (two bytes) used to address a file

[SOURCE: ISO/IEC 7816-4:2013, 3.27]

3.21
function

process accomplished by one or more commands and resultant actions

3.22
master file

unique dedicated file representing the root in a card using a hierarchy of dedicated files

[SOURCE: ISO/IEC 7816-4:2013, 3.33, modified]

Note 1 to entry: The MF has file identifier '3F00'.

3.23
message

string of bytes transmitted by the interface device to the card or vice versa, excluding transmission-oriented characters

3.24
object directory file

mandatory elementary file containing information about other CIA directory files

3.25
password

data that may be required by the application to be presented to the card by its user for authentication purpose

[SOURCE: ISO/IEC 7816-4:2013, 3.37]

3.26
path

concatenation of file identifiers without delimitation

[SOURCE: ISO/IEC 7816-4:2013, 3.38]

3.27
private key directory file

elementary file containing private key information objects

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC 7816-15:2016
<https://standards.iteh.ai/catalog/standards/sist/37cc3cea-99df-45e1-bfa3-9f8060b8b88b/iso-iec-7816-15-2016>

3.28**private key information object**

cryptographic information object that provides information about a private key

3.29**provider**

authority who has or who obtained the right to create a dedicated file in the card

[SOURCE: ISO/IEC 7816-4:2013, 3.41]

3.30**public key directory file**

elementary file containing public key information objects

3.31**public key information object**

cryptographic information object that provides information about a public key

3.32**record**

string of bytes referenced and handled by the card within an elementary file of record structure

[SOURCE: ISO/IEC 7816-4:2013, 3.43]

3.33**relative path**

path that starts with the file identifier of the current DF

3.34**secret key directory file**

elementary file containing secret key information objects

3.35**secret key information object**

cryptographic information object that provides information about a secret key

3.36**template**

set of data objects forming the value field of a constructed data object

Note 1 to entry: Adapted from ISO/IEC 7816-6.

4 Symbols and abbreviated terms**4.1 Symbols**

DF. <i>x</i>	dedicated file <i>x</i> , where <i>x</i> is the acronym of the file
EF. <i>x</i>	elementary file <i>x</i> , where <i>x</i> is the acronym of the file
'0' to '9' and 'A' to 'F'	hexadecimal digits

4.2 Abbreviated terms

For the purposes of this part of ISO/IEC 7816, the following abbreviated terms apply.

AID	application identifier
-----	------------------------

AOD	authentication object directory
BCD	binary-coded decimal
CD	certificate directory
CDE	cryptographic data element
CIA	cryptographic information application
CIO	cryptographic information object
C-RP	command –response pair
CV	card-verifiable
DCOD	data container object directory
DDO	discretionary data object
DF	dedicated file
DH	Diffie-Hellman
DSA	digital signature algorithm
EC	elliptic curve
EF	elementary file
IDO	interindustry data object as defined in ISO/IEC 7816-6
IFD	interface device
KEA	key exchange algorithm
MF	master file
OD	object directory
PKCS	public-key cryptography standard
PrKD	private key directory
PuKD	public key directory
RSA	Rivest-Shamir-Adleman
SKD	secret key directory
SPKI	simple public key infrastructure
UCS	universal multiple-octet coded character set (see ISO/IEC 10646)
URL	uniform resource locator
UTC	coordinated universal time
UTF-8	UCS transformation format 8

ITeH STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC 7816-15:2016
<https://standards.iteh.ai/catalog/standards/sist/57cc3cea-99df-45e1-bfa3-9f8060b8b88b/iso-iec-7816-15-2016>

WTLS wireless application protocol transport layer security

5 Conventions

This part of ISO/IEC 7816 presents ASN.1 notation in the **bold Helvetica** typeface. When ASN.1 types and values are referenced in normal text, they are differentiated from normal text by presenting them in the **bold Helvetica** typeface. The names of commands, typically referenced when specifying information exchanges between cards and IFDs, are differentiated from normal text by displaying them in *Courier*.

If the items in a list are numbered (as opposed to using “–” or letters), then the items shall be considered steps in a procedure.

6 Cryptographic information objects

6.1 General

This part of ISO/IEC 7816 provides

- descriptions of objects describing cryptographic information contained in the card,
- descriptions of the intended use of this information,
- ways to retrieve this information (when appropriate),
- an abstract syntax for the information which provides the basis for encodings, and
- an object model for the information.

The information, which also may include access control information, is described in the form of CIOs.

6.2 CIO classes

This part of ISO/IEC 7816 defines four classes of CIOs as follows:

- cryptographic key information objects;
- certificate information objects;
- data container information objects;
- authentication information objects.

The logical structure of these CIOs is shown in Figure 1. The object class of cryptographic key information objects has three subclasses: private key, secret key, and public key information objects. CIOs inherit attributes from higher-level classes and may be instantiated on cards.