



**5G;
NR;**

**Requirements for support of radio resource management
(3GPP TS 38.133 version 17.5.0 Release 17)**

[ETSI TS 138 133 V17.5.0 \(2022-05\)](https://standards.iteh.ai/catalog/standards/sist/7afc1381-791a-4be2-be68-e449b91092ea/etsi-ts-138-133-v17-5-0-2022-05)
<https://standards.iteh.ai/catalog/standards/sist/7afc1381-791a-4be2-be68-e449b91092ea/etsi-ts-138-133-v17-5-0-2022-05>



Reference

RTS/TSGR-0438133vh50

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2022.

All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal notice

(standards.iteh.ai)

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal notice	2
Modal verbs terminology.....	2
Foreword.....	72
1 Scope	74
2 References	74
3 Definitions, symbols and abbreviations	75
3.1 Definitions	75
3.2 Symbols.....	76
3.3 Abbreviations	77
3.4 Test tolerances	80
3.5 Frequency bands grouping	80
3.5.1 Introduction.....	80
3.5.2 NR operating bands in FR1	80
3.5.3 NR operating bands in FR2	81
3.6 Applicability of requirements in this specification version	82
3.6.1 RRC connected state requirements in DRX.....	83
3.6.2 Number of serving carriers	83
3.6.2.1 Number of serving carriers for SA	83
3.6.2.2 Number of serving carriers for EN-DC	83
3.6.2.3 Number of serving carriers for NE-DC	83
3.6.2.4 Number of serving carriers for NR-DC.....	84
3.6.3 Applicability for intra-band FR2	84
3.6.4 Applicability for FR2 UE power classes.....	84
3.6.5 Applicability for SDL bands.....	84
3.6.6 Applicability of requirements for NGEN-DC operation.....	84
3.6.7 Applicability of OCL	84
3.6.9 Applicability of requirements for scheduling availability.....	85
3.6.10 Applicability of requirements for measurement restrictions.....	85
4 SA: RRC_IDLE state mobility	85
4.1 Cell Selection	85
4.2 Cell Re-selection	86
4.2.1 Introduction.....	86
4.2.2 Requirements	86
4.2.2.1 UE measurement capability	86
4.2.2.2 Measurement and evaluation of serving cell	86
4.2.2.3 Measurements of intra-frequency NR cells.....	87
4.2.2.4 Measurements of inter-frequency NR cells.....	88
4.2.2.5 Measurements of inter-RAT E-UTRAN cells.....	91
4.2.2.6 Maximum interruption in paging reception.....	93
4.2.2.7 General requirements	93
4.2.2.8 Minimum requirement at transitions	93
4.2.2.9 Measurements of intra-frequency NR cells for UE configured with relaxed measurement criterion	94
4.2.2.9.1 Introduction	94
4.2.2.9.2 Measurements for UE fulfilling low mobility criterion	94
4.2.2.9.3 Measurements for UE fulfilling not-at-cell edge criterion.....	95
4.2.2.9.4 Measurements for UE fulfilling low mobility and not-at-cell edge criteria.....	95
4.2.2.10 Measurements of inter-frequency NR cells for UE configured with relaxed measurement criterion	95
4.2.2.10.1 Introduction	95
4.2.2.10.2 Measurements for UE fulfilling low mobility criterion	96
4.2.2.10.3 Measurements for UE fulfilling not-at-cell edge criterion.....	97
4.2.2.10.4 Measurements for UE fulfilling low mobility and not-at-cell edge criterion	98

4.2.2.11	Measurements of inter-RAT E-UTRAN cells for UE configured with relaxed measurement criterion	98
4.2.2.11.1	Introduction	98
4.2.2.11.2	Measurements for UE fulfilling low mobility criterion	98
4.2.2.11.3	Measurements for UE fulfilling with not-at-cell edge criterion	99
4.2.2.11.4	Measurements for UE fulfilling low mobility and not-at-cell edge criterion	100
4.2A	Cell Re-selection when subject to CCA	101
4.2A.1	Introduction	101
4.2A.2	Requirements	101
4.2A.2.1	UE measurement capability	101
4.2A.2.2	Measurement and evaluation when subject to CCA on the serving cell	101
4.2A.2.3	Measurements of intra-frequency NR cells when subject to CCA on the serving cell and target cell	102
4.2A.2.4	Measurements of inter-frequency NR cells when subject to CCA on the target cell	103
4.2A.2.5	Measurements of inter-RAT E-UTRAN cells when subject to CCA on the serving cell	105
4.2A.2.6	Maximum interruption in paging reception when subject to CCA on the target cell	105
4.2A.2.7	General requirements	106
4.3	Minimization of Drive Tests (MDT)	106
4.3.1	Introduction	106
4.3.2	Measurement Requirements	106
4.3.3	Requirements for Relative Time Stamp Accuracy	107
4.3.4	Requirements for Relative Time Stamp Accuracy for RRC Connection Establishment Failure Log Reporting	107
4.3.5	Requirements for Relative Time Stamp Accuracy for Radio Link Failure and Handover Failure Log Reporting	107
4.4	Idle Mode CA/DC Measurements	107
4.4.1	Introduction	107
4.4.2	Measurement Requirements	107
4.4.2.1	Detected cell requirement during state transition and Idle mode	108
4.4.2.2	Measurements of inter-frequency CA/DC candidate cells	108
4.4.2.3	Measurements on serving cell	109
4.4.2.4	Measurements of E-UTRAN inter-RAT DC candidate cells	109
5	SA: RRC_INACTIVE state mobility	111
5.1	Cell Re-selection	111
5.1.1	Introduction	111
5.1.2	Requirements	111
5.1.2.1	UE measurement capability	111
5.1.2.2	Measurement and evaluation of serving cell	111
5.1.2.3	Measurements of intra-frequency NR cells	111
5.1.2.4	Measurements of inter-frequency NR cells	111
5.1.2.5	Measurements of inter-RAT E-UTRAN cells	111
5.1.2.6	Maximum interruption in paging reception	111
5.1.2.7	General requirements	111
5.1A	Cell Re-selection with CCA	111
5.1A.1	Introduction	111
5.1A.2	Requirements	112
5.1A.2.1	UE measurement capability	112
5.1A.2.2	Measurement and evaluation when CCA is used on the serving cell	112
5.1A.2.3	Measurements of intra-frequency NR cells when CCA is used on the serving cell and target cell	112
5.1A.2.4	Measurements of inter-frequency NR cells when CCA is used on the target cell	112
5.1A.2.5	Measurements of inter-RAT E-UTRAN cells when CCA is used on the serving cell	112
5.1A.2.6	Maximum interruption in paging reception when CCA is used on the target cell	112
5.1A.2.7	General requirements	112
5.2	Void	112
5.3	Minimization of Drive Tests (MDT)	112
5.3.1	Introduction	112
5.3.2	Measurement Requirements	113
5.3.3	Requirements for Relative Time Stamp Accuracy	113
5.3.4	Requirements for Relative Time Stamp Accuracy for RRC Connection Establishment Failure Log Reporting	113

5.3.5	Requirements for Relative Time Stamp Accuracy for Radio Link Failure and Handover Failure Log Reporting	113
5.3.6	Requirements for Relative Time Stamp Accuracy for RRC Resume Failure Log Reporting	113
5.4	Idle Mode CA/DC Measurements	113
5.4.1	Introduction	113
5.4.2	Measurement Requirements	113
5.4.2.1	Detected cell requirement during state transition and Idle mode	114
5.4.2.2	Measurements of inter-frequency CA/DC candidate cells	114
5.4.2.3	Measurements on serving cell	114
5.4.2.4	Measurements on E-UTRAN inter-RAT DC candidate cells	114
5.5	Configured Grant based Small Data Transmissions (CG-SDT)	114
5.5.1	Introduction	114
5.5.2	Requirements on UE synchronization for small data transmissions	114
5.5.3	TA validation requirements	114
5.5.4	Scheduling restriction	115
5.5.4.1	Scheduling availability of UE performing measurements in TDD bands on FR1	115
5.5.4.2	Scheduling availability of UE performing measurements with a different subcarrier spacing than PDSCH/PDCCH on FR1	115
5.5.4.3	Scheduling availability of UE performing measurements on FR2	116
5.6	NR measurements for positioning	116
5.6.1	Introduction	116
5.6.2	RSTD measurements	117
5.6.2.1	Introduction	117
5.6.2.2	Requirements Applicability	117
5.6.2.3	Measurement Capability	117
5.6.2.5	Measurements Period Requirements	118
5.6.3	PRS-RSRP measurements	120
5.6.3.1	Introduction	120
5.6.3.2	Requirements applicability	120
5.6.3.3	Measurement Capability	120
5.6.3.4	Measurement Reporting Requirements	120
5.6.3.5	Measurement Period Requirements	120
5.6.4	UE Rx-Tx time difference measurements	122
5.6.4.1	Introduction	122
5.6.4.2	Requirements Applicability	123
5.6.4.3	Measurement Capability	123
5.6.4.4	Measurement Reporting Requirements	123
5.6.4.5	Measurement Period Requirements	123
5.6.5	PRS-RSRPP measurements	126
5.6.5.1	Introduction	126
5.6.5.2	Requirements applicability	126
5.6.5.3	Measurement capability	126
5.6.5.4	Measurement reporting requirements	126
5.6.5.5	Measurement period requirements	126
6	RRC_CONNECTED state mobility	128
6.1	Handover	128
6.1.1	NR Handover	128
6.1.1.1	Introduction	128
6.1.1.2	NR FR1 - NR FR1 Handover	128
6.1.1.2.1	Handover delay	128
6.1.1.2.2	Interruption time	128
6.1.1.3	NR FR2- NR FR1 Handover	129
6.1.1.3.1	Handover delay	129
6.1.1.3.2	Interruption time	129
6.1.1.4	NR FR2- NR FR2 Handover	130
6.1.1.4.1	Handover delay	130
6.1.1.4.2	Interruption time	130
6.1.1.5	NR FR1- NR FR2 Handover	131
6.1.1.5.1	Handover delay	131
6.1.1.5.2	Interruption time	131
6.1.2	NR Handover to other RATs	132

6.1.2.1	NR – E-UTRAN Handover	132
6.1.2.1.1	Introduction	132
6.1.2.1.2	Handover delay.....	132
6.1.2.1.3	Interruption time.....	132
6.1.2.2	NR – UTRAN Handover.....	133
6.1.2.2.1	Introduction.....	133
6.1.2.2.2	Handover delay.....	133
6.1.2.2.3	Interruption time.....	133
6.1.3	NR DAPS Handover	134
6.1.3.1	Introduction.....	134
6.1.3.2	NR FR1 - NR FR1 DAPS Handover.....	134
6.1.3.2.1	DAPS handover delay	134
6.1.3.2.2	Interruption time.....	135
6.1.3.3	NR FR2- NR FR1 DAPS Handover.....	137
6.1.3.3.1	DAPS handover delay	137
6.1.3.3.2	Interruption time.....	137
6.1.3.4	NR FR1- NR FR2 DAPS Handover.....	138
6.1.3.4.1	DAPS handover delay	138
6.1.3.4.2	Interruption time.....	138
6.1.4	NR Conditional Handover	139
6.1.4.1	Introduction.....	139
6.1.4.2	NR FR1 – NR FR1 conditional handover	139
6.1.4.3	NR FR2 – NR FR1 conditional handover	140
6.1.4.4	NR FR2 – NR FR2 conditional handover	141
6.1.4.4.1	Handover delay.....	141
6.1.4.4.2	Measurement time.....	141
6.1.4.4.3	Preparation time.....	141
6.1.4.4.4	Interruption time.....	141
6.1.4.5	NR FR1 – NR FR2 conditional handover	142
6.1.5	NR Handover with PSCell.....	142
6.1.5.1	Introduction.....	142
6.1.5.2	Handover with PSCell from NR SA to EN-DC	142
6.1.5.2.1	Interruption time for inter-RAT HO from NR to E-UTRAN.....	143
6.1.5.2.2	PSCell addition in HO with PSCell for NR SA to EN-DC.....	143
6.1.5.3	HO with PSCell from NE-DC to NE-DC.....	143
6.1.5.3.1	Handover delay.....	144
6.1.5.3.2	HO with PSCell - PCell Interruption time.....	144
6.1.5.3.3	PSCell addition/change in NE-DC to NE-DC HO with PSCell	144
6.1.5.4	HO with PSCell from NR-DC to NR-DC	144
6.1A	Void.....	146
6.1A.1	Void.....	146
6.1A.1.1	Void.....	146
6.1A.1.2	Void.....	146
6.1A.1.2.1	Void.....	146
6.1A.1.2.2	Void.....	146
6.1B	Handover to target cell using CCA.....	146
6.1B.1	NR Handover.....	146
6.1B.1.1	Introduction.....	146
6.1B.1.2	NR FR1 - NR FR1 Handover.....	146
6.1B.1.2.1	Handover delay	146
6.1B.1.2.2	Interruption time.....	146
6.2	RRC Connection Mobility Control.....	147
6.2.1	SA: RRC Re-establishment	147
6.2.1.1	Introduction.....	147
6.2.1.2	Requirements	147
6.2.1.2.1	UE Re-establishment delay requirement	148
6.2.1A	RRC Re-establishment with CCA	149
6.2.1A.1	Introduction.....	149
6.2.1A.2	Requirements	150
6.2.1A.2.1	UE Re-establishment with CCA delay requirement	150
6.2.2	Random access.....	151
6.2.2.1	Introduction.....	151

6.2.2.2	Requirements for 4-step RA type	151
6.2.2.2.1	Contention based random access	152
6.2.2.2.2	Non-Contention based random access	153
6.2.2.2.3	UE behaviour when configured with supplementary UL	154
6.2.2.3	Requirements for 2-step RA type	154
6.2.2.3.1	Contention based random access	154
6.2.2.3.2	Non-Contention based random access	155
6.2.2.3.3	UE behaviour when configured with supplementary UL	155
6.2.2A	Random access when CCA is used on target frequency	156
6.2.2A.1	Introduction	156
6.2.2A.2	Requirements for 4-step RA type	156
6.2.2A.2.1	Contention based random access	156
6.2.2A.2.2	Non-Contention based random access	157
6.2.2A.3	Requirements for 2-step RA type	158
6.2.2A.3.1	Contention based random access	159
6.2.2A.3.2	Non-Contention based random access	160
6.2.3	SA: RRC Connection Release with Redirection	160
6.2.3.1	Introduction	160
6.2.3.2	Requirements	161
6.2.3.2.1	RRC connection release with redirection to NR	161
6.2.3.2.2	RRC connection release with redirection to E-UTRAN	162
6.2.3.2.3	RRC connection release with redirection to NR carrier subject to CCA	162
7	Timing	163
7.1	UE transmit timing	163
7.1.1	Introduction	163
7.1.2	Requirements	164
7.1.2.1	Gradual timing adjustment	165
7.1.2.2	Void	165
7.1.2.3	One shot large UL timing adjustment for FR2 Power Class 6 UE	165
7.2	UE timer accuracy	166
7.2.1	Introduction	166
7.2.2	Requirements	166
7.3	Timing advance	166
7.3.1	Introduction	166
7.3.2	Requirements	166
7.3.2.1	Timing Advance adjustment delay	166
7.3.2.2	Timing Advance adjustment accuracy	167
7.4	Cell phase synchronization accuracy	167
7.4.1	Definition	167
7.4.2	Minimum requirements	167
7.5	Maximum Transmission Timing Difference	167
7.5.1	Introduction	167
7.5.2	Minimum Requirements for inter-band EN-DC	167
7.5.2.1	Minimum Requirements for inter-band synchronous EN-DC	168
7.5.3	Minimum Requirements for intra-band EN-DC	168
7.5.4	Minimum Requirements for NR Carrier Aggregation	168
7.5.5	Minimum Requirements for inter-band NE-DC	169
7.5.5.1	Minimum Requirements for inter-band synchronous NE-DC	169
7.5.6	Minimum Requirements for inter-band NR DC	169
7.6	Maximum Receive Timing Difference	170
7.6.1	Introduction	170
7.6.2	Minimum Requirements for inter-band EN-DC	170
7.6.2.1	Minimum Requirements for inter-band synchronous EN-DC	171
7.6.3	Minimum Requirements for intra-band EN-DC	171
7.6.4	Minimum Requirements for NR Carrier Aggregation	172
7.6.5	Minimum Requirements for inter-band NE-DC	172
7.6.5.1	Minimum Requirements for inter-band synchronous NE-DC	173
7.6.6	Minimum Requirements for inter-band NR DC	173
7.7	<i>deriveSSB-IndexFromCell</i> tolerance	174
7.7.1	Minimum requirements	174
7.8	Void	174

7.9	<i>deriveSSB-IndexFromCell</i> tolerance	174
7.9.1	Minimum requirements	174
8	Signalling characteristics	174
8.1	Radio Link Monitoring	174
8.1.1	Introduction	174
8.1.1.1	Introduction of Requirement on Radio Link Monitoring for UE Configured with Relaxed Measurement Criteria	175
8.1.2	Requirements for SSB based radio link monitoring	176
8.1.2.1	Introduction	176
8.1.2.2	Minimum requirement	177
8.1.2.3	Measurement restrictions for SSB based RLM	180
8.1.2.4	Minimum requirement of SSB based radio link monitoring for UE fulfilling relaxed measurement criteria	181
8.1.3	Requirements for CSI-RS based radio link monitoring	182
8.1.3.1	Introduction	182
8.1.3.2	Minimum requirement	182
8.1.3.3	Measurement restrictions for CSI-RS based RLM	186
8.1.3.4	Minimum requirement of CSI-RS based radio link monitoring for UE fulfilling relaxed measurement criteria	186
8.1.4	Minimum requirement at transitions	187
8.1.5	Minimum requirement for UE turning off the transmitter	188
8.1.6	Minimum requirement for L1 indication	188
8.1.7	Scheduling availability of UE during radio link monitoring	188
8.1.7.1	Scheduling availability of UE performing radio link monitoring with a same subcarrier spacing as PDSCH/PDCCH on FR1	188
8.1.7.2	Scheduling availability of UE performing radio link monitoring with a different subcarrier spacing than PDSCH/PDCCH on FR1	188
8.1.7.3	Scheduling availability of UE performing radio link monitoring on FR2	189
8.1.7.4	Scheduling availability of UE performing radio link monitoring on FR1 or FR2 in case of FR1-FR2 inter-band CA and NR-DC	189
8.1A	Radio Link Monitoring with CCA on Target Frequency	189
8.1A.1	Introduction	189
8.1A.2	Requirements for SSB Based Radio Link Monitoring	190
8.1A.2.1	Introduction	190
8.1A.2.2	Minimum Requirement	191
8.1A.3	Minimum requirement at transitions	193
8.1A.4	Minimum requirement for UE turning off the transmitter	193
8.1A.5	Minimum requirement for L1 indication	194
8.1A.6	Scheduling availability of UE during radio link monitoring	194
8.1A.6.1	Scheduling availability of UE performing radio link monitoring with the same subcarrier spacing as PDSCH/PDCCH	194
8.1A.6.2	Scheduling availability of UE performing radio link monitoring with a different subcarrier spacing than PDSCH/PDCCH	194
8.2	Interruption	194
8.2.1	EN-DC Interruption	194
8.2.1.1	Introduction	194
8.2.1.2	Requirements	195
8.2.1.2.1	Interruptions at transitions between active and non-active during DRX	195
8.2.1.2.2	Interruptions at transitions from non-DRX to DRX	196
8.2.1.2.3	Interruptions at SCell addition/release	196
8.2.1.2.4	Interruptions at SCell activation/deactivation	197
8.2.1.2.5	Interruptions during measurements on SCC	198
8.2.1.2.6	Interruptions at UL carrier RRC reconfiguration	199
8.2.1.2.7	Interruptions due to Active BWP switching Requirement	200
8.2.1.2.8	Interruptions at direct SCell activation and hibernation	201
8.2.1.2.9	Interruptions at SCell hibernation	201
8.2.1.2.10	Interruptions at SCell activation/deactivation with multiple downlink SCells	201
8.2.1.2.11	Interruptions due to UE-specific CBW change	202
8.2.1.2.12	Interruptions at NR SRS carrier based switching	202
8.2.1.2.13	Interruptions at E-UTRA SRS carrier based switching	203
8.2.1.2.14	DL Interruptions at switching between two uplink carriers	204

8.2.1.2.15	Interruptions due to SCell dormancy	205
8.2.1.2.16	Interruptions when identifying CGI of an NR cell with autonomous gaps.....	205
8.2.1.2.17	Interruptions when identifying CGI of an E-UTRA cell with autonomous gaps	206
8.2.1.2.18	Interruptions at NR SRS antenna port switching.....	206
8.2.1.2.19	Interruptions at fast SCell activation	207
8.2.1.2.20	Interruptions due to PUCCH SCell activation/deactivation	208
8.2.2	SA: Interruptions with Standalone NR Carrier Aggregation	208
8.2.2.1	Introduction	208
8.2.2.2	Requirements	209
8.2.2.2.1	Interruptions at SCell addition/release.....	209
8.2.2.2.2	Interruptions at SCell activation/deactivation.....	210
8.2.2.2.3	Interruptions during measurements on deactivated SCC	211
8.2.2.2.4	Interruptions at UL carrier RRC reconfiguration	211
8.2.2.2.5	Interruptions due to Active BWP switching Requirement	212
8.2.2.2.6	Interruptions at inter-frequency SFTD measurement	213
8.2.2.2.7	Interruptions at SCell activation/deactivation with multiple downlink SCells	214
8.2.2.2.8	Interruptions due to UE-specific CBW change	214
8.2.2.2.9	Interruptions at NR SRS carrier based switching	214
8.2.2.2.10	DL Interruptions at UE switching between two uplink carriers	216
8.2.2.2.10A	DL Interruptions at UE switching between two uplink carriers with two transmit antenna connectors.....	216
8.2.2.2.10B	DL Interruptions at UE switching between one uplink band with one transmit antenna connector and one uplink band with two transmit antenna connectors	217
8.2.2.2.10C	DL Interruptions at UE switching between two uplink bands with two transmit antenna connectors.....	217
8.2.2.2.11	Interruptions at direct SCell activation	218
8.2.2.2.12	Interruptions due to SCell dormancy	218
8.2.2.2.13	Interruptions at transitions between active and non-active during DRX	218
8.2.2.2.14	Interruptions when identifying CGI of an NR cell with autonomous gaps.....	218
8.2.2.2.15	Interruptions when identifying CGI of an E-UTRA cell with autonomous gaps	219
8.2.2.2.16	Interruptions at NR SRS antenna port switching.....	219
8.2.2.2.17	Interruptions at fast SCell activation	221
8.2.2.2.18	Interruptions due to PUCCH SCell activation/deactivation	221
8.2.3	NE-DC Interruptions.....	221
8.2.3.1	Introduction	221
8.2.3.2	Requirements	222
8.2.3.2.1	Interruptions at transitions between active and non-active during DRX	222
8.2.3.2.2	Interruptions at transitions from non-DRX to DRX	222
8.2.3.2.3	Interruptions at PSCell/SCell addition/release	223
8.2.3.2.4	Interruptions at SCell activation/deactivation.....	224
8.2.3.2.5	Interruptions during measurements on SCC	225
8.2.3.2.6	Interruptions at UL carrier RRC reconfiguration	226
8.2.3.2.7	Interruptions due to Active BWP switching Requirement	226
8.2.3.2.8	Interruptions at direct SCell activation and hibernation	227
8.2.3.2.9	Interruptions at SCell hibernation.....	227
8.2.3.2.10	Interruptions at SCell activation/deactivation with multiple downlink SCells	227
8.2.3.2.11	Interruptions at NR SRS carrier based switching	227
8.2.3.2.12	Interruptions at E-UTRA SRS carrier based switching	229
8.2.3.2.13	Interruptions due to SCell dormancy.....	230
8.2.3.2.14	Interruptions when identifying CGI of an NR cell with autonomous gaps.....	230
8.2.3.2.15	Interruptions when identifying CGI of an E-UTRA cell with autonomous gaps	231
8.2.3.2.17	Interruptions at fast SCell activation	233
8.2.3.2.18	Interruptions due to UE-specific CBW change	233
8.2.3.2.19	Interruptions due to PUCCH SCell activation/deactivation	233
8.2.4	NR-DC: Interruptions	233
8.2.4.1	Introduction	233
8.2.4.2	Requirements	234
8.2.4.2.1	Interruptions at PSCell/SCell addition/release	234
8.2.4.2.2	Interruptions at SCell activation/deactivation.....	235
8.2.4.2.3	Interruptions during measurements on SCC.....	236
8.2.4.2.4	Interruptions at UL carrier RRC reconfiguration	236
8.2.4.2.5	Interruptions due to Active BWP switching Requirement	237

8.2.4.2.6	Interruptions at transitions between active and non-active during DRX	237
8.2.4.2.7	Interruptions at transitions from non-DRX to DRX	237
8.2.4.2.8	Interruptions at SCell activation/deactivation with multiple downlink SCells	237
8.2.4.2.9	Interruptions at NR SRS carrier based switching	238
8.2.4.2.10	Interruptions at direct SCell activation	239
8.2.4.2.11	Interruptions when identifying CGI of an NR cell with autonomous gaps	239
8.2.4.2.12	Interruptions when identifying CGI of an E-UTRA cell with autonomous gaps	240
8.2.4.2.13	Interruptions due to SCell dormancy	241
8.2.4.2.14	Interruptions at NR SRS antenna port switching	241
8.2.4.2.15	Interruptions at SCell activation	242
8.2.4.2.16	Interruptions at SCG activation/deactivation	243
8.2.4.2.17	Interruptions due to RRM measurements on deactivated SCG	243
8.2.4.2.18	Interruptions during RLM/BFD measurements on deactivated PSCell	243
8.2.4.2A	Void	244
8.2.4.2A.1	Void	244
8.2.4.2A.2	Void	244
8.2.4.2A.3	Void	244
8.3	SCell Activation and Deactivation Delay	244
8.3.1	Introduction	244
8.3.2	SCell Activation Delay Requirement for Deactivated SCell	244
8.3.3	SCell Deactivation Delay Requirement for Activated SCell	248
8.3.4	Direct SCell Activation at SCell addition	249
8.3.5	Direct SCell Activation at Handover	250
8.3.7	SCell Activation Delay Requirement for Deactivated SCell with Multiple Downlink SCells	252
8.3.8	SCell Deactivation Delay Requirement for Deactivated SCell with Multiple Downlink SCells	256
8.3.9	Direct SCell Activation of Multiple Downlink SCells at SCell addition	256
8.3.10	Direct SCell Activation of Multiple Downlink SCells at Handover	257
8.3.12	SCell Activation Delay Requirement for Deactivated PUCCH SCell	259
8.3.13	SCell activation delay Requirement for Deactivated PUCCH SCell with Multiple SCells	261
8.3.14	SCell Deactivation Delay Requirement for Activated PUCCH SCell	261
8.3.15	SCell Deactivation Delay Requirement for Activated PUCCH SCell with Multiple Downlink SCells	261
8.3.16	Fast SCell Activation Delay Requirement for Deactivated SCell	262
8.3A	SCell Activation and Deactivation Delay in Carriers with CCA	264
8.3A.1	Introduction	264
8.3A.2	SCell Activation Delay Requirement for Deactivated SCell	265
8.3A.3	SCell Deactivation Delay Requirement for Activated SCell	267
8.4	UE UL carrier RRC reconfiguration delay	268
8.4.1	Introduction	268
8.4.2	UE UL carrier configuration delay requirement	268
8.4.3	UE UL carrier deconfiguration delay requirement	268
8.5	Link Recovery Procedures	268
8.5.1	Introduction	268
8.5.1.1	Introduction of Requirement on Link Recovery Procedures for UE configured with relaxed measurement criteria	269
8.5.2	Requirements for SSB based beam failure detection	270
8.5.2.1	Introduction	270
8.5.2.2	Minimum requirement	270
8.5.2.3	Measurement restriction for SSB based beam failure detection	273
8.5.2.4	Minimum requirement of SSB based beam failure detection for UE fulfilling relaxed measurement criteria	274
8.5.3	Requirements for CSI-RS based beam failure detection	275
8.5.3.1	Introduction	275
8.5.3.2	Minimum requirement	275
8.5.3.3	Measurement restrictions for CSI-RS beam failure detection	279
8.5.3.4	Minimum requirement of CSI-RS based beam failure detection for UE fulfilling relaxed measurement criteria	280
8.5.4	Minimum requirement for L1 indication	280
8.5.5	Requirements for SSB based candidate beam detection	281
8.5.5.1	Introduction	281
8.5.5.2	Minimum requirement	281
8.5.5.3	Measurement restriction for SSB based candidate beam detection	284
8.5.6	Requirements for CSI-RS based candidate beam detection	284

8.5.6.1	Introduction	284
8.5.6.2	Minimum requirement	284
8.5.6.3	Measurement restriction for CSI-RS based candidate beam detection	288
8.5.7	Scheduling availability of UE during beam failure detection	288
8.5.7.1	Scheduling availability of UE performing beam failure detection with a same subcarrier spacing as PDSCH/PDCCH on FR1	288
8.5.7.2	Scheduling availability of UE performing beam failure detection with a different subcarrier spacing than PDSCH/PDCCH on FR1	288
8.5.7.3	Scheduling availability of UE performing beam failure detection on FR2	289
8.5.7.4	Scheduling availability of UE performing beam failure detection on FR1 or FR2 in case of FR1-FR2 inter-band CA and NR DC	289
8.5.8	Scheduling availability of UE during candidate beam detection	289
8.5.8.1	Scheduling availability of UE performing L1-RSRP measurement with a same subcarrier spacing as PDSCH/PDCCH on FR1	289
8.5.8.2	Scheduling availability of UE performing L1-RSRP measurement with a different subcarrier spacing than PDSCH/PDCCH on FR1	290
8.5.8.3	Scheduling availability of UE performing L1-RSRP measurement on FR2	290
8.5.8.4	Scheduling availability of UE performing L1-RSRP measurement on FR1 or FR2 in case of FR1-FR2 inter-band CA and NR-DC	290
8.5.9	Requirements for Beam Failure Recovery in SCell	291
8.5.9.1	Introduction	291
8.5.9.2	Requirement	291
8.5.10	Minimum requirement at transitions for beam failure detection	291
8.5A	Link Recovery Procedures when CCA is used on target frequency	291
8.5A.1	Introduction	291
8.5A.2	Requirements for SSB based beam failure detection	292
8.5A.2.1	Introduction	292
8.5A.2.2	Minimum requirement	293
8.5A.2.3	Measurement restriction for SSB based beam failure detection	294
8.5A.4	Minimum requirement for L1 indication	294
8.5A.5	Requirements for SSB based candidate beam detection	294
8.5A.5.1	Introduction	294
8.5A.5.2	Minimum requirement	294
8.5A.5.3	Measurement restriction for SSB based candidate beam detection	296
8.5A.7	Scheduling availability of UE during beam failure detection	296
8.5A.7.1	Scheduling availability of UE performing beam failure detection with a same subcarrier spacing as PDSCH/PDCCH	296
8.5A.7.2	Scheduling availability of UE performing beam failure detection with a different subcarrier spacing than PDSCH/PDCCH	296
8.5A.8	Scheduling availability of UE during candidate beam detection	296
8.5A.8.1	Scheduling availability of UE performing L1-RSRP measurement with a same subcarrier spacing as PDSCH/PDCCH	297
8.5A.8.2	Scheduling availability of UE performing L1-RSRP measurement with a different subcarrier spacing than PDSCH/PDCCH	297
8.6	Active BWP switch delay	297
8.6.1	Introduction	297
8.6.2	DCI and timer based BWP switch delay on a single CC	297
8.6.2A	DCI based BWP switch delay on multiple CCs	298
8.6.2A.1	Simultaneous DCI based BWP switch delay on multiple CCs	298
8.6.2A.2	Non-simultaneous DCI based BWP switch delay on multiple CCs	300
8.6.2B	Timer based BWP switch delay on multiple CCs	300
8.6.2B.1	Simultaneous timer based BWP switch delay on multiple CCs	300
8.6.2B.2	Non-simultaneous timer based BWP switch delay on multiple CCs	301
8.6.3	RRC based BWP switch delay on a single CC	301
8.6.3A	RRC based BWP switch delay on multiple CCs	302
8.6.3A.1	Simultaneous RRC based BWP switch delay on multiple CCs	302
8.6.3A.2	Non-simultaneous RRC based BWP switch delay on multiple CCs	302
8.6.4	BWP switch delay on Consistent UL CCA recovery	303
8.7	Void	303
8.8	NE-DC: E-UTRAN PSCell Addition and Release Delay	303
8.8.1	Introduction	303
8.8.2	E-UTRAN PSCell Addition Delay Requirement	303

8.8.3	E-UTRAN PSCell Release Delay Requirement	304
8.9	NR-DC: PSCell Addition and Release Delay	304
8.9.1	Introduction	304
8.9.2	PSCell Addition Delay Requirement	304
8.9.3	PSCell Release Delay Requirement	305
8.9A	Conditional PSCell Addition Delay	305
8.9A.1	Introduction	305
8.9A.2	Conditional PSCell Addition Delay Requirement	305
8.9A.2.1	Measurement time	306
8.10	Active TCI state switching delay	306
8.10.3A	MAC-CE based TCI state switch delay in HST FR2 scenarios	308
8.10.4	DCI based TCI state switch delay	308
8.10.5	RRC based TCI state switch delay	308
8.10.6	Active TCI state list update delay	309
8.10A	Active TCI state switching delay with CCA	309
8.10A.1	Introduction	309
8.10A.2	Known conditions for TCI state	309
8.10A.3	MAC-CE based TCI state switch delay	310
8.10A.4	DCI based TCI state switch delay	310
8.10A.5	RRC based TCI state switch delay	311
8.10A.6	Active TCI state list update delay	311
8.11	PSCell Change	312
8.11A	void	312
8.11B	Conditional PSCell Change	312
8.11B.1	Introduction	312
8.11B.2	Conditional PSCell Change delay	312
8.11B.2.1	Measurement time	313
8.12	Uplink spatial relation switch delay	313
8.12.1	Introduction	313
8.12.2	Known conditions for spatial relation when associated with DL-RS	313
8.12.3	MAC-CE based spatial relation switch delay	314
8.12.4	DCI based spatial relation switch delay	315
8.12.5	RRC based spatial relation switch delay	315
8.13	UE-specific CBW change	315
8.13.1	Introduction	315
8.13.2	UE-specific CBW change delay	315
8.14	Pathloss reference signal switching delay	316
8.14.1	Introduction	316
8.14.2	Known conditions for pathloss reference signal	316
8.14.3	MAC-CE based pathloss reference signal switch delay	316
8.15	Active downlink TCI state switching delay for unified TCI	317
8.15.1	Introduction	317
8.15.4	DCI based downlink TCI state switch delay	318
8.15.5	Active Downlink TCI state list update delay	319
8.16	Active uplink TCI state switching delay for unified TCI	319
8.16.1	Introduction	319
8.16.4	DCI based uplink TCI state switch delay	321
8.16.5	Active Uplink TCI state list update delay	322
8.17	SCG Activation and Deactivation Delay	322
8.17.1	Introduction	322
8.17.2	SCG Activation Delay Requirement	322
8.17.2	SCG Deactivation Delay Requirement	323
8.18	TRP specific Link Recovery Procedures	324
8.18.1	Introduction	324
8.18.2	Requirements for TRP specific SSB based beam failure detection	324
8.18.2.1	Introduction	324
8.18.2.2	Minimum requirement	325
8.18.2.3	Measurement restriction for SSB based beam failure detection	327
8.18.3	Requirements for CSI-RS based beam failure detection	327
8.18.3.1	Introduction	327
8.18.3.2	Minimum requirement	328
8.18.3.3	Measurement restrictions for CSI-RS beam failure detection	330

8.19	Pre-configured measurement gap activation/deactivation delay	331
8.19.1	Introduction.....	331
8.19.2	Pre-configured measurement gap activation/deactivation upon DCI/timer-based BWP switch.....	331
8.19.2.1	Activation/deactivation upon DCI/timer-based BWP switch delay on a single CC.....	331
8.19.3	Pre-configured measurement gap activation/deactivation upon SCell activation/deactivation	331
8.19.3	Pre-configured measurement gap activation/deactivation upon RRC reconfiguration	331
9	Measurement Procedure	332
9.1	General measurement requirement	332
9.1.1	Introduction.....	332
9.1.2	Measurement gap	332
9.1.2.1	EN-DC: Measurement Gap Sharing.....	344
9.1.2.1a	SA: Measurement Gap Sharing.....	344
9.1.2.1b	NE-DC: Measurement Gap Sharing.....	345
9.1.2.1c	NR-DC: Measurement Gap Sharing	346
9.1.3	UE Measurement capability.....	347
9.1.3.1	EN-DC: Monitoring of multiple layers using gaps	347
9.1.3.1a	SA: Monitoring of multiple layers using gaps	347
9.1.3.1b	NE-DC: Monitoring of multiple layers using gaps	348
9.1.3.1c	NR-DC: Monitoring of multiple layers using gaps	348
9.1.3.2	EN-DC: Maximum allowed layers for multiple monitoring	349
9.1.3.2a	SA: Maximum allowed layers for multiple monitoring	350
9.1.3.2b	NE-DC: Maximum allowed layers for multiple monitoring	350
9.1.3.2c	NR-DC: Maximum allowed layers for multiple monitoring	351
9.1.3.2	Void.....	352
9.1.3A	UE Measurement capability under operation mode with CCA.....	352
9.1.3A.1	EN-DC: Monitoring of multiple layers using gaps under CCA	352
9.1.3A.1A	SA: Monitoring of multiple layers using gaps under CCA	352
9.1.3A.2	EN-DC: Maximum allowed layers for multiple monitoring under CCA	352
9.1.3A.2a	Void.....	353
9.1.3A.2A	SA: Maximum allowed layers for multiple monitoring under CCA	353
9.1.4	Capabilities for Support of Event Triggering and Reporting Criteria.....	353
9.1.4.1	Introduction.....	353
9.1.4.2	Requirements	353
9.1.5	Carrier-specific scaling factors.....	357
9.1.5.1	Monitoring of multiple layers outside gaps.....	358
9.1.5.1.1	EN-DC mode: carrier-specific scaling factor for SSB-based, CSI-RS based L3 measurements and RSSI and channel occupancy measurements performed outside gaps.....	359
9.1.5.1.2	SA mode: carrier-specific scaling factor for SSB-based, CSI-RS based L3 measurements and RSSI and channel occupancy measurements performed outside gaps.....	360
9.1.5.1.3	NR-DC mode: carrier-specific scaling factor for SSB-based and CSI-RS based L3 measurements performed outside gaps.....	361
9.1.5.1.4	NE-DC mode: carrier-specific scaling factor for SSB-based and CSI-RS based measurements performed outside gaps.....	362
9.1.5.2	Monitoring of multiple layers within gaps.....	363
9.1.5.2.1	EN-DC mode: carrier-specific scaling factor for SSB, CSI-RS-based L3 measurements and RSSI and channel occupancy measurements performed within gaps.....	365
9.1.5.2.2	SA mode: carrier-specific scaling factor for SSB, CSI-RS-based L3 measurements and RSSI and channel occupancy measurements performed within gaps	366
9.1.5.2.3	NE-DC: carrier-specific scaling factor for SSB-based and CSI-RS based L3 measurements performed within gaps	368
9.1.5.2.4	NR-DC: carrier-specific scaling factor for SSB-based and CSI-RS-based L3 measurements performed within gaps	370
9.1.5.2.5	SA mode: carrier-specific scaling factor for PRS-based measurements performed within gaps...	371
9.1.5.2.6	NE-DC: carrier-specific scaling factor for PRS-based measurements performed within gaps.....	371
9.1.5.2.7	NR-DC: carrier-specific scaling factor for PRS-based measurements performed within gaps	372
9.1.5.3	Monitoring of multiple layers within NCSG.....	372
9.1.5.3.1	SA mode: carrier-specific scaling factor for measurements performed within NCSG	372
9.1.6	Minimum requirement at transitions.....	373
9.1.7	Pre-configured measurement gap	373
9.1.7.1	Introduction.....	373
9.1.7.2	Requirements applicability.....	374

9.1.7.3	Requirements	374
9.1.7.3.1	Requirements for autonomous activation/deactivation mechanism.....	374
9.1.7.3.2	Requirements for network-controlled activation/deactivation mechanism.....	375
9.1.7.3.3	Requirements for reception/transmission during activation/deactivation.....	376
9.1.8	Concurrent measurement gaps.....	376
9.1.8.1	Introduction.....	376
9.1.8.2	Requirements	376
9.1.8.3	Collision between concurrent measurement gaps	377
9.1.8.4	Measurement gap related requirements of concurrent measurement gaps	378
9.1.9	Network controlled small gap	378
9.1.9.1	Introduction.....	378
9.1.9.2	Requirements applicability.....	379
9.1.10	MUSIM gaps	380
9.2	NR intra-frequency measurements	382
9.2.1	Introduction.....	382
9.2.2	Requirements applicability	383
9.2.3	Number of cells and number of SSB	383
9.2.3.1	Requirements for FR1	383
9.2.3.2	Requirements for FR2	383
9.2.4	Measurement Reporting Requirements.....	384
9.2.4.1	Periodic Reporting	384
9.2.4.2	Event-triggered Periodic Reporting.....	384
9.2.4.3	Event Triggered Reporting.....	384
9.2.5	Intrafrequency measurements without measurement gaps.....	385
9.2.5.1	Intrafrequency cell identification	385
9.2.5.2	Measurement period.....	389
9.2.5.3	Scheduling availability of UE during intra-frequency measurements.....	392
9.2.5.3.1	Scheduling availability of UE performing measurements in TDD bands on FR1.....	392
9.2.5.3.2	Scheduling availability of UE performing measurements with a different subcarrier spacing than PDSCH/PDCCH on FR1.....	393
9.2.5.3.3	Scheduling availability of UE performing measurements on FR2	393
9.2.5.3.4	Scheduling availability of UE performing measurements on FR1 or FR2 in case of FR1-FR2 inter-band CA	394
9.2.5.4	SFTD Measurements between PCell and PSCell	394
9.2.5.4.1	Introduction	394
9.2.5.4.2	SFTD Measurement delay.....	394
9.2.5.4.3	SFTD Measurement Reporting Delay.....	395
9.2.6	Intra-frequency measurements with measurement gaps	395
9.2.6.1	Void.....	395
9.2.6.2	Intra-frequency cell identification	395
9.2.6.3	Intrafrequency Measurement Period	397
9.2.7	Intra-frequency measurements with NCSG	398
9.2.7.1	Intra-frequency cell identification	398
9.2.7.2	Measurement period.....	400
9.2.7.3	Scheduling availability during intra-frequency measurement with NCSG	401
9.2A	NR intra-frequency measurements with CCA	401
9.2A.1	Introduction.....	401
9.2A.2	Requirements applicability	402
9.2A.3	Number of cells and number of SSB	402
9.2A.4	Measurement Reporting Requirements.....	403
9.2A.5	Intra-frequency measurements without measurement gaps	403
9.2A.5.2	Measurement period.....	406
9.2A.5.3	Scheduling availability of UE during intra-frequency measurements.....	407
9.2A.5.3.1	Scheduling availability of UE performing measurements in TDD bands.....	407
9.2A.5.3.2	Scheduling availability of UE performing measurements with a different subcarrier spacing than PDSCH/PDCCH.....	408
9.2A.6	Intra-frequency measurements with measurement gaps	408
9.2A.6.1	Intra-frequency cell identification.....	408
9.2A.6.2	Intra-frequency Measurement Period.....	409
9.2A.7	Intra-frequency RSSI and Channel occupancy measurements.....	410
9.2A.7.1	Intra-frequency RSSI measurements.....	410
9.2A.7.2	Intra-frequency Channel occupancy measurements.....	411