INTERNATIONAL STANDARD

ISO 7010

Second edition 2011-06-01 **AMENDMENT 5** 2014-02-15

Graphical symbols — Safety colours and safety signs — Registered safety signs

AMENDMENT 5

Symboles graphiques — Couleurs de sécurité et signaux de sécurité — Signaux de sécurité enregistrés IEW AMENDEMENT 5

(standards.iteh.ai)

ISO 7010:2011/Amd 5:2014 https://standards.iteh.ai/catalog/standards/sist/94797bba-9694-4669-8012-d9abff55b08f/iso-7010-2011-amd-5-2014



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 7010:2011/Amd 5:2014 https://standards.iteh.ai/catalog/standards/sist/94797bba-9694-4669-8012-d9abff55b08f/iso-7010-2011-amd-5-2014



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 145, *Graphical symbols*, Subcommittee SC 2, *Safety identification, signs, shapes, symbols and colours*.

https://standards.iteh.ai/catalog/standards/sist/94797bba-9694-4669-8012-d9abff55b08f/iso-7010-2011-amd-5-2014

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 7010:2011/Amd 5:2014 https://standards.iteh.ai/catalog/standards/sist/94797bba-9694-4669-8012-d9abff55b08f/iso-7010-2011-amd-5-2014

Graphical symbols — Safety colours and safety signs — Registered safety signs

AMENDMENT 5

IMPORTANT — The colours represented in the electronic file of this International Standard can be neither viewed on screen nor printed as true representations. Although the copies of this International Standard printed by ISO have been produced to correspond (with an acceptable tolerance as judged by the naked eye) to the requirements of ISO 3864-4, it is not intended that these printed copies be used for colour matching. Instead consult ISO 3864-4 which provides colourimetric and photometric properties together with, as a guideline, references from colour order systems.

Add the following safety signs:

- E035: Liferaft knife
- E059: Escape ladder
- E060: Evacuation chair
- M046: Secure gas tylinders TANDARD PREVIEW
- M047: Use self-contained breathing appliance.iteh.ai)
- M048: Use gas detector

ISO 7010:2011/Amd 5:2014

- M049: Wear protective roller sport equipment 8012-d9abii55b08i/so-7010-2011-amd-5-2014
- P009: No climbing
- P039: Hot works prohibited
- W037: Warning; Run over by remote operator controlled machine

Safety sign E035: Liferaft knife



Reference No.

ISO 7010-E035

Referent

Liferaft knife

Function

To indicate the location of a liferaft knife

Image content

Liferaft knife (with rounded tip and drilled-out holes in blade) between sliced braided rope

Hazard

Not being able to locate a liferaft knife

Not being able to locate a literaft knife STANDARD PREVIEW
Human behaviour that is intended to be caused after understanding the safety sign's meaning

Being aware of the location of a liferaft knifestandards.iteh.ai)

Related referents


ISO 7010:2011/Amd 5:2014

https://standards.iteh.ai/catalog/standards/sist/94797bba-9694-4669-8012-d9abff55b08f/iso-7010-2011-amd-5-2014

Additional information

Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.

Safety sign E059: Escape ladder



Reference No.

ISO 7010-E059

Referent

Escape ladder

Function

To indicate the location of a permanently fixed escape ladder

Image content

Ladder (six horizontal lines between two parallel vertical lines)

Hazard

Not being able to locate a fixed escape ladder and identify it as such

Human behaviour that is intended to be caused after understanding the safety sign's meaning

Being aware of the location of a fixed escape ladder S. iteh.ai)

Related referents

ISO 7010:2011/Amd 5:2014

ISO 7010-E016, ISO 7010-E053, ISO 7010-F003 (VIV.2011/70114-5-2011)

Additional information 8012-d9abff55b08f/iso-7010-2011-amd-5-2014

Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.

Safety sign E060: Evacuation chair



Reference No.

ISO 7010-E060

Referent

Evacuation chair

Function

To indicate the location of an evacuation chair

Image content

Human figure sitting in an evacuation chair, human figure handling the evacuation chair, staircase (all right-hand profile)

Hazard

Not being able to locate an evacuation chair TANDADD DDEVIEW

Human behaviour that is intended to be caused after understanding the safety sign's meaning

Being aware of the location of an evacuation shandards.iteh.ai)

Related referents

ISO 7010:2011/Amd 5:2014

https://standards.iteh.ai/catalog/standards/sist/94797bba-9694-4669-8012-d9abff55b08f/iso-7010-2011-amd-5-2014

Additional information

Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.

Safety sign M046: Secure gas cylinders



Reference No.

ISO 7010-M046

Referent

Secure gas cylinders

Function

To signify that gas cylinders must be secured

Image content

Upper part of gas cylinder, chain

Hazard

Falling gas cylinder causing crush, explosion or release of gas

Human behaviour that is intended to be caused after understanding the safety sign's meaning

Securing gas cylinders (standards.iteh.ai)

Related referents

ISO 7010:2011/Amd 5:2014

ISO 7010-W029 https://standards.iteh.ai/catalog/standards/sist/94797bba-9694-4669-

Additional information 8012-d9abff55b08f/iso-7010-2011-amd-5-2014

Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.