

ISO/~~DIS~~ **FDIS** 19887:2023(E)

ISO/TC 197

Secretariat: ~~SCC~~/BNQ

ISO TC 197/JWG 30

Date: 2023-11-13

**Gaseous Hydrogen — Fuel system components for hydrogen fuelled vehicles**

iTeh Standards  
(<https://standards.itih.ai>)  
**FDIS stage** Preview

ISO/FDIS 19887

<https://standards.itih.ai/catalog/standards/iso/fc82688d-71eb-4754-b6bd-4ecc75dfbf8b/iso-fdis-19887>

Edited DIS - MUST BE USED FOR FINAL DRAFT

ISO/~~DIS~~ **FDIS** 19887:2023(~~F~~**2024**)(en)

© ISO ~~2023~~**2024**

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
~~Email~~**E-mail**: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)~~www.iso.org~~

Published in Switzerland

iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

ISO/FDIS 19887

<https://standards.iteh.ai/catalog/standards/iso/fc82688d-71eb-4754-b6bd-4ecc75dfbf8b/iso-fdis-19887>

ii

© ISO 2023 — All rights reserved

© ISO 2024 — All rights reserved

Edited DIS - MUST BE USED FOR FINAL DRAFT

**Contents**

**Foreword** ..... xv

**Introduction** ..... xvi

**1 Scope** ..... 1

**1.1 Inclusions** ..... 1

**1.2 Applicability** ..... 2

**1.3 Exclusions** ..... 2

**2 Normative references** ..... 2

**3 Terms and definitions** ..... 3

**4 General requirements** ..... 8

**4.1 General construction and assembly** ..... 8

**4.1.1 Intended use** ..... 8

**4.1.2 Material requirements** ..... 10

**4.1.3 Threaded openings** ..... 11

**4.1.4 Service temperatures** ..... 11

**4.1.5 Design service life** ..... 11

**4.2 Failure modes and effects analysis (FMEA)** ..... 12

**4.3 Electrical equipment and wiring** ..... 12

**4.3.1 Openings** ..... 12

**4.3.2 Equipment** ..... 12

**4.3.3 Materials** ..... 12

**4.3.4 Connectors** ..... 12

**4.4 Component literature** ..... 12

**4.4.1 General** ..... 12

**4.4.2 Instructions - General** ..... 12

**4.4.3 Instructions - Additional considerations** ..... 13

**4.4.4 Installation instructions** ..... 13

**4.5 Marking** ..... 13

**4.5.1 General marking information** ..... 13

**4.5.2 Marking methods** ..... 14

**4.5.3 Exclusion of markings** ..... 14

**5 General test methods** ..... 14

**5.1 General test requirements** ..... 14

**5.1.1 Testing samples** ..... 14

**5.1.2 References to other standards** ..... 14

**5.1.3 Pressure and temperature requirements** ..... 15

**5.1.4 Test gases** ..... 15

**5.1.5 Material acceptance** ..... 16

**5.1.6 Multi-functional components** ..... 16

**5.1.7 Pre-cooling effects** ..... 16

**5.1.8 Electrically operated components** ..... 16

**5.2 Hydrostatic strength** ..... 16

**5.2.1 General** ..... 16

**5.2.2 Test method** ..... 16

**5.3 Leakage** ..... 17

**5.3.1 General** ..... 17

**5.3.2 External leakage** ..... 17

5.3.3	Internal leakage .....	17
5.3.4	Test conditions .....	17
5.4	Excess torque resistance.....	18
5.5	Bending moment.....	18
5.6	Continuous operation.....	20
5.6.1	General.....	20
5.6.2	Test method.....	20
5.7	Corrosion resistance.....	21
5.7.1	General.....	21
5.7.2	Salt spray exposure .....	22
5.7.3	Accelerated cyclic corrosion.....	22
5.8	Ultraviolet resistance of external surfaces.....	26
5.8.1	General.....	26
5.8.2	Ultraviolet resistance test .....	26
5.8.3	Pass criteria.....	26
5.9	Automotive fluid exposure.....	27
5.9.1	General.....	27
5.9.2	Test method.....	27
5.9.3	Fluids.....	27
5.9.4	Pass criteria.....	27
5.10	Atmospheric exposure .....	27
5.10.1	Oxygen aging.....	27
5.10.2	Ozone.....	28
5.11	Abnormal electrical voltages .....	28
5.11.1	Overvoltage testing .....	28
5.11.2	Minimum opening voltage.....	29
5.12	Non-metallic material hydrogen compatibility.....	29
5.12.1	General.....	29
5.12.2	Hydrogen gas exposure.....	30
5.12.3	Pass criteria.....	30
5.13	Vibration resistance.....	30
5.13.1	Test method.....	30
5.13.2	Pass criteria.....	31
5.14	Stress corrosion cracking resistance.....	31
5.14.1	General.....	31
5.14.2	Test method.....	31
5.14.3	Pass criteria.....	31
5.15	Insulation resistance.....	31
5.16	Pre-cooled hydrogen exposure.....	32
6	Quality assurance.....	32
7	Production inspection and acceptance testing.....	32
7.1	Inspection and acceptance testing plan.....	32
7.2	Inspection of system critical components.....	32
7.3	External leak testing .....	32
8	Check valves .....	32
8.1	Marking.....	32
8.2	Construction and assembly .....	33
8.3	Tests.....	33
8.3.1	General.....	33
8.3.2	Continuous operation.....	34

8.3.3	Pass criteria.....	35
9	Manual valves .....	35
9.1	Marking.....	35
9.2	Construction and assembly .....	35
9.2.1	General.....	35
9.2.2	Handles .....	35
9.2.3	Emergency manual shut-off valves .....	36
9.2.4	Quarter-turn valves.....	36
9.2.5	Multi-turn valves.....	36
9.3	Tests.....	36
9.3.1	General.....	36
9.3.2	Continuous operation.....	37
9.3.3	Operating torque.....	38
9.3.4	Valve stem torque.....	38
10	Manual container valves .....	39
10.1	Marking.....	39
10.2	Construction and assembly .....	39
10.2.1	General.....	39
10.2.2	Handle.....	39
10.2.3	Quarter-turn valves.....	39
10.2.4	Multi-turn valves.....	39
10.2.5	Internal excess flow valve .....	40
10.3	Tests.....	40
10.3.1	General.....	40
10.3.2	Continuous operation.....	40
10.3.3	Operating torque.....	41
10.3.4	Valve stem torque.....	41
11	Automatic valves and automatic container valves .....	42
11.1	Marking.....	42
11.2	Construction and assembly .....	42
11.2.1	General.....	42
11.2.2	De-energized position .....	42
11.2.3	Shut-off valve failure position .....	43
11.2.4	Internal excess flow valve .....	43
11.3	Tests.....	43
11.3.1	General.....	43
11.3.2	Continuous operation.....	44
11.3.3	Automatic valve manual override torque.....	44
12	Hydrogen injectors .....	45
12.1	Marking.....	45
12.2	Construction and assembly .....	45
12.2.1	General.....	45
12.2.2	De-energized position .....	45
12.3	Tests.....	46
12.3.1	General.....	46
12.3.2	Continuous operation.....	46
12.3.3	Insulation resistance.....	47
12.3.4	Pneumatic strength.....	47
12.3.5	Extreme temperature cycling.....	47

<b>13</b>	<b>Pressure sensors, temperature sensors, and pressure gauges</b>	<b>49</b>
<b>13.1</b>	<b>Marking</b>	<b>49</b>
<b>13.2</b>	<b>Construction and assembly</b>	<b>49</b>
<b>13.2.1</b>	<b>General</b>	<b>49</b>
<b>13.2.2</b>	<b>Pressure gauge lens</b>	<b>49</b>
<b>13.3</b>	<b>Tests</b>	<b>49</b>
<b>13.3.1</b>	<b>General</b>	<b>49</b>
<b>13.3.2</b>	<b>Continuous operation</b>	<b>50</b>
<b>13.3.3</b>	<b>Abnormal electrical voltages</b>	<b>51</b>
<b>13.3.4</b>	<b>Insulation resistance</b>	<b>52</b>
<b>14</b>	<b>Pressure regulators</b>	<b>52</b>
<b>14.1</b>	<b>Marking</b>	<b>52</b>
<b>14.2</b>	<b>Construction and assembly</b>	<b>53</b>
<b>14.2.1</b>	<b>General</b>	<b>53</b>
<b>14.2.2</b>	<b>Nominal outlet pressure</b>	<b>53</b>
<b>14.2.3</b>	<b>Pressure regulator PRV</b>	<b>53</b>
<b>14.3</b>	<b>Tests</b>	<b>53</b>
<b>14.3.1</b>	<b>General</b>	<b>53</b>
<b>14.3.2</b>	<b>Hydrostatic strength</b>	<b>54</b>
<b>14.3.3</b>	<b>Leakage</b>	<b>55</b>
<b>14.3.4</b>	<b>Continuous operation</b>	<b>55</b>
<b>14.3.5</b>	<b>Pressure impulse</b>	<b>56</b>
<b>14.3.6</b>	<b>Pressure chamber – PRV operation</b>	<b>56</b>
<b>15</b>	<b>Pressure relief valves</b>	<b>56</b>
<b>15.1</b>	<b>Marking</b>	<b>56</b>
<b>15.2</b>	<b>Construction and assembly</b>	<b>56</b>
<b>15.2.1</b>	<b>General</b>	<b>56</b>
<b>15.2.2</b>	<b>Venting</b>	<b>57</b>
<b>15.2.3</b>	<b>Inspection and acceptance testing</b>	<b>57</b>
<b>15.3</b>	<b>Tests</b>	<b>57</b>
<b>15.3.1</b>	<b>General</b>	<b>57</b>
<b>15.3.2</b>	<b>Hydrostatic strength</b>	<b>57</b>
<b>15.3.3</b>	<b>Leakage</b>	<b>58</b>
<b>15.3.4</b>	<b>Continuous operation</b>	<b>58</b>
<b>15.3.5</b>	<b>Opening and reseating characteristics</b>	<b>58</b>
<b>16</b>	<b>Pressure relief devices</b>	<b>59</b>
<b>17</b>	<b>Excess flow valves</b>	<b>59</b>
<b>17.1</b>	<b>Marking</b>	<b>59</b>
<b>17.2</b>	<b>Construction and assembly</b>	<b>59</b>
<b>17.3</b>	<b>Tests</b>	<b>59</b>
<b>17.3.1</b>	<b>General</b>	<b>59</b>
<b>17.3.2</b>	<b>Continuous operation</b>	<b>60</b>
<b>17.3.3</b>	<b>Bypass flow</b>	<b>60</b>
<b>18</b>	<b>Gastight housing and leakage capture passages</b>	<b>61</b>
<b>18.1</b>	<b>Marking</b>	<b>61</b>
<b>18.2</b>	<b>Construction and assembly</b>	<b>61</b>
<b>18.2.1</b>	<b>General</b>	<b>61</b>
<b>18.2.2</b>	<b>Inspection and acceptance testing</b>	<b>61</b>
<b>18.3</b>	<b>Tests</b>	<b>61</b>

18.3.1	General	61
18.3.2	Leakage	62
18.3.3	Venting ability and pressure retention	63
18.3.4	Pull-off	63
19	Rigid fuel lines	63
19.1	Marking	63
19.2	Construction and assembly	63
19.3	Tests	64
19.3.1	General	64
19.3.2	Continuous operation	64
19.3.3	Bending	65
20	Flexible fuel lines, hoses, and hose assemblies	65
20.1	Markings	65
20.1.1	General	65
20.1.2	Bulk hoses	65
20.1.3	Hose assemblies	66
20.1.4	Marking surfaces	66
20.1.5	Date code	67
20.2	Construction, assembly, and installation instructions	67
20.2.1	General	67
20.2.2	Linings	67
20.2.3	Hose cover	67
20.2.4	Protection from permeation or leakage	67
20.2.5	Static electricity dissipation	68
20.2.6	End connections	68
20.2.7	Component literature	68
20.3	Tests	68
20.3.1	General	68
20.3.2	Hydrostatic strength	70
20.3.3	Leakage	70
20.3.4	Corrosion resistance	71
20.3.5	Automotive fluid exposure	71
20.3.6	Vibration resistance	74
20.3.7	Pressure cycle	74
20.3.8	Electrical conductivity	77
20.3.9	Hose permeation	77
20.3.10	Ultraviolet light and water exposure	79
20.3.11	Hydrogen impulse	79
20.3.12	Ozone exposure resistance	81
20.4	Manufacturing plan	81
20.4.1	Documentation	81
20.4.2	Production processes	81
20.4.3	Leakage test conducted as production test	82
21	Filter assemblies	82
21.1	Marking	82
21.2	Construction and assembly	83
21.2.1	General	83
21.2.2	Electrical conductivity	83
21.3	Tests	83
21.3.1	General	83

21.3.2	Continuous operation.....	84
22	Fittings.....	84
22.1	Marking.....	84
22.2	Construction and assembly.....	84
22.3	Tests.....	85
22.3.1	General.....	85
22.3.2	Continuous operation.....	85
22.3.3	Repeated assembly.....	86
23	Non-metallic low-pressure rigid fuel lines.....	86
23.1	General.....	86
23.2	Marking.....	86
23.3	Construction and assembly.....	86
23.4	Tests.....	86
23.4.1	General.....	86
23.4.2	Hydrostatic strength.....	87
23.4.3	Continuous operation.....	87
23.4.4	Chloride resistance.....	88
24	Discharge line closures.....	88
24.1	Markings.....	88
24.2	Construction and assembly.....	89
24.2.1	General.....	89
24.2.2	Inspection and acceptance testing.....	89
24.3	Tests.....	89
24.3.1	General.....	89
24.3.2	Continuous operation.....	90
24.3.3	Water jet protection.....	90
24.3.4	Leakage venting.....	91
Annex A (Informative)	Extreme thermal cycling test.....	92
A.1	Scope.....	92
A.2	Powered extreme thermal cycling test.....	92
A.3	Instructions.....	92
Bibliography	.....	95

Foreword	.....	ix
Introduction	.....	x
1	Scope.....	1
1.1	Inclusions.....	1
1.2	Applicability.....	1
1.3	Exclusions.....	2
2	Normative references.....	2
3	Terms and definitions.....	3
4	General requirements.....	7
4.1	General construction and assembly.....	7
4.1.1	Intended use.....	7
4.1.2	Material requirements.....	8
4.1.3	Threaded openings.....	11



4.1.4	Service temperatures	11
4.1.5	Design service life	12
4.2	Failure modes and effects analysis (FMEA)	12
4.3	Electrical equipment and wiring	12
4.3.1	Openings	12
4.3.2	Equipment	12
4.3.3	Materials	12
4.4	Component literature	12
4.4.1	General	12
4.4.2	Instructions – General	12
4.4.3	Instructions – Additional considerations	13
4.4.4	Installation instructions	13
4.5	Marking	13
4.5.1	General marking information	13
4.5.2	Marking methods	13
4.5.3	Exclusion of markings	14
5	General test methods	14
5.1	General test requirements	14
5.1.1	Testing samples	14
5.1.2	References to other standards	14
5.1.3	Pressure and temperature requirements	14
5.1.4	Test gases	14
5.1.5	Material acceptance	15
5.1.6	Multi-functional components	15
5.1.7	Pre-cooling effects	15
5.1.8	Electrically operated components	15
5.2	Hydrostatic strength	15
5.2.1	General	15
5.2.2	Test method	15
5.3	Leakage	16
5.3.1	General	16
5.3.2	External leakage	16
5.3.3	Internal leakage	16
5.3.4	Test conditions	16
5.4	Excess torque resistance	17
5.5	Bending moment	17
5.6	Continuous operation	18
5.6.1	General	18
5.6.2	Test method	19
5.7	Corrosion resistance	19
5.7.1	General	19
5.7.2	Salt spray exposure	20
5.7.3	Accelerated cyclic corrosion	21
5.8	Ultraviolet resistance of external surfaces	23
5.8.1	General	23
5.8.2	Ultraviolet resistance test	23
5.8.3	Pass criteria	23
5.9	Automotive fluid exposure	23
5.9.1	General	23
5.9.2	Test method	23
5.9.3	Fluids	24

5.9.4	Pass criteria	24
5.10	Atmospheric exposure	24
5.10.1	Oxygen aging	24
5.10.2	Ozone	24
5.11	Abnormal electrical voltages	24
5.11.1	Overvoltage testing	24
5.11.2	Minimum opening voltage	25
5.12	Non-metallic material hydrogen compatibility	25
5.12.1	General	25
5.12.2	Hydrogen gas exposure	25
5.13	Vibration resistance	26
5.14	Stress corrosion cracking resistance	26
5.14.1	General	26
5.14.2	Test method	26
5.15	Insulation resistance	27
5.16	Pre-cooled hydrogen exposure	27
6	Quality assurance	27
7	Production inspection and acceptance testing	27
7.1	Inspection and acceptance testing plan	27
7.2	Inspection of system critical components	27
7.3	External leak testing	27
8	Check valves	28
8.1	Marking	28
8.2	Construction and assembly	28
8.3	Tests	28
8.3.1	General	28
8.3.2	Continuous operation	29
9	Manual valves	30
9.1	Marking	30
9.2	Construction and assembly	30
9.2.1	General	30
9.2.2	Handles	30
9.2.3	Emergency manual shut-off valves	30
9.2.4	Quarter-turn valves	31
9.2.5	Multi-turn valves	31
9.3	Tests	31
9.3.1	General	31
9.3.2	Continuous operation	32
9.3.3	Operating torque	32
9.3.4	Valve stem torque	33
10	Manual container valves	33
10.1	Marking	33
10.2	Construction and assembly	34
10.2.1	General	34
10.2.2	Handle	34
10.2.3	Rotation limit	34
10.2.4	Quarter-turn valves	34
10.2.5	Multi-turn valves	34
10.2.6	Internal excess flow valve	34

\*

© ISO 2023 – All rights reserved

© ISO 2024 – All rights reserved

Edited DIS - MUST BE USED FOR FINAL DRAFT

10.3	Tests	34
10.3.1	General	34
10.3.2	Continuous operation	35
10.3.3	Operating torque	36
10.3.4	Valve stem torque	36
11	Automatic valves and automatic container valves	36
11.1	Marking	36
11.2	Construction and assembly	37
11.2.1	General	37
11.2.2	De-energized position	37
11.2.3	Shut-off valve failure position	37
11.2.4	Internal excess flow valve	37
11.2.5	Electrically operated	37
11.3	Tests	37
11.3.1	General	37
11.3.2	Continuous operation	38
11.3.3	Automatic valve manual override torque	39
12	Hydrogen injectors	39
12.1	Marking	40
12.2	Construction and assembly	40
12.2.1	General	40
12.2.2	De-energized position	40
12.3	Tests	40
12.3.1	General	40
12.3.2	Continuous operation	41
12.3.3	Insulation resistance	41
12.3.4	Pneumatic strength	41
12.3.5	Extreme temperature cycling	41
13	Pressure sensors, temperature sensors, and pressure gauges	42
13.1	Marking	42
13.2	Construction and assembly	43
13.2.1	General	43
13.2.2	Lens and pressure relief	43
13.3	Tests	43
13.3.1	General	43
13.3.2	Continuous operation	44
13.3.3	Abnormal electrical voltages	44
14	Pressure regulators	45
14.1	Marking	45
14.2	Construction and assembly	45
14.2.1	General	45
14.2.2	Nominal outlet pressure	45
14.2.3	Pressure regulator	46
14.2.4	Venting	46
14.3	Tests	46
14.3.1	General	46
14.3.2	Hydrostatic strength	47
14.3.3	Leakage	47
14.3.4	Continuous operation	47
14.3.5	Pressure impulse	48

14.3.6 Pressure chamber — PRV operation .....	48
15 Pressure relief valves .....	48
15.1 Marking .....	48
15.2 Construction and assembly .....	49
15.2.1 General .....	49
15.2.2 Inspection and acceptance testing .....	49
15.3 Tests .....	49
15.3.1 General .....	49
15.3.2 Hydrostatic strength .....	50
15.3.3 Leakage .....	50
15.3.4 Continuous operation .....	50
15.3.5 Opening and reseating characteristics .....	50
16 Pressure relief devices .....	51
17 Excess flow valves .....	51
17.1 Marking .....	51
17.2 Construction and assembly .....	51
17.3 Tests .....	51
17.3.1 General .....	51
17.3.2 Continuous operation .....	52
17.3.3 Bypass flow .....	53
18 Gastight housing and leakage capture passages .....	53
18.1 Marking .....	53
18.2 Construction and assembly .....	53
18.2.1 General .....	53
18.2.2 Inspection and acceptance testing .....	53
18.3 Tests .....	53
18.3.1 General .....	53
18.3.2 Leakage .....	54
18.3.3 Venting ability and pressure retention .....	55
18.3.4 Pull-off .....	55
19 Rigid fuel lines .....	55
19.1 Marking .....	55
19.2 Construction and assembly .....	55
19.3 Tests .....	55
19.3.1 General .....	55
19.3.2 Continuous operation .....	56
19.3.3 Bending .....	57
20 Flexible fuel lines, hoses, and assemblies .....	57
20.1 Markings .....	57
20.1.1 General .....	57
20.1.2 Bulk hoses .....	57
20.1.3 Hose assemblies .....	58
20.1.4 Marking surfaces .....	58
20.1.5 Date code .....	58
20.2 Construction, assembly, and installation instructions .....	58
20.2.1 Flexible fuel lines .....	58
20.2.2 Linings .....	58
20.2.3 Hose cover .....	59
20.2.4 Protection from permeation or leakage .....	59

20.2.5	Static electricity dissipation	59
20.2.6	End connections	59
20.2.7	Component literature	59
20.3	Tests	60
20.3.1	General	60
20.3.2	Hydrostatic strength	61
20.3.3	Leakage	61
20.3.4	Corrosion resistance	62
20.3.5	Automotive fluid exposure	62
20.3.6	Vibration resistance	64
20.3.7	Pressure cycle	65
20.3.8	Electrical conductivity	67
20.3.9	Hose permeation	67
20.3.10	Ultraviolet light and water exposure	68
20.3.11	Hydrogen impulse	68
20.3.12	Ozone exposure resistance	70
20.4	Manufacturing plan	70
20.4.1	Documentation	70
20.4.2	Qualification program and traceability	70
20.4.3	Production processes	70
20.4.4	Leakage test conducted as production test	71
21	Filter assemblies	71
21.1	Marking	71
21.2	Construction and assembly	72
21.2.1	General	72
21.2.2	Electrical conductivity	72
21.3	Tests	72
21.3.1	General	72
21.3.2	Continuous operation	73
22	Fittings	73
22.1	Marking	73
22.2	Construction and assembly	73
22.3	Tests	73
22.3.1	General	73
22.3.2	Continuous operation	74
22.3.3	Repeated assembly	75
23	Non-metallic low pressure rigid fuel lines	75
23.1	General	75
23.2	Marking	75
23.3	Construction and assembly	75
23.4	Tests	75
23.4.1	General	75
23.4.2	Hydrostatic strength	76
23.4.3	Continuous operation	76
23.4.4	Chloride resistance	77
24	Discharge line closures	77
24.1	Markings	77
24.2	Construction and assembly	77
24.2.1	General	77
24.2.2	Inspection and acceptance testing	78

**ISO/DIS FDIS 19887:2023(E)2024(en)**

<b>24.3 Tests</b> .....	<b>78</b>
<b>24.3.1 General</b> .....	<b>78</b>
<b>24.3.2 Continuous operation</b> .....	<b>79</b>
<b>24.3.3 Water jet protection</b> .....	<b>79</b>
<b>24.3.4 Leakage venting</b> .....	<b>79</b>
<b>Annex A (Informative) Extreme thermal cycling test</b> .....	<b>81</b>
<b>A.1 Scope</b> .....	<b>81</b>
<b>A.2 Powered extreme thermal cycling test</b> .....	<b>81</b>
<b>A.3 Instructions</b> .....	<b>81</b>
<b>Bibliography</b> .....	<b>83</b>

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[ISO/FDIS 19887](#)

<https://standards.iteh.ai/catalog/standards/iso/fc82688d-71eb-4754-b6bd-4ecc75dfbf8b/iso-fdis-19887>