

SLOVENSKI STANDARD SIST EN ISO 6647-2:2020

01-oktober-2020

Nadomešča:

SIST EN ISO 6647-2:2015

Riž - Določevanje amiloze - 2. del: Spektrofotometrijska rutinska metoda brez postopka razmaščevanja in s kalibracijo v skladu s standardi za riž (ISO 6647-2:2020)

Rice - Determination of amylose content - Part 2: Spectrophotometric routine method without defatting procedure and with calibration from rice standards (ISO 6647-2:2020)

Reis - Bestimmung des Amylosegehalts - Teil 2: Routinemethode: Spektrophotometrische Routinemethode ohne Entfettungsverfahren und mit Kalibrierung nach Reisstandards (ISO 6647-2:2020)

SIST EN ISO 6647-2:2020

https://standards.iteh.ai/catalog/standards/sist/573b6559-0bb7-4cf7-8286-Riz - Détermination de la teneur en amylose - Partie 2: Méthode spectrophotométrique de routine sans mode opératoire de dégraissage et avec étalonnage à l'aide d'étalons de riz (ISO 6647-2:2020)

Ta slovenski standard je istoveten z: EN ISO 6647-2:2020

ICS:

67.060 Žita, stročnice in proizvodi iz Cereals, pulses and derived

njih products

SIST EN ISO 6647-2:2020 en **SIST EN ISO 6647-2:2020**

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 6647-2:2020 https://standards.iteh.ai/catalog/standards/sist/573b6559-0bb7-4cf7-8286-06cd7f2d9318/sist-en-iso-6647-2-2020

EUROPEAN STANDARD NORME EUROPÉENNE **EUROPÄISCHE NORM**

EN ISO 6647-2

August 2020

ICS 67.060

Supersedes EN ISO 6647-2:2015

English Version

Rice - Determination of amylose content - Part 2: Spectrophotometric routine method without defatting procedure and with calibration from rice standards (ISO 6647-2:2020)

Riz - Détermination de la teneur en amylose - Partie 2: Méthode spectrophotométrique de routine sans mode opératoire de dégraissage et avec étalonnage à l'aide d'étalons de riz (ISO 6647-2:2020)

Reis - Bestimmung des Amylosegehalts - Teil 2: Routinemethode: Spektrophotometrische Routinemethode ohne Entfettungsverfahren und mit Kalibrierung nach Reisstandards (ISO 6647-2:2020)

This European Standard was approved by CEN on 18 July 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member. standards.iteh.ai)

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions log/standards/sist/573b6559-0bb7-4cf7-8286-

06cd7f2d9318/sist-en-iso-6647-2-2020 CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 6647-2:2020 (E)

Contents	Page
Furonean foreword	3

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 6647-2:2020 https://standards.iteh.ai/catalog/standards/sist/573b6559-0bb7-4cf7-8286-06cd7f2d9318/sist-en-iso-6647-2-2020

European foreword

This document (EN ISO 6647-2:2020) has been prepared by Technical Committee ISO/TC 34 "Food products" in collaboration with Technical Committee CEN/TC 338 "Cereal and cereal products" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2021, and conflicting national standards shall be withdrawn at the latest by February 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 6647-2:2015.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW Endorsement notice (standards.iteh.ai)

The text of ISO 6647-2:2020 has been approved by CEN as EN ISO 6647-2:2020 without any modification.

https://standards.iteh.ai/catalog/standards/sist/573b6559-0bb7-4cf7-8286-06cd7f2d9318/sist-en-iso-6647-2-2020

SIST EN ISO 6647-2:2020

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 6647-2:2020 https://standards.iteh.ai/catalog/standards/sist/573b6559-0bb7-4cf7-8286-06cd7f2d9318/sist-en-iso-6647-2-2020 **SIST EN ISO 6647-2:2020**

INTERNATIONAL STANDARD

ISO 6647-2

Third edition 2020-07

Rice — Determination of amylose content —

Part 2:

Spectrophotometric routine method without defatting procedure and with calibration from rice standards

Riz — Détermination de la teneur en amylose —

Partie 2: Méthode spectrophotométrique de routine sans mode opératoire de dégraissage et avec étalonnage à l'aide d'étalons de riz

https://standards.iteh.ai/catalog/standards/sist/573b6559-0bb7-4cf7-8286-06cd7f2d9318/sist-en-iso-6647-2-2020



ISO 6647-2:2020(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 6647-2:2020</u> https://standards.iteh.ai/catalog/standards/sist/573b6559-0bb7-4cf7-8286-06cd7f2d9318/sist-en-iso-6647-2-2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Con	itents	Page
Fore	word	iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Principle	
5	Reagents	
6	Apparatus	
7	Sampling	
8	Procedure 8.1 Determination of moisture 8.2 Preparation of test sample 8.3 Test portion and preparation of the test solution 8.4 Preparation of the blank solution 8.5 Preparation of the calibration graph 8.5.1 Preparation of the set of calibration solutions 8.5.2 Colour development and spectrophotometric measurements 8.5.3 Plotting the calibration graph 8.6 Determination	3 3 3 3 3 4 4 4 4 4
9	Expression of results Precision (standards.iteh.ai)	4
10	10.1 Interlaboratory test 10.2 Repeatability SIST EN ISO 6647-2:2020 10.3 Reproductibility ds.itch.ai/catalog/standards/sist/573b6559-0bb7-4cf7-8286-	5 5
11	Test report	6
Anne	x A (informative) Results of an interlaboratory test for the routine method	7
Bibli	ography	11

ISO 6647-2:2020(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. (Standards.iteh.ai)

This third edition cancels and replaces the second edition (ISO 6647-2:2015), which has been technically revised. The main changes compared with the previous edition are as follows.

— The set of calibration solutions in ISO 6647-2:2015 were made by rice samples analysed by size exclusion chromatography. In this document, the set of calibration solutions are made by rice samples analysed by spectrophotometer UV-VIS, without delipidization.

A list of all parts in the ISO 6647 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Rice — Determination of amylose content —

Part 2:

Spectrophotometric routine method without defatting procedure and with calibration from rice standards

1 Scope

This document specifies two simplified routine methods for the determination of the amylose mass fraction of milled rice, non-parboiled. The main difference between the two methods is the dispersion procedure: method A specifies hot dispersion, and method B specifies cold dispersion.

Both methods are applicable to rice with an amylose mass fraction higher than 5 %.

NOTE These methods describe simplified procedures for the preparation of samples, which are frequently used in routine laboratories. The methods use the same reagents as the reference method (see ISO 6647-1), but omit the defatting step. Rice samples where the amylose mass fraction has been determined by the reference method are used as standards.

iTeh STANDARD PREVIEW

2 Normative references

(standards.iteh.ai)

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 712, Cereals and cereal products Determination of moisture content — Reference method

ISO 6647-1:2020, Rice — Determination of Amylose content — Reference method — Part 1: Spectrophotometric method with a defatting procedure by methanol and with calibration solutions of potato amylose and waxy rice amylopectin

ISO 7301, Rice — Specification

ISO 8466-1, Water quality — Calibration and evaluation of analytical methods and estimation of performance characteristics — Part 1: Statistical evaluation of the linear calibration function

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 6647-1 and ISO 7301 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

4 Principle

Rice is ground to a very fine flour to break up the endosperm structure in order to aid complete dispersion and gelatinization. A test portion is dispersed in a sodium hydroxide solution. An aliquot portion is taken to which is added an iodine solution. The absorbance, at 720 nm, of the colour complex formed is then determined using a spectrophotometer.