



SLOVENSKI STANDARD
SIST-TS CEN/TS 17249-5:2019
01-maj-2019

Inteligentni transportni sistemi - e-Varnost - 5. del: e-Klic za dvokolesna motorna vozila UN/ECE kategorij L1 in L3

Intelligent transport systems - eSafety - Part 5: eCall for UNECE Category L1 and L3 powered two-wheeled vehicles

Intelligente Verkehrssysteme - ESicherheit - Teil 5: ECall für UNECE-Kategorie L1 und L3 angetriebene zweirädrige Fahrzeuge

STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS CEN/TS 17249-5:2019](https://standards.iteh.ai/catalog/standards/sist/0197e360-9de4-43a8-a369-c505bd4719d9/sist-ts-cen-ts-17249-5-2019)

Ta slovenski standard je istoveten z: **CEN/TS 17249-5:2019**

ICS:

03.220.20	Cestni transport	Road transport
35.240.60	Uporabniške rešitve IT v prometu	IT applications in transport
43.040.15	Avtomobilska informatika. Vgrajeni računalniški sistemi	Car informatics. On board computer systems

SIST-TS CEN/TS 17249-5:2019

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST-TS CEN/TS 17249-5:2019

<https://standards.iteh.ai/catalog/standards/sist/0197e360-9de4-43a8-a369-c563bd4719d9/sist-ts-cen-ts-17249-5-2019>

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN/TS 17249-5

March 2019

ICS 35.240.60

English Version

**Intelligent transport systems - eSafety - Part 5: eCall for
UNECE Category L1 and L3 powered two-wheeled vehicles**

Intelligente Verkehrssysteme - eSicherheit - Teil 5:
eCall für UNECE-Kategorie L1 und L3 angetriebene
zweirädrige Fahrzeuge

This Technical Specification (CEN/TS) was approved by CEN on 7 January 2019 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

[SIST-TS CEN/TS 17249-5:2019](https://standards.iteh.ai/catalog/standards/sist/0197e360-9de4-43a8-a369-c563bd4719d9/sist-ts-cen-ts-17249-5-2019)

<https://standards.iteh.ai/catalog/standards/sist/0197e360-9de4-43a8-a369-c563bd4719d9/sist-ts-cen-ts-17249-5-2019>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	6
4 Symbols and abbreviations	9
5 Conformance	9
6 112-European eCall for powered two wheel vehicles (vehicle centred)	10
6.1 P2WV context	10
6.2 UNECE P2WV Categories	10
7 112-eCall summary	10
7.1 Triggering conditions	10
7.2 General	11
7.2.1 Context	11
7.2.2 Automatic and manual triggering	11
7.2.3 Uni-directional audio (microphone) connection from the vehicle to the PSAP	11
7.2.4 Audio connection between the PSAP and the users of the vehicle	11
7.3 Specification of the Category L1 and L3 use case data for eCall	11
7.4 Data requirements	12
7.4.1 MSD Data Requirements	12
7.4.2 P2WV 'MC1' additional data concept 'Object Identifier'	12
7.4.3 P2WV additional data concept 'MC1'	13
8 Specific vehicle type requirements for 112-eCall for P2WV — General Requirements related to P2WV eCall	13
Annex A (normative) ASN.1 definition of OAD for Powered Two Wheel Vehicles	16
A.1 Introduction	16
A.2 'Powered Two Wheel Vehicles' OAD ASN.1 definition MC1	16
A.3 Syntax check of ASN.1 definition	16
A.4 Example	16
Annex B (informative) ASN.1 definition of complete MSD message for Powered Two Wheel Vehicles	17
B.1 Introduction	17
B.2 ASN.1 definition of complete extended MSD message	17
B.3 Example	21
Bibliography	23

European foreword

This document (CEN/TS 17249-5:2019) has been prepared by Technical Committee CEN/TC 278 “Intelligent transport systems”, the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

NOTE This document is complementary to EN 16072 and EN 15722 and presents adaptation requirements for the provision of eCall for powered two wheel vehicles.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST-TS CEN/TS 17249-5:2019](https://standards.iteh.ai/catalog/standards/sist/0197e360-9de4-43a8-a369-c563bd4719d9/sist-ts-cen-ts-17249-5-2019)

<https://standards.iteh.ai/catalog/standards/sist/0197e360-9de4-43a8-a369-c563bd4719d9/sist-ts-cen-ts-17249-5-2019>

CEN/TS 17249-5:2019 (E)**Introduction**

In accordance with European Regulation, from 31st March 2018, all new model Category M1/N1 vehicles will be, as a result of European Regulation, from 2018, equipped with 112-eCall (3.2). Other model Category M1/N1 vehicles may be voluntarily equipped with 112-eCall (3.2).

The eCall Regulation at the time of developing this deliverable covers only M1 and N1 Category vehicles (cars and vans). The European Commission's "ICT Rolling Plan" (2017) states the objective "Action 1 Develop technical specification/standards for the implementation of eCall in vehicles of categories other than M1 and N1 and for other user types, taking into account requirements included within type approval regulation as well as ongoing activities in this area (pilots, CEF,...)." And it goes on to explain "... for the extension to other vehicles types and services, such as Heavy Duty Vehicles, Power two wheel vehicles or Hazardous Goods tracking, and other classes of vulnerable road users".

See CEN/TR 17249-1.

Powered two wheel vehicle (vehicle mounted) 112-eCall (3.2), using OEM systems included during the manufacture of the vehicle, present challenges to the eCall paradigm, in that in an accident, the rider is likely to be separated from the vehicle, usually by a considerable distance. eCall equipment mounted on P2WVs is also subjected to far harsher environmental exposure than its in-car counterparts, and providing equipment, such as speakers, that will last and reliably operate for the lifetime of the vehicle, presents a significant problem. This document takes these issues into account as a variation of the requirements specified for Category M1 and N1 vehicles by providing equipment to enable assistance responders to hear background sounds, but does not provide the requirement for two-way voice dialogue in all models, although this may be possible for some vehicle model designs. Other features that characterize eCall are maintained. An optional additional data element that enables the PSAP to identify where voice communications are possible or not, is added.

This document defines the additional high level service requirements for the provision of eCall to powered two wheel vehicles of UNECE Category L1 and L3 (vehicle mounted). As with the existing provisions for eCall for Category M1/N1 vehicles, and other specifications in this series, these are specified within the paradigm of being OEM fit equipment supplied with new vehicles.

NOTE The provision of eCall for aftermarket vehicles will be the subject of other work, and in respect of the operational requirements for any such aftermarket solutions for vehicles, will use the specifications of this document as a principle reference point.

1 Scope

In respect of 112-eCall (operating requirements defined in EN 16072), this document defines adaptations to eCall specifications defined in EN 16072 and other related documents to enable the provision of eCall for powered two wheel vehicles (vehicle centred).

As with the existing provisions for eCall for Category M1/N1 vehicles, these are specified within the paradigm of being OEM fit equipment supplied with new vehicles.

For the purposes of the present document, the P2WV 'L' categories, as defined in Directive 2002/24/EC, Regulation (EU) No 168/2013, UNECE and as referenced/specified in EN 15722 apply.

This document includes only the requirements for Category L1 and L3 powered two wheel vehicles (vehicle based) with the exception of L1e-A (powered cycle), although CEN/TS 17249-6 may reference other 'L' subcategories to use this document. (It will be noted that the categories L1 to L7 include 2, 3 and 4 wheel types e.g. motorcycles, tricycles and quadricycles.)

NOTE 1 Other Technical Specifications may be prepared for other UNECE category 'L' variants.

NOTE 2 The provision of eCall for vehicles via the aftermarket (post sale and registration) will be the subject of other work, and in respect of the operational requirements for any such aftermarket solutions for powered two wheel vehicles (vehicle centred), will use the specifications of this document as a principle reference point.

NOTE 3 The 112-eCall paradigm involves a direct call from the vehicle to the most appropriate PSAP. (Third party service provision by comparison, involves the support of an intermediary third party service provider before the call is forwarded to the PSAP.) The specifications herein relate only to the provision of 112-eCall or IMS-112-eCall (3.10), and do not provide specifications for third party service provision of eCall.

NOTE 4 Some of the elements of this document will require further in depth analysis before they can be implemented in a European Standard. These elements are included in this document however to document the current state of development of a European Standard. The current state of development on these elements justifies their inclusion in this document, but further assessment and analysis might require an amendment before implementation into a European Standard. (This is a normal evolution from a Technical Specification to a European Standard.)

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15722:2015, *Intelligent transport systems — ESafety — ECall minimum set of data*

EN 16062, *Intelligent transport systems — ESafety — eCall high level application requirements (HLAP) using GSM/UMTS circuit switched networks*

EN 16072:2015, *Intelligent transport systems — ESafety — Pan-European eCall operating requirements*

EN 16454, *Intelligent transport systems — ESafety — ECall end to end conformance testing*

CEN/TS 17184, *Intelligent transport systems — eSafety — eCall High level application Protocols (HLAP) using IMS packet switched networks*

CEN/TS 17240, *Intelligent transport systems — ESafety — ECall end to end conformance testing for IMS packet switched based systems*

CEN/TS 17249-5:2019 (E)

CEN/TR 17249-1, *Intelligent transport systems — eSafety — Part 1: Extending eCall to other categories of vehicle*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 15722:2015 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1**112**

single European emergency call number supporting Teleservice 12

[SOURCE: ETSI/TS 122 003]

3.2**112-eCall**

'eCall' provided by a 'Teleservice 12' mobile communication network, as defined in EN 16072 and EN 16062 or CEN/TS 17184

iTeh STANDARD PREVIEW
(standards.iteh.ai)

3.3**beneficiary**

person or group that receives benefits of the service

[SIST-TS CEN/TS 17249-5:2019](https://standards.iteh.ai/catalog/standards/sist/0197e360-9de4-43a8-a369-c563bd4719d9/sist-ts-cen-ts-17249-5-2019)

3.4**data**

representations of static or dynamic objects in a formalized manner suitable for communication, interpretation, or processing by humans or by machines

<https://standards.iteh.ai/catalog/standards/sist/0197e360-9de4-43a8-a369-c563bd4719d9/sist-ts-cen-ts-17249-5-2019>

Note 1 to entry: In packet switched networks, voice is carried in packets of data.

3.5**data concept**

any of a group of *data* structures (i.e. object class, property, value domain, *data elements* (3.6), message, interface dialogue, association) referring to abstractions or things in the natural world that can be identified with explicit boundaries and meaning and whose properties and behaviour all follow the same rules

3.6**data element**

single unit of information of interest (such as a fact, proposition, observation, etc.) about some (entity) class of interest (e.g. a person, place, process, property, concept, state, event) considered to be indivisible in a particular context

3.7**eCall**

emergency call which is generated either automatically via activation of in-vehicle sensors or manually by the *vehicle occupants* (or person(s) riding on a vehicle that is not fitted with an enclosed compartment and/or (a) seatbelt(s)), and which, when activated, provides notification and relevant location information to the most appropriate '*Public Safety Answering Point*', by means of *mobile wireless*

communications *networks*, carries a defined standardized '*Minimum Set of Data*' [MSD] notifying that there has been an incident that requires response from the emergency services, and establishes an audio channel between the occupants of the vehicle and the most appropriate '*Public Safety Answering Point*'

3.8

eCall service

end-to-end emergency service to connect occupants (riders in the case of P2WV) of an affected vehicle to the most appropriate *PSAP* via an audio link across a PLMN together with the transfer of a minimum set of *data* to the *PSAP*

3.9

eCall transaction

establishment of a mobile wireless communications session across a *public mobile communications network* and the transmission of a minimum set of *data* from a vehicle to a *Public Safety Answering Point* and the establishment of an audio channel between the vehicle and the *PSAP*

3.10

IMS-112-eCall

eCall via single European emergency call number using IMS in accordance with EN 16072 and CEN/TS 17184

Note 1 to entry: Using packet switched cellular wireless networks (e.g. E-UTRAN/LTE, etc.)

3.11

in-vehicle equipment

equipment within the vehicle that provides or has access to in-vehicle *data* required for the minimum set of *data* and any other *data* that is to be sent as part of or complementary to the minimum set of *data* to effect the eCall session via a *public mobile wireless communications network* providing a link between the vehicle and a means of enacting the eCall service via a *public mobile wireless communications network*

Note 1 to entry: 'In-vehicle equipment' refers only to 'in-vehicle equipment' for the purposes of eCall (eCall in-vehicle equipment), sometimes referred to as *eCall in-vehicle system* or *IVS*, and does not refer to any other in-vehicle equipment provided for purposes other than eCall; see *eCall in-vehicle system*.

[SOURCE: EN 16072:2015, 3.20 — The original definition was included into the latter Note.]

3.12

in-vehicle system

equipment within the vehicle that provides or has access to in-vehicle *data* required for the *minimum set of data* and any other *data* that is to be sent as part of or complementary to the *minimum set of data* to effect the *eCall transaction* via a *public mobile wireless communications network* providing a link between the vehicle and a means of triggering and enacting the *eCall service* via a *public mobile wireless communications network*

3.13

minimum set of data

content of an eCall message to the *PSAP* operator receiving the emergency call in the form of a standardized *data concept* comprising *data elements* containing information about the location of the incident, providing detail characterising the vehicle, and potentially sometimes also providing additional *data* that is deemed relevant and is essential for the performance of the *eCall service*

CEN/TS 17249-5:2019 (E)

3.14

mobile wireless communications network

wireless communications network with homogeneous handover between *network access points*

3.15

most appropriate PSAP

PSAP defined beforehand by responsible authorities to cover emergency calls from a certain area or for emergency calls of a certain type

Note 1 to entry: See also PSAP.

Note 2 to entry: A number of different instantiations of PSAP service are supported within this document. A PSAP can be a Public Authority or a *private service provider* operating on behalf of the responsible authorities.

3.16

network access points

beacon, antenna or similar source of signal propagation and receipt together with equipment to manage communication sessions with users operating within the operating reach of the network access point and provide connectivity for the users within the operating reach of the single access point to a wider communications network

Note 1 to entry: A network access point may, but does not need to provide homogeneous or heterogeneous handover to another network access point.

3.17

optional additional data**OAD**

part of the *Minimum Set of Data* which is allocated for *additional optional data* provided in a format determined in EN 15722, and which is an 'optional' additional datafield contained within and transmitted as part of the MSD

Note 1 to entry: Any *additional data element(s)* should each consist of two parts: a) A relative 'object identifier' (OID) and b) the *data* content.

3.18

powered two wheel vehicle**P2WV**

powered two-wheel vehicles as defined within UNECE and Regulation (EU) No 168/2013 vehicle categories L1 & L3 with the exception of L1e-A (powered cycle)

3.19

public mobile wireless communications network

mobile wireless communications network with access to a public telecommunications network

3.20

Public Safety Answering Point (PSAP)

physical location working on behalf of the national authorities where emergency calls are first received under the responsibility of a public authority or a private organization recognized by the national government

Note 1 to entry: See also *most appropriate PSAP*.

Note 2 to entry: A number of different instantiations of PSAP service are supported within this document.

3.21**quadricycle/quad**

UNECE Category (UNECE ECE/TRANS/WP.29/78/Rev.4) L6 and L7: vehicle with four wheels and powered by a propulsion as listed in greater detail in Regulation (EU) 168/2013

3.22**rider(s)**

person(s) riding on a vehicle that is not fitted with an enclosed compartment and/or (a) seatbelt(s)

3.23**service provider**

physical and functional component responsible for providing telematics based services to its subscribers

3.24**tricycle**

UNECE Category (UNECE ECE/TRANS/WP.29/78/Rev.4) L2, L4 and L5: vehicle with three wheels and powered by a propulsion as listed in greater detail in Regulation (EU) 168/2013

4 Symbols and abbreviations

EC	European Commission
ETSI	European Telecommunications Standards Institute
GSM	global system for mobile communications
IVS	<i>in-vehicle system</i> ^(3.12)
MSD	<i>minimum set of data</i> (EN 15722)
OAD	optional additional data
P2WV	Powered two wheel vehicle
PLMN	public land mobile network
PSAP	<i>Public Safety Answering Point</i>
TPS	third party service
TS	Technical Specification
UMTS	universal mobile telecommunication system

5 Conformance

Conformance to the requirements of this document for *eCall* using packet switched IMS and circuit switched systems is to be found in CEN/TS 17240 and applicable requirements of EN 16454 respectively, amended to adapt to requirements for L-category vehicles (or a dedicated new standard specific to these vehicle categories).

This document makes no conformance specifications or requirements in respect of TPS-eCall operating requirements, and conformance requirements in respect of TPS-eCall can be found in EN 16102 and EN 16454, amended to adapt to requirements for L-category vehicles (or a dedicated new standard specific to these vehicle categories).