

ISO/TC 8/SC 6

Secretariat: JISC

Voting begins on:
2020-05-14

Voting terminates on:
2020-07-09

Ships and marine technology — Terms, abbreviations, graphical symbols and concepts on navigation

*Navires et technologie maritime — Termes, abréviations, symboles
graphiques et concepts relatifs à la navigation*

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/752247-7514-4947-9598-ba8030ae5d7d/iso-fdis-19018>

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number
ISO/FDIS 19018:2020(E)

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/752a24d3-7514-4947-9598-ba8030ae5d7d/iso-fdis-19018>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Special units in maritime navigation	1
5 Reference directions	2
5.1 North directions	2
5.2 Dead ahead direction	2
6 Course, heading, track, speed	2
6.1 Course, heading	2
6.2 Track	4
6.3 Speed	4
7 Bearings	4
8 Corrections	5
9 Influence of wind and current	6
9.1 Wind	6
9.2 Leeway and drift triangle	6
10 Geographical coordinates, positions and lines, and graphical symbols	8
10.1 Geographical coordinates	8
10.2 Positions and lines	9
10.3 Graphical symbols	10
11 Waypoint navigation	10
12 Terms of time	11
12.1 Universal terms of time	11
12.2 Terms concerning time for navigation use	12
13 Astronomical navigation	13
13.1 Celestial coordinates, points, lines and angles on the celestial sphere	13
13.2 Great and small circles	13
13.3 Altitudes and angular distances on the celestial sphere	14
13.4 Sight reduction	15
13.5 Symbols of celestial bodies and sextant altitudes	16
14 Depth of water and tides	16
15 Terrestrial magnetism	18
16 Global Navigation Satellite System (GNSS)	19
16.1 Dilution of precision	19
Bibliography	20

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 8, *Ships and marine technology*, Subcommittee SC 6, *Navigation and ship operations*.

This second edition cancels and replaces the first edition (ISO 19018:2004), which has been technically revised.

The main changes compared to the previous edition are as follows:

- [Clause 2](#): updated referenced documents: ISO 31 deleted (its current revision, ISO 80000-3:2019, does no longer mention the nautical mile, knot, degree and minute), and changed from IEC 60872 and IEC 60936 to related original IMO resolutions;
- added [Clause 3](#), “Terms and definitions”, and subsequent clauses renumbered;
- items 4.1.1 to 4.1.3: referenced document changed from “ISO 31-1 and/or Chart INT 1” to “Chart INT” only, as applicable;
- items [6.1](#) and 6.1.1: abbreviation of “course” changed from “CSE” to “CRS”, and the second sentence of the explanation of [6.1](#) deleted (harmonized with that in radar navigation; IEC 62288 and/or IEC 62388);
- items 6.1.1 to 6.1.15 and 7.1 to 7.5: updated “Definition, remarks” based on IMO Resolution MSC. 192 (79) (harmonized with abbreviation and definition in IEC 62288 and/or IEC 62388);
- items 6.1.1, 6.1.2 and 6.1.4: added 6.1.1 “course”, 6.1.2 “heading” and 6.1.4 “course to steer” (harmonized with abbreviation and definition in IEC 62288 and/or IEC 62388);
- items 7.1 to 7.5: changed the “Definition, remarks”, based on IMO Resolution MSC, 192[79];
- deleted former Clause 15, “Radar navigation”, and former Clause 16, “LORAN-C”; and former Clause 17 renumbered as new [Clause 16](#);

- new [Clause 16](#) (former Clause 17): title changed from “Global Positioning System (GPS)” to “Global Navigation Satellite System (GNSS)”;
- Bibliography: added “[4] IEC 62288:2014”, “[5] IEC 62388:2013”, “[6] IMO Resolution MSC. 191(79)” and “[7] IMO Resolution MSC. 192(79)”.

Any feedback or questions on this document should be directed to the user’s national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/752a24d3-7514-4947-9598-ba8030ae5d7d/iso-fdis-19018>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/752a24d3-7514-4947-9598-ba8030ae5d7d/iso-fdis-19018>

Ships and marine technology — Terms, abbreviations, graphical symbols and concepts on navigation

1 Scope

This document provides terms, abbreviations and graphical symbols for use in maritime navigation on board ships. Symbols for use in mathematical formulae are also given, as applicable.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

Terms, abbreviation and symbols used in navigation are given in [Clauses 4](#) to [16](#). Abbreviations can prove useful, but they should not be used in mathematical formulae.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

navigation

process of finding the position of a craft or vehicle, and of planning, recording and controlling its movement from one place to another

4 Special units in maritime navigation

Item No.	Name of the unit	International symbol	Definition, conversion factors and remarks
4.1 Unit of length			
4.1.1	nautical mile	NM in charts: M ^a	1 NM = 1 852 m. The nautical mile is not an SI-unit. This definition was adopted by the First International Hydrographic Conference in 1929.
4.1.2	cable, cable length	cbl	One-tenth of a nautical mile. The cable is not an SI unit.
^a Symbol M is to be used in Charts according to the "Chart Specifications of the IHO" which came into force at the XIIth International Hydrographic Conference 1982 in Monaco.			

Item No.	Name of the unit	International symbol	Definition, conversion factors and remarks
4.2 Unit of velocity and speed			
4.2.1	knot, knots	kn	$1 \text{ kn} = 1 \frac{\text{NM}}{\text{h}} = 0,514 \text{ 444 m/s}$ (see Chart INT 1). Velocity is a vector quantity, whereas speed is a scalar having magnitude only. The knot is not an SI unit.
4.3 Unit of angle			
4.3.1	degree	°	$1^\circ = \frac{\pi}{180} \text{ rad}$
4.3.2	minute	'	$1' = \frac{1^\circ}{60}$ In maritime navigation, angles should be specified in degrees, minutes and decimals of minutes (example: write 17° 40,25' not 17° 40' 15"). Degrees and minutes are not SI units.
^a Symbol M is to be used in Charts according to the "Chart Specifications of the IHO" which came into force at the XIIth International Hydrographic Conference 1982 in Monaco.			

5 Reference directions

5.1 North directions

North directions are horizontal reference directions.

Item No.	Term	Abbreviation	Definition, remarks
5.1.1	true north	TN	Northerly direction of the meridian (see 10.1.12).
5.1.2	magnetic north	MN	Northerly direction of the horizontal component of the Earth's magnetic field (see 15.2).
5.1.3	compass north	CN	Northerly direction of the needle or zero-index of a magnetic compass.
5.1.4	gyro north	GyN	Northerly direction indicated by the gyro-compass.

5.2 Dead ahead direction

Dead ahead direction is the direction ahead of the ship's fore-and-aft line.

6 Course, heading, track, speed

6.1 Course, heading

Course (CRS) and heading (HDG) are angles, measured in the horizontal plane from one of the reference directions specified in [Clause 5](#), counted clockwise from 000° through <360°, written as three-digit numbers.

Item No.	Term	Abbreviation	Definition, remarks
6.1.1	course	CRS	Direction of motion relative to ground or to sea, of a ship, expressed as an angular displacement from north.
6.1.2	heading	HDG	Direction in which the bow of a ship is pointing, expressed as an angular displacement from north. [SOURCE: IMO Resolution MSC. 192(79), Appendix 2.]
6.1.3	true course	TC T CRS	Direction of motion relative to ground or to sea, of a target, expressed as an angular displacement from true north. [SOURCE: IMO Resolution MSC. 192(79), Appendix 2.]
6.1.4	course to steer	CTS	The direction in which the ship is intended to be steered, defined as an angular displacement from true course.
6.1.5	true heading	TH T HDG	Horizontal direction that the bow of a ship is pointing, expressed as an angular displacement from true north.
6.1.6	magnetic course	MC M CRS	Direction of motion relative to ground or to sea, of a ship, expressed as an angular displacement from magnetic north.
6.1.7	magnetic heading	MH M HDG	Horizontal direction that the bow of a ship is pointing, expressed as an angular displacement from magnetic north.
6.1.8	compass course	CC C CRS	Direction of motion relative to ground or to sea, of a ship, expressed as an angular displacement from compass north.
6.1.9	compass heading	CH C HDG	Horizontal direction that the bow of a ship is pointing, expressed as an angular displacement from compass north.
6.1.10	gyro course	GyC Gy CRS	Direction of motion relative to ground or to sea, of a ship, expressed as an angular displacement from gyro north.
6.1.11	gyro heading	GyH GY HDG	Horizontal direction that the bow of a ship is pointing, expressed as an angular displacement from gyro north.
6.1.12	course through water	CTW	Direction of the ship's movement through the water, defined by the angle between the meridian through its position and the direction of the ship's movement through the water, expressed in angular units from true north. [SOURCE: IMO Resolution MSC. 192(79), Appendix 2.]
6.1.13	course of advance, course to make good	COA	Direction from the ship's last fix (see 10.2.5) to the next estimated position (see 10.2.3), expressed in angular units from true north.
6.1.14	course over ground	COG	Direction of the ship's movement relative to the Earth, measured on board the ship, expressed in angular units from true north. [SOURCE: IMO Resolution MSC. 192(79), Appendix 2.]

Item No.	Term	Abbreviation	Definition, remarks
6.1.15	course made good	CMG	Rhumb-line direction (see 10.2.11) between two fixes (see 10.2.5).

6.2 Track

The term “track” is used

- a) as the path of voyage over the ground (ground track) or through the water (water track), as plotted in the chart, expressed in angular units from true north (000°) clockwise through <360°; one must distinguish rhumb-line track (see 10.2.11) and great-circle track (see 10.2.9),
- b) as the path of radar-targets on a plan position indicator.

Item No.	Term	Abbreviation	Definition, remarks
6.2.1	intended water track	WT	Intended path of the ship's movement through the water.
6.2.2	water track	WAT TRK	Actual path of the ship's movement through the water.
6.2.3	intended ground track	GT	Intended path of the ship's movement over the ground.
6.2.4	ground track	GND TRK	Actual path of the ship's movement relative to the Earth.
6.2.5	track made good	TMG	Track between two fixes (see 10.2.5).

6.3 Speed

Item No.	Name of the term	Abbreviation	Definition, remarks
6.3.1	speed	SPD	Own ship's speed in dead ahead direction (see 5.2) produced by machine or sail.
6.3.2	speed through the water	STW	Speed of the ship relative to the water surface.
6.3.3	speed of advance, speed to make good	SOA	Estimated speed of the ship relative to the Earth.
6.3.4	speed over the ground	SOG	Speed of the ship relative to the Earth, measured on board the ship.
6.3.5	speed made good	SMG	Speed of the ship between two fixes.

7 Bearings

Bearing (BRG) is an angle measured in the horizontal plane from one of the reference directions specified in [Clause 5](#), measured clockwise from 000° through 360°, written as three-digit numbers. In radar navigation, the abbreviation BRG for bearing is preferred.

Item No.	Term	Abbreviation	Definition, remarks
7.1	true bearing	TB T BRG	Direction of a target from own ship's consistent common reference point (CCRP) or from another target's position, expressed as an angular displacement from true north. [SOURCE: IMO Resolution MSC. 192(79), Appendix 2, modified – added CCRP.]